

## APPENDIXES (CONTINUED)

- APPENDIX B 1-1 BODY WEIGHT CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE
- APPENDIX B 1-2 BODY WEIGHT CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE
- APPENDIX B 1-3 BODY WEIGHT CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE
- APPENDIX B 1-4 BODY WEIGHT CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE
- APPENDIX B 2-1 FOOD CONSUMPTION CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE
- APPENDIX B 2-2 FOOD CONSUMPTION CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE
- APPENDIX B 2-3 FOOD CONSUMPTION CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE
- APPENDIX B 2-4 FOOD CONSUMPTION CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE
- APPENDIX B 3-1 CHEMICAL INTAKE CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE
- APPENDIX B 3-2 CHEMICAL INTAKE CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE
- APPENDIX B 3-3 CHEMICAL INTAKE CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE
- APPENDIX B 3-4 CHEMICAL INTAKE CHANGES (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE
- APPENDIX B 4-1 HEMATOLOGY (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE
- APPENDIX B 4-2 HEMATOLOGY (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE
- APPENDIX B 4-3 HEMATOLOGY (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE
- APPENDIX B 4-4 HEMATOLOGY (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE

## APPENDIXES (CONTINUED)

- APPENDIX B 5-1 BIOCHEMISTRY (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE
- APPENDIX B 5-2 BIOCHEMISTRY (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE
- APPENDIX B 5-3 BIOCHEMISTRY (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE
- APPENDIX B 5-4 BIOCHEMISTRY (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE
- APPENDIX B 6-1 URINALYSIS (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE
- APPENDIX B 6-2 URINALYSIS (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE
- APPENDIX B 6-3 URINALYSIS (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE
- APPENDIX B 6-4 URINALYSIS (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE
- APPENDIX B 7-1 GROSS FINDINGS (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : MALE : SACRIFICED ANIMALS
- APPENDIX B 7-2 GROSS FINDINGS (THIRTEEN-WEEK STUDY : SUMMARY)  
RAT : FEMALE : SACRIFICED ANIMALS
- APPENDIX B 7-3 GROSS FINDINGS (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE : DEAD AND MORIBUND ANIMALS
- APPENDIX B 7-4 GROSS FINDINGS (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : MALE : SACRIFICED ANIMALS
- APPENDIX B 7-5 GROSS FINDINGS (THIRTEEN-WEEK STUDY : SUMMARY)  
MOUSE : FEMALE : SACRIFICED ANIMALS
- APPENDIX B 8-1 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),ABSOLUTE  
RAT : MALE
- APPENDIX B 8-2 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),ABSOLUTE  
RAT : FEMALE
- APPENDIX B 8-3 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),ABSOLUTE  
MOUSE : MALE
- APPENDIX B 8-4 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),ABSOLUTE  
MOUSE : FEMALE

APPENDIXES (CONTINUED)

APPENDIX B 9-1 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),RELATIVE  
RAT : MALE

APPENDIX B 9-2 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),RELATIVE  
RAT : FEMALE

APPENDIX B 9-3 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),RELATIVE  
MOUSE : MALE

APPENDIX B 9-4 ORGAN WEIGHT (THIRTEEN-WEEK STUDY : SUMMARY),RELATIVE  
MOUSE : FEMALE

APPENDIX B 10-1 HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS  
(THIRTEEN-WEEK STUDY : SUMMARY) RAT : MALE SACRIFICED ANIMALS

APPENDIX B 10-2 HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS  
(THIRTEEN-WEEK STUDY : SUMMARY) RAT : FEMALE SACRIFICED ANIMALS

APPENDIX B 10-3 HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS  
(THIRTEEN-WEEK STUDY : SUMMARY) MOUSE : FEMALE DEAD AND MORIBUND ANIMALS

APPENDIX B 10-4 HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS  
(THIRTEEN-WEEK STUDY : SUMMARY) MOUSE : MALE SACRIFICED ANIMALS

APPENDIX B 10-5 HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS  
(THIRTEEN-WEEK STUDY : SUMMARY) MOUSE : FEMALE SACRIFICED ANIMALS

APPENDIX B 11-1 IDENTITY AND PURITY OF ANTHRACENE PERFORMED  
AT THE JAPAN BIOASSAY LABORATORY (THIRTEEN-WEEK STUDIES)

APPENDIX B 11-2 STABILITY OF ANTHRACENE AT THE JAPAN BIOASSAY LABORATORY  
(THIRTEEN-WEEK STUDIES)

APPENDIX B 11-3 ANALYSIS OF ANTHRACENE CONCENTRATION IN FORMULATED DIETS  
OF THE THIRTEEN-WEEK STUDIES

APPENDIX B 11-4 STABILITY OF ANTHRACENE IN FORMULATED DIETS  
OF THE THIRTEEN-WEEK STUDIES

APPENDIX C 1 METHODS FOR HEMATOLOGY, BIOCHEMISTRY AND URINALYSIS

APPENDIX C 2 UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY

APPENDIX B 1-1

BODY WEIGHT CHANGES (THIRTEEN—WEEK STUDY:SUMMARY)

RAT : MALE

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration week		1		2		3		4		5		6	
	0													
Control	124±	4	149±	5	182±	6	209±	5	229±	7	245±	8	259±	8
80 ppm	124±	4	149±	5	185±	5	212±	6	229±	8	247±	10	261±	13
400 ppm	124±	4	149±	6	185±	8	210±	14	227±	16	244±	20	256±	24
2000 ppm	124±	4	146±	6	180±	6	204±	7	221±	11	237±	13	252±	15
10000 ppm	124±	4	142±	6*	175±	9	198±	13	217±	16	234±	17	248±	20
50000 ppm	124±	4	141±	4*	172±	5**	196±	7*	214±	9*	232±	10	245±	10

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration week						
	7	8	9	10	11	12	13
Control	275± 8	290± 10	298± 10	310± 11	321± 11	328± 11	337± 11
80 ppm	276± 14	294± 14	304± 14	316± 14	326± 15	337± 16	345± 16
400 ppm	270± 26	286± 29	296± 28	307± 28	317± 29	328± 29	335± 28
2000 ppm	265± 15	280± 16	291± 17	301± 18	313± 17	322± 18	329± 18
10000 ppm	260± 22	275± 23	286± 24	295± 25	307± 25	314± 25	322± 24
50000 ppm	260± 11	274± 10	285± 11	295± 10	307± 10	315± 11	323± 10

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

## APPENDIX B 1-2

BODY WEIGHT CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration week													
	0		1		2		3		4		5		6	
Control	103±	3	116±	2	132±	4	143±	4	148±	4	157±	6	162±	6
80 ppm	103±	3	118±	4	135±	5	144±	5	152±	5	160±	5	166±	6
400 ppm	103±	3	116±	3	130±	4	138±	7	144±	9	151±	11	156±	12
2000 ppm	103±	3	114±	3	130±	5	139±	5	144±	4	150±	6	155±	7
10000 ppm	103±	3	113±	4	130±	4	138±	5	144±	6	151±	6	154±	7
50000 ppm	103±	3	107±	3**	121±	4**	130±	4**	136±	5**	140±	6**	145±	7**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2



STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration week		7		8		9		10		11		12		13	
Control	167±	8	173±	8	178±	9	175±	9	185±	9	186±	9	191±	10		
80 ppm	170±	6	175±	5	180±	7	174±	9	186±	7	190±	6	193±	6		
400 ppm	159±	13	161±	12**	167±	12*	170±	15	173±	14	177±	15	181±	15		
2000 ppm	161±	8	162±	7*	167±	7*	172±	7	175±	7	178±	8	182±	7		
10000 ppm	158±	7	161±	7**	164±	7**	167±	7	170±	6**	173±	5*	176±	5**		
50000 ppm	151±	7**	156±	6**	156±	6**	159±	7**	162±	5**	164±	7**	166±	6**		

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

## APPENDIX B 1-3

BODY WEIGHT CHANGES (THIRTEEN—WEEK STUDY:SUMMARY)

MOSUE : MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration week						
	0	1	2	3	4	5	6
Control	23.0± 0.7	24.1± 0.7	25.2± 0.8	26.0± 0.8	26.8± 0.9	27.6± 1.2	28.5± 1.1
80 ppm	23.0± 0.7	23.5± 1.3	24.5± 1.1	25.5± 1.0	26.3± 1.2	27.0± 1.2	28.1± 1.7
400 ppm	23.0± 0.7	23.4± 1.0	24.4± 0.8	24.9± 0.7	25.8± 0.9	26.6± 0.9	27.5± 1.1
2000 ppm	23.0± 0.7	23.3± 1.5	23.8± 1.5*	24.4± 1.2**	25.5± 1.1*	25.9± 1.1**	26.7± 1.6*
10000 ppm	23.0± 0.7	23.1± 0.9	23.3± 1.0**	23.9± 1.1**	24.5± 1.2**	24.9± 1.4**	25.5± 1.6**
50000 ppm	23.0± 0.7	22.4± 1.6	22.9± 0.9**	23.4± 0.8**	23.9± 0.6**	24.4± 0.5**	24.5± 0.6**

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration week 7	8	9	10	11	12	13
Control	28.8± 1.3	30.4± 1.6	31.2± 1.7	32.2± 1.8	32.7± 1.8	32.6± 2.0	33.6± 2.0
80 ppm	28.0± 1.7	29.7± 2.1	30.3± 2.4	31.3± 2.6	32.1± 2.7	31.6± 2.8	32.7± 3.2
400 ppm	27.6± 1.1	28.9± 1.1	29.5± 1.3	30.6± 1.3	31.2± 1.8	31.4± 1.7	32.5± 1.7
2000 ppm	26.9± 1.4	27.9± 1.7	28.7± 1.5	29.6± 1.9	30.1± 2.2	29.9± 2.4	31.0± 2.0
10000 ppm	25.9± 1.6**	26.4± 1.8**	26.8± 1.8**	27.3± 1.9**	27.8± 1.9**	27.8± 2.1**	28.4± 2.2**
50000 ppm	24.7± 0.4**	25.0± 0.6**	25.1± 0.5**	25.7± 0.7**	25.8± 0.7**	25.9± 0.8**	26.2± 0.9**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

APPENDIX B 1-4

BODY WEIGHT CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE: FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration week						
	0	1	2	3	4	5	6
Control	19.1± 0.7	19.7± 0.9	20.3± 0.7	20.7± 1.1	21.2± 0.9	21.7± 1.1	22.4± 1.0
80 ppm	19.1± 0.7	19.3± 0.8	20.0± 0.5	20.5± 0.6	21.5± 0.8	21.2± 0.8	22.4± 0.7
400 ppm	19.1± 0.7	19.5± 0.7	19.9± 0.8	20.9± 0.8	21.4± 0.8	21.5± 0.8	22.6± 0.8
2000 ppm	19.1± 0.6	19.4± 0.7	19.8± 0.8	20.2± 0.8	20.8± 0.9	21.3± 1.0	22.4± 0.9
10000 ppm	19.1± 0.7	18.8± 0.9	19.2± 0.9**	19.5± 0.9**	19.9± 1.1**	20.1± 1.2**	21.1± 1.2**
50000 ppm	19.1± 0.6	17.8± 1.5**	19.1± 0.4**	19.5± 0.4**	19.7± 0.6**	19.9± 0.5**	20.4± 0.6**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration week						
	7	8	9	10	11	12	13
Control	22.2± 1.1	22.6± 1.4	22.6± 1.8	23.7± 1.2	23.9± 1.5	23.8± 1.5	24.0± 2.0
80 ppm	22.2± 0.6	22.6± 1.1	22.6± 0.9	23.3± 1.0	23.7± 0.9	23.9± 0.9	23.4± 1.0
400 ppm	22.5± 1.4	22.8± 1.2	22.6± 1.0	23.4± 1.0	23.7± 1.7	24.0± 1.5	23.7± 1.2
2000 ppm	21.9± 1.1	22.4± 1.2	22.5± 1.4	22.9± 1.1	23.6± 1.8	23.5± 1.4	23.3± 1.4
10000 ppm	20.9± 1.3*	21.4± 1.4	21.5± 1.9	22.2± 1.2*	22.4± 1.4	22.7± 1.7	22.3± 1.7*
50000 ppm	20.9± 0.7*	21.1± 0.8*	21.6± 1.1	22.0± 1.0**	22.0± 0.7*	22.0± 1.0*	22.0± 1.0*

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

## APPENDIX B 2-1

FOOD CONSUMPTION CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE



STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	12.3± 0.5	13.5± 0.6	14.7± 0.7	14.9± 0.6	15.0± 0.5	14.8± 0.7	15.3± 0.8
80 ppm	12.5± 0.5	13.9± 0.5	15.1± 0.7	15.2± 0.8	16.1± 1.7	16.1± 2.1	16.3± 2.1
400 ppm	12.4± 0.5	14.0± 0.9	14.9± 1.3	14.8± 1.4	15.6± 1.4	15.3± 2.1	15.3± 2.0
2000 ppm	11.9± 0.4	13.7± 0.6	14.3± 0.8	14.6± 1.1	15.3± 1.3	15.4± 1.3	15.1± 1.0
10000 ppm	11.1± 0.7**	13.3± 0.9	14.2± 1.3	14.6± 1.1	15.0± 1.3	15.0± 1.7	15.0± 1.7
50000 ppm	10.8± 0.4**	13.6± 0.7	14.6± 0.6	15.0± 1.0	15.7± 1.0	15.7± 0.7	16.0± 0.8

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration week					
	8	9	10	11	12	13
Control	15.9± 0.9	16.0± 1.3	15.9± 1.3	16.5± 1.3	16.5± 1.6	16.4± 1.8
80 ppm	16.8± 2.3	17.0± 1.8	16.6± 2.1	17.1± 1.9	17.1± 1.5	16.7± 1.2
400 ppm	15.7± 2.2	15.9± 2.1	15.5± 1.7	16.2± 1.9	16.4± 1.7	15.9± 1.5
2000 ppm	15.5± 1.1	15.6± 1.2	15.6± 1.1	16.0± 1.0	16.1± 1.1	15.8± 0.9
10000 ppm	15.3± 1.8	15.6± 1.4	15.4± 1.5	15.6± 1.7	15.8± 1.5	15.9± 1.4
50000 ppm	16.3± 0.7	16.6± 1.0	16.4± 0.7	16.6± 0.7	17.1± 1.1	17.0± 1.0

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

## APPENDIX B 2-2

FOOD CONSUMPTION CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	10.8± 0.4	11.0± 0.5	11.4± 0.6	11.3± 0.6	12.0± 0.7	11.4± 0.8	11.6± 1.2
80 ppm	10.9± 0.5	11.3± 0.5	11.6± 0.5	11.5± 0.6	12.2± 0.6	11.6± 1.4	11.7± 0.9
400 ppm	10.4± 0.4	10.7± 0.4	11.0± 0.8	10.6± 1.0	11.4± 1.3	10.6± 1.7	10.5± 1.6
2000 ppm	9.8± 0.2*	10.6± 0.4	11.1± 0.8	10.8± 0.6	11.3± 0.5	10.6± 1.0	11.4± 1.9
10000 ppm	9.3± 0.3**	10.6± 0.3	10.8± 0.4	10.8± 0.3	11.0± 0.5*	10.6± 0.6	10.5± 0.4
50000 ppm	8.1± 0.9**	9.9± 0.4**	10.0± 0.4**	10.0± 0.4**	10.1± 0.4**	9.7± 0.5**	9.8± 0.5**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration week					
	8	9	10	11	12	13
Control	11.8± 1.0	11.9± 0.9	11.5± 1.1	12.5± 1.6	11.6± 0.9	12.3± 1.3
80 ppm	11.4± 1.0	11.9± 1.1	11.0± 0.9	12.3± 1.8	12.3± 1.5	12.0± 1.4
400 ppm	9.7± 1.2**	11.1± 1.4	10.8± 1.4	11.0± 1.4	11.2± 1.3	11.1± 1.3
2000 ppm	10.1± 1.5*	11.1± 1.1	11.0± 1.1	11.5± 1.3	11.0± 1.1	11.4± 0.9
10000 ppm	10.4± 0.5	10.7± 0.6*	10.3± 0.6*	10.5± 0.4*	10.5± 0.5	10.7± 0.6*
50000 ppm	9.9± 0.4**	9.7± 0.6**	9.6± 0.5**	9.8± 0.5**	9.8± 0.7**	9.9± 0.4**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

## APPENDIX B 2-3

FOOD CONSUMPTION CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	5.2± 0.5	4.9± 0.5	4.8± 0.3	4.9± 0.4	5.3± 0.5	5.2± 0.5	5.0± 0.5
80 ppm	5.1± 0.4	5.0± 0.6	4.9± 0.4	4.9± 0.6	5.2± 0.5	5.3± 0.5	5.2± 0.5
400 ppm	4.9± 0.4	4.8± 0.4	4.7± 0.4	4.9± 0.5	5.3± 0.6	5.3± 0.7	5.0± 0.4
2000 ppm	4.8± 0.8	4.7± 0.7	4.4± 0.4	4.6± 0.4	4.8± 0.3	4.9± 0.5	4.8± 0.4
10000 ppm	4.7± 0.4	4.3± 0.4*	4.1± 0.4**	4.4± 0.4*	4.7± 0.4*	4.6± 0.5	4.5± 0.4
50000 ppm	4.6± 0.4	4.3± 0.3*	4.0± 0.4**	4.2± 0.3**	4.4± 0.4**	4.1± 0.3**	4.2± 0.3**

Significant difference : \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration week					
	8	9	10	11	12	13
Control	5.7± 0.6	5.7± 0.3	5.0± 0.5	4.7± 0.5	5.2± 0.6	5.1± 0.5
80 ppm	5.9± 0.8	5.8± 0.5	5.3± 0.6	4.8± 0.4	5.1± 0.6	5.5± 0.5
400 ppm	5.7± 0.6	5.9± 0.4	5.2± 0.4	5.0± 0.4	5.1± 0.5	5.5± 0.5
2000 ppm	5.2± 0.5	5.4± 0.6	4.9± 0.3	4.6± 0.2	4.8± 0.4	5.2± 0.4
10000 ppm	5.2± 0.6	5.0± 0.6*	4.6± 0.4	4.6± 0.5	4.6± 0.3*	4.7± 0.3
50000 ppm	4.4± 0.6**	4.5± 0.4**	4.2± 0.3**	4.2± 0.4	4.2± 0.4**	4.3± 0.4**

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 2



## APPENDIX B 2-4

FOOD CONSUMPTION CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	4.9± 0.3	4.5± 0.4	4.8± 0.4	4.8± 0.4	5.3± 0.3	5.1± 0.5	5.0± 0.4
80 ppm	5.2± 0.7	4.8± 0.3	5.1± 0.7	4.7± 0.3	5.6± 0.7	5.4± 0.8	5.6± 0.7*
400 ppm	5.3± 0.5	4.8± 0.3	5.0± 0.4	5.1± 0.4	5.6± 0.4	5.3± 0.5	5.4± 0.5
2000 ppm	4.9± 0.7	4.6± 0.4	4.7± 0.5	4.9± 0.6	5.5± 0.5	5.5± 0.4	5.3± 0.4
10000 ppm	4.5± 0.5	3.9± 0.4**	4.0± 0.5**	4.5± 0.4	4.7± 0.5*	4.8± 0.5	4.6± 0.3
50000 ppm	4.4± 0.7	4.1± 0.4*	3.8± 0.3**	4.0± 0.3**	4.5± 0.4**	4.5± 0.4	4.6± 0.4

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
UNIT : g  
REPORT TYPE : A1 13  
SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 4

Group Name	Administration week					
	8	9	10	11	12	13
Control	5.6± 0.6	5.8± 0.5	5.0± 0.4	5.3± 0.5	5.2± 0.3	5.5± 0.3
80 ppm	6.1± 0.6	6.3± 0.6	5.7± 0.6*	5.5± 0.6	5.7± 0.7	6.0± 0.7
400 ppm	6.0± 0.7	6.2± 0.5	5.3± 0.4	5.3± 0.5	5.6± 0.3	5.6± 0.4
2000 ppm	5.9± 0.7	6.2± 0.7	5.5± 0.4	5.6± 0.5	5.8± 0.4*	5.9± 0.5
10000 ppm	5.4± 0.6	5.3± 0.5	4.8± 0.4	4.9± 0.5	4.9± 0.4	5.1± 0.3
50000 ppm	4.8± 0.5*	5.2± 0.5	4.6± 0.5	4.7± 0.6	4.9± 0.5	5.0± 0.4

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS2

## APPENDIX B 3-1

CHEMICAL INTAKE CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE

STUDY NO. : 0220  
ANIMAL : RAT F344  
UNIT : mg/kg/d a y  
REPORT TYPE : A1 13  
SEX : FEMALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 3

Group Name	Administration (weeks)													
	1		2		3		4		5		6		7	
Control	0.000±	0.000	0.000±	0.000	0.000±	0.000	0.000±	0.000	0.000±	0.000	0.000±	0.000	0.000±	0.000
80 ppm	7.369±	0.174	6.711±	0.168	6.448±	0.224	6.053±	0.299	6.101±	0.309	5.624±	0.644	5.497±	0.379
400 ppm	35.914±	1.019	32.988±	0.691	31.730±	1.225	29.346±	1.329	29.970±	1.909	27.015±	2.448	26.390±	2.358
2000 ppm	171.924±	4.751	162.890±	5.558	159.725±	7.802	149.319±	6.634	150.835±	5.553	137.091±	10.017	142.279±	20.042
10000 ppm	821.486±	32.956	821.155±	24.610	785.231±	11.605	751.443±	17.617	731.835±	42.265	685.012±	31.909	666.523±	30.101
50000 ppm	3794.435±	434.728	4078.684±	150.780	3851.401±	110.297	3678.666±	149.281	3593.608±	143.518	3350.914±	125.476	3238.854±	143.744

(HAN300)

BAIS2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : mg/kg/d a y  
 REPORT TYPE : A1 13  
 SEX : FEMALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration (weeks)					
	8	9	10	11	12	13
Control	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000
80 ppm	5.212± 0.401	5.258± 0.356	5.041± 0.322	5.283± 0.718	5.195± 0.585	4.967± 0.503
400 ppm	24.184± 1.833	26.503± 1.846	25.459± 1.534	25.358± 1.490	25.131± 1.462	24.524± 1.658
2000 ppm	124.776± 17.429	133.616± 12.231	127.534± 10.346	130.901± 12.990	123.405± 10.638	125.073± 9.610
10000 ppm	644.570± 29.676	653.828± 48.565	620.236± 40.380	619.376± 35.359	608.919± 37.308	608.133± 43.629
50000 ppm	3186.619±167.225	3129.161±175.771	3007.063±122.073	3068.219±168.998	2972.625±145.457	2982.145± 72.396

(HAN300)

BAIS 2

## APPENDIX B 3-2

CHEMICAL INTAKE CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE

STUDY NO. : 0220  
ANIMAL : RAT F344  
UNIT : mg/kg/d a y  
REPORT TYPE : A1 13  
SEX : MALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

Group Name	Administration (weeks)						
	1	2	3	4	5	6	7
Control	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000
80 ppm	6.699± 0.246	5.996± 0.116	5.724± 0.188	5.311± 0.139	5.207± 0.404	4.917± 0.495	4.706± 0.476
400 ppm	33.437± 1.145	30.268± 1.184	28.439± 0.945	26.072± 1.048	25.638± 0.945	23.857± 1.246	22.594± 1.203
2000 ppm	162.212± 5.225	152.836± 4.640	140.118± 5.190	131.930± 4.997	129.063± 5.314	122.024± 4.088	113.783± 4.265
10000 ppm	776.510± 27.210	758.614± 23.535	714.509± 24.246	673.700± 18.092	642.993± 18.240	605.404± 29.105	576.097± 29.998
50000 ppm	3819.398±134.287	3949.602±186.325	3707.822±130.781	3498.271±180.360	3373.688±157.593	3209.896± 81.628	3082.101±100.507

(HAN300)

BAIS2



STUDY NO. : 0220  
 ANIMAL : RAT F344  
 UNIT : mg/kg/d a y  
 REPORT TYPE : A1 13  
 SEX : MALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration (weeks)					
	8	9	10	11	12	13
Control	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000
80 ppm	4.581± 0.493	4.481± 0.406	4.198± 0.425	4.191± 0.347	4.054± 0.269	3.881± 0.169
400 ppm	21.900± 1.258	21.449± 1.327	20.253± 1.033	20.433± 1.210	20.037± 1.167	18.993± 1.000
2000 ppm	110.763± 3.234	107.470± 3.262	103.220± 3.619	102.025± 1.986	99.751± 2.218	96.280± 2.935
10000 ppm	554.594± 28.961	546.096± 27.926	521.193± 20.296	506.268± 23.504	503.935± 21.296	492.131± 23.495
50000 ppm	2971.365±107.786	2908.485±135.178	2785.560± 93.276	2707.184±101.142	2717.195±139.863	2633.802±128.922

(HAN300)

BAIS2

## APPENDIX B 3-3

CHEMICAL INTAKE CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : mg/kg/d a y  
 REPORT TYPE : A1 13  
 SEX : MALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration (weeks)						
	1	2	3	4	5	6	7
Control	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000
80 ppm	17.304± 1.881	16.309± 1.726	15.244± 1.080	15.013± 1.463	15.457± 1.328	15.198± 1.263	14.768± 1.243
400 ppm	84.361± 6.845	78.114± 5.509	75.540± 5.729	75.227± 6.954	78.737± 7.084	77.530± 8.287	71.714± 5.506
2000 ppm	408.212± 52.231	399.938± 83.840	361.046± 40.516	365.129± 34.637	367.676± 28.811	368.714± 35.483	358.029± 29.826
10000 ppm	2034.693±121.993	1821.421±155.725	1713.126±134.984	1783.122±147.806	1875.077±149.567	1817.624±168.547	1736.161±150.808
50000 ppm	*267.765±*73.437	9405.179±740.400	8534.910±685.689	8708.264±506.385	9070.668±763.064	8324.477±538.489	8584.237±654.596

(HAN300)

BAIS 2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : mg/kg/d a y  
 REPORT TYPE : A1 13  
 SEX : MALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration (weeks)					
	8	9	10	11	12	13
Control	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000
80 ppm	15.874± 1.755	15.450± 1.477	13.672± 1.422	12.025± 1.014	12.957± 1.447	13.531± 1.421
400 ppm	79.392± 8.160	79.453± 5.296	68.162± 5.632	64.621± 4.818	65.458± 6.665	67.240± 6.179
2000 ppm	372.396± 37.674	378.287± 45.903	333.195± 29.492	309.565± 16.992	320.411± 36.612	334.554± 39.476
10000 ppm	1961.336±214.833	1874.267±210.439	1683.198±164.898	1671.217±164.031	1642.983±139.241	1659.736±130.241
50000 ppm	8823.417±*26.416	9007.323±781.583	8160.849±531.633	8148.607±798.494	8145.578±666.421	8153.404±638.041

## APPENDIX B 3-4

CHEMICAL INTAKE CHANGES (THIRTEEN—WEEK STUDY: SUMMARY)

MOUSE: FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : mg/kg/d a y  
 REPORT TYPE : A1 13  
 SEX : FEMALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration (weeks)													
	1		2		3		4		5		6		7	
Control	0.000± 0.000		0.000± 0.000		0.000± 0.000		0.000± 0.000		0.000± 0.000		0.000± 0.000		0.000± 0.000	
80 ppm	21.693± 2.675		19.013± 0.917		19.794± 2.436		17.642± 1.154		21.053± 2.423		19.350± 3.029		20.065± 2.488	
400 ppm	109.215± 10.903		95.689± 8.127		95.699± 7.219		95.275± 6.498		104.663± 6.103		94.010± 8.225		96.323± 8.640	
2000 ppm	501.094± 73.264		459.544± 37.355		467.093± 45.042		474.987± 46.619		513.994± 44.435		490.263± 27.182		479.702± 28.942	
10000 ppm	2414.325±270.390		2043.118±204.547		2057.446±286.116		2242.306±212.042		2343.675±250.702		2286.227±242.709		2209.745±142.630	
50000 ppm	*565.124±*00.942		*594.923±*52.332		9725.681±658.670		*217.705±662.563		*211.009±*82.229		*099.360±*37.610		*796.601±*06.309	

(HAN300)

BAIS2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 UNIT : mg/kg/day  
 REPORT TYPE : A1 13  
 SEX : FEMALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration (weeks)					
	8	9	10	11	12	13
Control	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000	0.000± 0.000
80 ppm	21.490± 1.954	22.307± 2.500	19.458± 2.086	18.416± 1.827	19.048± 2.360	20.432± 2.680
400 ppm	104.843± 10.993	109.804± 10.691	90.104± 6.395	88.866± 5.532	93.056± 8.609	95.412± 9.175
2000 ppm	528.605± 45.690	548.770± 56.090	480.861± 20.899	477.944± 47.794	493.677± 48.599	506.879± 43.562
10000 ppm	2508.519±274.389	2490.555±297.964	2183.871±225.678	2186.191±191.321	2159.759±180.795	2300.698±140.614
50000 ppm	*425.927±*92.846	*147.738±*00.920	*543.254±*75.698	*743.175±*50.160	*263.038±*82.358	*376.418±954.392

(HAN300)

BAIS 2

## APPENDIX B 4-1

HEMATOLOGY (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE



STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

HEMATOLOGY(1) (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL 10 <sup>6</sup> /μl		HEMOGLOBIN g/dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g/dl		PLATELET 10 <sup>9</sup> /μl	
Control	10	9.49±	0.30	16.6±	0.3	45.3±	1.1	47.7±	0.6	17.5±	0.6	36.6±	1.1	789±	42
80 ppm	10	9.40±	0.43	16.2±	0.4	45.2±	2.2	48.1±	0.4	17.3±	0.6	36.0±	1.3	829±	48
400 ppm	10	8.95±	0.26*	15.6±	0.5**	44.0±	1.4	49.1±	0.6**	17.4±	0.2	35.4±	0.3*	900±	44**
2000 ppm	10	8.87±	0.23*	15.4±	0.3**	44.1±	1.2	49.7±	0.6**	17.4±	0.2	34.9±	0.5**	924±	33**
10000 ppm	9	8.70±	0.12**	15.2±	0.3**	43.1±	0.5*	49.5±	0.6**	17.5±	0.3	35.3±	0.4*	974±	35**
50000 ppm	10	8.49±	0.29**	15.0±	0.3**	41.7±	1.5**	49.1±	0.4**	17.7±	0.8	36.0±	1.7	1004±	60**

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

HEMATOLOGY(1) (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE ‰		PROTHROMBIN TIME s e c		APTT s e c	
Control	10	33±	7	16.2±	1.1	25.6±	2.9
80 ppm	10	35±	8	16.5±	1.4	25.7±	3.7
400 ppm	10	49±	7**	17.6±	1.9	25.4±	2.7
2000 ppm	10	59±	11**	19.3±	2.2*	27.6±	2.3
10000 ppm	9	59±	7**	23.8±	3.6**	29.0±	1.9
50000 ppm	10	55±	8**	26.2±	4.2**	33.0±	4.1**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : MALE

HEMATOLOGY(2) (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	WBC 1 0 <sup>3</sup> /μℓ		Differential N-BAND		WBC (%) N-SEG	EOSINO		BASO		MONO		LYMPHO		OTHER		
Control	10	5.88±	1.81	0±	0	24±	4	2±	1	0±	0	4±	1	70±	4	0±	0
80 ppm	10	5.50±	1.83	0±	0	25±	5	2±	1	0±	0	4±	2	69±	6	0±	0
400 ppm	10	5.87±	1.98	0±	0	26±	4	1±	1	0±	0	3±	1	69±	4	0±	0
2000 ppm	10	6.73±	2.02	0±	0	23±	6	1±	1	0±	0	4±	1	72±	6	0±	0
10000 ppm	9	7.00±	1.21	0±	0	25±	6	1±	1	0±	0	4±	2	70±	6	0±	0
50000 ppm	10	6.84±	1.23	0±	0	29±	5	1±	1	0±	0	4±	2	66±	5	0±	0

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(JCL71A)

BAIS2

## APPENDIX B 4-2

HEMATOLOGY (THIRTEEN—WEEK STUDY: SUMMARY)

RAT: FEMALE

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

HEMATOLOGY(1) (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	RED BLOOD CELL 10 <sup>6</sup> /μl		HEMOGLOBIN g/dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g/dl		PLATELET 10 <sup>3</sup> /μl	
Control	10	8.62±	0.42	16.2±	0.6	43.8±	2.4	50.8±	0.4	18.9±	0.9	37.1±	2.0	841±	50
80 ppm	10	8.31±	0.15	15.5±	0.3**	42.9±	0.8	51.7±	0.4**	18.6±	0.1	36.1±	0.4	893±	42
400 ppm	10	7.89±	0.34**	15.0±	0.5**	42.0±	1.9	53.2±	0.6**	19.0±	0.5	35.8±	1.0*	931±	40**
2000 ppm	9	7.60±	0.27**	14.6±	0.5**	40.9±	1.7**	53.8±	0.6**	19.1±	0.4**	35.6±	1.1**	955±	40**
10000 ppm	10	7.62±	0.27**	14.6±	0.4**	40.7±	1.4**	53.5±	0.4**	19.2±	0.7*	35.9±	1.1*	1007±	77**
50000 ppm	9	7.63±	0.26**	14.4±	0.4**	40.4±	1.5**	52.9±	0.6**	18.8±	0.5	35.6±	1.2**	1055±	74**

Significant difference : \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

HEMATOLOGY(1) (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	RETICULOCYTE ‰		PROTHROMBIN TIME s e c		APTT s e c	
Control	10	31±	5	12.3±	0.5	18.9±	2.0
80 ppm	10	43±	7*	12.1±	0.6	18.9±	2.0
400 ppm	10	61±	7**	12.0±	0.5	19.5±	2.8
2000 ppm	9	78±	7**	11.9±	0.4	22.1±	3.8*
10000 ppm	10	70±	12**	13.0±	1.0	25.5±	1.3**
50000 ppm	9	73±	12**	13.3±	1.8	25.9±	3.1**

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BATS 2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : FEMALE

HEMATOLOGY(2) (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	WBC 1 O <sup>3</sup> /μl		Differential N-BAND		WBC	(%) N-SEG	EOSINO		BASO		MONO		LYMPHO		OTHER	
Control	10	3.61±	1.28	0±	1	25±	7	2±	1	0±	0	4±	2	69±	7	0±	0
80 ppm	10	3.27±	1.01	0±	0	24±	6	1±	1	0±	0	4±	1	70±	6	0±	0
400 ppm	10	3.79±	0.88	0±	0	23±	7	1±	1	0±	0	3±	2	72±	6	0±	0
2000 ppm	9	3.04±	1.14	0±	1	23±	6	1±	1	0±	0	4±	2	72±	7	0±	0
10000 ppm	10	3.78±	1.88	0±	0	18±	3	1±	1	0±	0	4±	1	77±	3	0±	0
50000 ppm	9	3.70±	1.06	0±	1	25±	8	1±	1	0±	0	4±	1	70±	8	0±	0

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(JCL71A)

BAIS2

APPENDIX B 4-3

HEMATOLOGY (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : MALE



STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE

HEMATOLOGY(1) (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL 10 <sup>6</sup> /μl		HEMOGLOBIN g/dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g/dl		PLATELET 10 <sup>3</sup> /μl	
Control	10	10.54±	0.34	15.6±	0.4	46.4±	1.5	44.0±	0.4	14.8±	0.2	33.7±	0.6	1475±	119
80 ppm	9	10.31±	0.45	15.3±	0.2	45.3±	2.1	44.0±	0.5	14.8±	0.6	33.8±	1.5	1462±	92
400 ppm	9	10.44±	0.16	15.4±	0.3	46.1±	1.0	44.2±	0.3	14.7±	0.2	33.4±	0.6	1571±	64
2000 ppm	10	10.01±	0.83	14.9±	0.9	44.4±	3.7	44.3±	0.7	14.9±	0.6	33.7±	1.2	1584±	220
10000 ppm	9	9.67±	0.25**	14.5±	0.4**	43.9±	1.3**	45.4±	0.6**	15.0±	0.2	33.0±	0.5	1753±	86**
50000 ppm	9	9.21±	0.11**	14.0±	0.3**	42.8±	0.6**	46.5±	0.6**	15.2±	0.3*	32.8±	0.4*	2336±	186**

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : MALE

HEMATOLOGY(2) (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	WBC 10 <sup>3</sup> /μl		Differential N-BAND		WBC (%) N-SEG		EOSINO		BASO		MONO		LYMPHO		OTHER	
Control	10	1.73±	0.80	0±	0	16±	5	1±	1	0±	0	4±	2	79±	5	0±	0
80 ppm	9	1.66±	0.80	0±	0	15±	2	1±	1	0±	0	4±	2	80±	2	0±	0
400 ppm	9	1.47±	0.59	0±	0	18±	6	2±	1	0±	0	3±	1	77±	6	0±	0
2000 ppm	10	1.24±	0.44	0±	1	18±	5	1±	1	0±	0	3±	1	78±	5	0±	0
10000 ppm	9	0.90±	0.46*	0±	1	21±	4	1±	1	0±	0	2±	1*	75±	4	0±	0
50000 ppm	9	1.05±	0.49	0±	1	33±	12**	0±	0*	0±	0	2±	1*	64±	13**	0±	0

Significant difference ; \* : P ≤ 0.05      \*\* : P ≤ 0.01

Test of Dunnett

(JCL71A)

BAIS2

APPENDIX B 4-4

HEMATOLOGY (THIRTEEN—WEEK STUDY: SUMMARY )

MOSUE : FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE

HEMATOLOGY(1) (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	RED BLOOD CELL 10 <sup>6</sup> /μl		HEMOGLOBIN g/dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g/dl		PLATELET 10 <sup>3</sup> /μl	
Control	10	10.24±	0.34	15.5±	0.4	45.3±	1.7	44.2±	0.6	15.2±	0.5	34.3±	1.3	1199±	101
80 ppm	10	10.42±	0.39	15.7±	0.4	46.1±	1.6	44.2±	0.5	15.1±	0.4	34.1±	0.7	1245±	104
400 ppm	7	10.41±	0.20	15.5±	0.4	46.3±	1.0	44.5±	0.7	14.9±	0.2	33.5±	0.8	1244±	148
2000 ppm	10	9.92±	0.55	15.1±	0.4	44.1±	2.5	44.5±	0.7	15.3±	0.7	34.3±	1.5	1275±	124
10000 ppm	10	9.84±	0.54	15.2±	0.4	44.6±	2.5	45.3±	0.8**	15.5±	1.0	34.2±	2.3	1475±	123**
50000 ppm	10	9.38±	0.29**	14.6±	0.4**	43.6±	1.6	46.5±	0.7**	15.6±	0.3*	33.6±	0.7	1585±	57**

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS 2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE

HENATOLOGY(2) (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	WBC 10 <sup>3</sup> /μl		Differential N-BAND		WBC (%) N-SEG		EOSINO		BASO		MONO		LYMPHO		OTHER	
Control	10	1.78±	0.74	0±	1	15±	3	2±	1	0±	0	3±	1	80±	4	0±	0
80 ppm	10	1.16±	0.46	0±	0	17±	4	1±	1	0±	0	3±	1	79±	4	0±	0
400 ppm	7	1.38±	0.83	0±	0	17±	4	1±	1	0±	0	3±	1	79±	3	0±	0
2000 ppm	10	1.00±	0.46	0±	0	19±	5	1±	2	0±	0	3±	2	77±	4	0±	0
10000 ppm	10	0.91±	0.50*	1±	1	18±	6	1±	1	0±	0	2±	1	79±	7	0±	0
50000 ppm	10	0.56±	0.24**	1±	1	23±	8**	0±	1	0±	0	2±	1	74±	7	0±	0

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(JCL71A)

BAIS 2

APPENDIX B 5-1

BIOCHEMISTRY (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	TOTAL PROTEIN g/dl		ALBUMIN g/dl		A/G RATIO		T-BILIRUBIN mg/dl		GLUCOSE mg/dl		T-CHOLESTEROL mg/dl		TRIGLYCERIDE mg/dl	
Control	10	6.7±	0.1	3.9±	0.1	1.4±	0.0	0.23±	0.04	191±	14	58±	4	89±	27
80 ppm	10	6.7±	0.2	3.9±	0.1	1.4±	0.1	0.22±	0.06	186±	15	58±	3	98±	40
400 ppm	10	6.6±	0.1	3.8±	0.1	1.4±	0.1	0.21±	0.05	183±	10	58±	2	81±	22
2000 ppm	10	6.5±	0.2	3.8±	0.1	1.4±	0.1	0.23±	0.04	183±	14	65±	4**	89±	10
10000 ppm	9	6.7±	0.2	3.9±	0.1	1.4±	0.1	0.22±	0.04	184±	10	73±	5**	83±	10
50000 ppm	10	7.1±	0.2**	4.1±	0.1**	1.4±	0.0	0.22±	0.03	188±	9	80±	6**	71±	29

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl		GOT IU/l		GPT IU/l		LDH IU/l		ALP IU/l		G-GTP IU/l		CPK IU/l	
Control	10	116±	9	88±	22	29±	8	160±	44	310±	24	1±	0	83±	9
80 ppm	10	116±	11	74±	15	23±	3	148±	74	308±	17	1±	1	92±	18
400 ppm	10	117±	9	61±	6	18±	1*	118±	25	305±	23	1±	1	86±	10
2000 ppm	10	131±	7	60±	6*	18±	2**	133±	29	302±	22	1±	0	94±	14
10000 ppm	9	143±	8**	52±	3**	16±	1**	118±	32	281±	23*	1±	0	83±	12
50000 ppm	10	159±	18**	51±	3**	17±	2**	141±	26	267±	23**	1±	1	88±	9

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS2



STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

BIOCHEMISTRY (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	UREA NITROGEN mg/dl		CREATININE mg/dl		SODIUM mEq/l		POTASSIUM mEq/l		CHLORIDE mEq/l		CALCIUM mg/dl		INORGANIC PHOSPHORUS mg/dl	
Control	10	17.5±	1.2	0.5±	0.1	142±	1	3.4±	0.2	106±	1	10.4±	0.1	5.4±	0.5
80 ppm	10	16.2±	1.0	0.5±	0.0	143±	2	3.4±	0.3	105±	2	10.4±	0.3	5.5±	0.9
400 ppm	10	16.2±	1.3	0.5±	0.1	143±	1	3.5±	0.3	105±	1	10.4±	0.1	5.7±	0.7
2000 ppm	10	16.1±	1.3*	0.5±	0.1	143±	2	3.5±	0.3	105±	2	10.4±	0.2	5.8±	0.8
10000 ppm	9	16.4±	0.5	0.5±	0.1	143±	1	3.5±	0.1	105±	2	10.6±	0.2	5.5±	0.5
50000 ppm	10	17.5±	1.4	0.5±	0.1	143±	2	3.8±	0.2*	103±	1**	10.9±	0.2**	5.6±	0.4

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BATS 2

## APPENDIX B 5-2

BIOCHEMISTRY(THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	TOTAL PROTEIN g /dl		ALBUMIN g /dl		A/G RATIO		T-BILIRUBIN mg /dl		GLUCOSE mg /dl		T-CHOLESTEROL mg /dl		TRIGLYCERIDE mg /dl	
Control	10	6.4±	0.2	3.7±	0.1	1.4±	0.1	0.35±	0.16	138±	15	76±	6	38±	4
80 ppm	10	6.5±	0.2	3.8±	0.1	1.4±	0.1	0.33±	0.08	141±	13	79±	4	39±	5
400 ppm	10	6.4±	0.3	3.7±	0.2	1.4±	0.1	0.31±	0.08	138±	15	78±	9	35±	4
2000 ppm	9	6.6±	0.3	3.8±	0.2	1.4±	0.1	0.32±	0.05	139±	18	91±	6	33±	4*
10000 ppm	10	6.9±	0.3**	3.9±	0.1	1.3±	0.1	0.31±	0.11	140±	16	107±	6**	33±	3*
50000 ppm	9	7.2±	0.3**	4.1±	0.2**	1.3±	0.1**	0.27±	0.04	132±	11	121±	12**	30±	3**

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 5

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl		GOT I U / l		GPT I U / l		LDH I U / l		ALP I U / l		G-GTP I U / l		CPK I U / l	
Control	10	143±	11	74±	9	23±	4	256±	121	234±	23	1±	1	121±	31
80 ppm	10	150±	8	75±	25	25±	15	236±	92	226±	20	1±	1	112±	32
400 ppm	10	148±	18	69±	13	20±	8	243±	94	210±	30	1±	1	117±	24
2000 ppm	9	165±	11**	75±	23	20±	7	315±	139	187±	19**	1±	1	136±	26
10000 ppm	10	187±	14**	57±	3**	15±	1**	216±	86	162±	16**	1±	1	108±	26
50000 ppm	9	210±	20**	49±	3**	13±	1**	197±	45	163±	15**	3±	1**	101±	17

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 6

Group Name	NO. of Animals	UREA NITROGEN mg/dl		CREATININE mg/dl		SODIUM mEq/l		POTASSIUM mEq/l		CHLORIDE mEq/l		CALCIUM mg/dl		INORGANIC PHOSPHORUS mg/dl	
Control	10	16.4±	1.8	0.5±	0.1	143±	1	3.3±	0.3	108±	1	10.0±	0.2	5.1±	1.2
80 ppm	10	16.9±	2.2	0.5±	0.1	143±	2	3.3±	0.3	108±	1	10.1±	0.2	5.2±	1.4
400 ppm	10	17.1±	1.6	0.4±	0.1	143±	1	3.5±	0.3	108±	2	10.0±	0.2	5.1±	1.0
2000 ppm	9	16.8±	2.1	0.5±	0.1	143±	2	3.5±	0.4	107±	2	10.2±	0.3	5.5±	1.1
10000 ppm	10	16.3±	1.6	0.5±	0.1	143±	1	3.5±	0.3	107±	2	10.3±	0.4*	5.1±	1.1
50000 ppm	9	18.0±	2.6	0.5±	0.1	143±	1	3.8±	0.4**	106±	1*	10.6±	0.3**	5.4±	0.7

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS2

APPENDIX B 5-3

BIOCHEMISTRY (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	TOTAL PROTEIN g/dl		ALBUMIN g/dl		A/G RATIO		T-BILIRUBIN mg/dl		GLUCOSE mg/dl		T-CHOLESTEROL mg/dl		TRIGLYCERIDE mg/dl	
Control	10	5.3±	0.1	2.9±	0.1	1.2±	0.0	0.33±	0.11	263±	33	85±	7	53±	14
80 ppm	9	5.2±	0.2	2.8±	0.1	1.2±	0.1	0.35±	0.10	239±	52	83±	12	55±	18
400 ppm	9	5.3±	0.2	2.9±	0.1	1.2±	0.1	0.30±	0.09	211±	56	89±	7	57±	16
2000 ppm	10	5.4±	0.2	3.0±	0.1*	1.2±	0.0	0.34±	0.14	213±	42	97±	11*	61±	14
10000 ppm	9	5.4±	0.1	3.0±	0.1**	1.3±	0.1	0.38±	0.07	183±	43**	86±	8	56±	19
50000 ppm	9	5.0±	0.2**	2.7±	0.1**	1.2±	0.1	0.32±	0.11	148±	31**	86±	9	61±	8

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	GOT IU/ℓ		GPT IU/ℓ		LDH IU/ℓ		ALP IU/ℓ		CPK IU/ℓ		UREA NITROGEN mg/dℓ		SODIUM mEq/ℓ	
Control	10	38±	6	10±	3	207±	76	188±	9	49±	28	26.4±	4.7	153±	2
80 ppm	9	40±	6	12±	3	200±	32	199±	23	42±	11	27.4±	5.5	153±	2
400 ppm	9	36±	2	11±	2	184±	27	179±	9	42±	12	29.0±	5.2	153±	2
2000 ppm	10	41±	9	12±	2	236±	71	175±	19	64±	64	26.6±	2.7	153±	2
10000 ppm	9	36±	5	11±	2	191±	32	164±	10**	32±	7	25.6±	3.6	154±	2
50000 ppm	9	41±	7	12±	2	197±	36	142±	16**	40±	16	24.4±	3.2	155±	2**

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS2



STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	POTASSIUM mEq/ℓ		CHLORIDE mEq/ℓ		CALCIUM mg/dℓ		INORGANIC PHOSPHORUS mg/dℓ	
Control	10	4.2±	0.2	120±	2	8.8±	0.2	6.7±	1.1
80 ppm	9	4.3±	0.2	120±	2	8.8±	0.3	6.9±	1.1
400 ppm	9	4.3±	0.4	121±	3	8.8±	0.2	6.6±	0.7
2000 ppm	10	4.2±	0.6	120±	2	9.0±	0.4	5.9±	0.7
10000 ppm	9	4.0±	0.3	121±	2	9.1±	0.1**	5.8±	0.7
50000 ppm	9	4.0±	0.3	121±	2	9.0±	0.4	6.3±	0.9

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

APPENDIX B 5-4

BIOCHEMISTRY (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : FEMALE

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	TOTAL PROTEIN g/dl		ALBUMIN g/dl		A/G RATIO		T-BILIRUBIN mg/dl		GLUCOSE mg/dl		T-CHOLESTEROL mg/dl		TRIGLYCERIDE mg/dl	
Control	10	5.2±	0.1	3.0±	0.0	1.4±	0.1	0.38±	0.15	184±	38	71±	6	40±	8
80 ppm	10	5.2±	0.3	3.1±	0.2	1.5±	0.1	0.42±	0.19	157±	28	66±	7	37±	4
400 ppm	7	5.2±	0.2	3.1±	0.2	1.5±	0.1	0.41±	0.11	159±	35	64±	8	38±	6
2000 ppm	10	5.2±	0.2	3.1±	0.1	1.5±	0.1	0.33±	0.09	157±	41	66±	9	44±	7
10000 ppm	10	5.3±	0.2	3.3±	0.1**	1.6±	0.2**	0.42±	0.09	145±	24*	64±	7	46±	7
50000 ppm	10	5.3±	0.1	3.2±	0.1**	1.6±	0.1**	0.44±	0.10	133±	26**	52±	5**	38±	6

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 5

Group Name	NO. of Animals	GOT IU/ℓ		GPT IU/ℓ		LDH IU/ℓ		ALP IU/ℓ		CPK IU/ℓ		UREA NITROGEN mg/dℓ		SODIUM mEq/ℓ	
Control	10	47±	6	13±	2	271±	66	278±	31	80±	61	19.3±	1.7	153±	2
80 ppm	10	50±	6	13±	2	291±	95	301±	35	54±	14	19.9±	2.5	154±	3
400 ppm	7	49±	9	13±	3	270±	76	277±	24	52±	20	20.5±	1.8	153±	2
2000 ppm	10	53±	15	13±	4	276±	106	268±	33	68±	52	20.2±	2.3	156±	2
10000 ppm	10	57±	14	14±	3	293±	83	266±	23	56±	44	20.9±	2.0	154±	3
50000 ppm	10	56±	10	14±	2	276±	36	267±	20	50±	26	22.9±	1.9**	155±	1

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 6

Group Name	NO. of Animals	POTASSIUM mEq/ℓ	CHLORIDE mEq/ℓ	CALCIUM mg/dℓ	INORGANIC PHOSPHORUS mg/dℓ
Control	10	4.5± 0.3	118± 3	8.7± 0.4	5.9± 0.8
80 ppm	10	4.5± 0.5	119± 5	8.7± 0.4	5.9± 1.0
400 ppm	7	4.5± 0.5	121± 3	8.8± 0.3	6.0± 1.1
2000 ppm	10	4.2± 0.3	121± 1	8.8± 0.4	6.0± 1.2
10000 ppm	10	4.2± 0.3	119± 4	8.9± 0.5	5.9± 0.8
50000 ppm	10	3.9± 0.4**	120± 3	9.0± 0.2	6.6± 0.6

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 2

## APPENDIX B 6-1

URINALYSIS (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE

STUDY NO. : 0220

ANIMAL : RAT F344

SAMPLING DATE : 013-6

SEX : MALE

REPORT TYPE : A1

## URINALYSIS

PAGE : 1

Group Name	NO. of Animals	pH_____							CHI	Protein_____					CHI	Glucose_____					CHI	Ketone body_____					CHI	Bilirubin_____				CHI			
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-		+	2+	3+
Control	10	0	0	0	0	3	7	0		0	0	3	7	0	0		10	0	0	0	0	0		0	9	1	0	0	0		10	0	0	0	
80 ppm	10	0	0	0	0	3	6	1		0	0	4	6	0	0		10	0	0	0	0	0		1	9	0	0	0	0		10	0	0	0	
400 ppm	10	0	0	0	0	6	4	0		0	0	3	7	0	0		10	0	0	0	0	0		0	9	1	0	0	0		10	0	0	0	
2000 ppm	10	0	0	0	0	5	5	0		0	0	1	9	0	0		10	0	0	0	0	0		0	9	1	0	0	0		10	0	0	0	
10000 ppm	10	0	0	0	0	6	4	0		0	0	2	8	0	0		10	0	0	0	0	0		0	9	1	0	0	0		10	0	0	0	
50000 ppm	10	0	0	0	2	5	3	0		0	0	1	9	0	0		10	0	0	0	0	0		0	10	0	0	0	0		10	0	0	0	

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$ 

Test of CHI SQUARE

(JCL101)

BAIS 2

STUDY NO. : 0220

ANIMAL : RAT F344

SAMPLING DATE : 013-6

SEX : MALE

REPORT TYPE : A1

URINALYSIS

PAGE : 2

Group Name	NO. of Animals	Occult blood					Urobilinogen						
		-	±	+	2+	3+	CHI	±	+	2+	3+	4+	CHI
Control	10	9	0	0	1	0		10	0	0	0	0	
80 ppm	10	10	0	0	0	0		10	0	0	0	0	
400 ppm	10	10	0	0	0	0		10	0	0	0	0	
2000 ppm	10	10	0	0	0	0		10	0	0	0	0	
10000 ppm	10	10	0	0	0	0		10	0	0	0	0	
50000 ppm	10	10	0	0	0	0		10	0	0	0	0	

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JCL101)

BA1S2



## APPENDIX B 6-2

URINALYSIS (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 SAMPLING DATE : 013-6  
 SEX : FEMALE

# URINALYSIS

REPORT TYPE : A1

PAGE : 3

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Bilirubin				CHI			
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-		+	2+	3+
Control	10	0	0	0	0	4	6	0		0	2	6	2	0	0		10	0	0	0	0	0		7	3	0	0	0	0		10	0	0	0	
80 ppm	10	0	0	1	1	2	6	0		1	1	6	2	0	0		10	0	0	0	0	0		7	2	1	0	0	0		10	0	0	0	
400 ppm	10	0	0	1	0	2	7	0		0	3	5	2	0	0		10	0	0	0	0	0		8	2	0	0	0	0		10	0	0	0	
2000 ppm	10	0	0	0	2	3	4	1		1	3	5	1	0	0		10	0	0	0	0	0		5	5	0	0	0	0		10	0	0	0	
10000 ppm	10	0	0	1	1	4	3	1		0	2	6	2	0	0		10	0	0	0	0	0		8	2	0	0	0	0		10	0	0	0	
50000 ppm	10	0	1	1	2	2	4	0		0	4	5	1	0	0		10	0	0	0	0	0		7	3	0	0	0	0		10	0	0	0	

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JCL101)

BAIS 2

STUDY NO. : 0220  
ANIMAL : RAT F344  
SAMPLING DATE : 013-6  
SEX : FEMALE

URINALYSIS

REPORT TYPE : A1

PAGE : 4

Group Name	NO. of Animals	Occult blood					Urobilinogen						
		-	±	+	2+	3+	CHI	±	+	2+	3+	4+	CHI
Control	10	10	0	0	0	0		10	0	0	0	0	
80 ppm	10	10	0	0	0	0		10	0	0	0	0	
400 ppm	10	10	0	0	0	0		10	0	0	0	0	
2000 ppm	10	10	0	0	0	0		10	0	0	0	0	
10000 ppm	10	10	0	0	0	0		10	0	0	0	0	
50000 ppm	10	10	0	0	0	0		10	0	0	0	0	

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JCL101)

BAIS2

## APPENDIX B 6-3

URINALYSIS (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 SAMPLING DATE : 013-6  
 SEX : MALE

URINALYSIS

REPORT TYPE : A1

PAGE : 1

Group Name	NO. of Animals	pH							CHI	Protein					CHI	Glucose					CHI	Ketone body					CHI	Occult blood				CHI				
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+		4+	-	±	+	2+		3+	4+	-	±	+		2+	3+	4+	-		±	+	2+	3+
Control	10	0	0	4	4	2	0	0		0	0	5	5	0	0		10	0	0	0	0	0		3	7	0	0	0	0		10	0	0	0	0	
80 ppm	10	0	0	2	5	3	0	0		0	0	8	2	0	0		10	0	0	0	0	0		6	4	0	0	0	0		10	0	0	0	0	
400 ppm	10	0	0	4	5	1	0	0		0	1	8	0	1	0		10	0	0	0	0	0		8	2	0	0	0	0	*	10	0	0	0	0	
2000 ppm	10	0	0	2	7	1	0	0		0	1	7	2	0	0		10	0	0	0	0	0		6	4	0	0	0	0		10	0	0	0	0	
10000 ppm	10	0	0	2	5	3	0	0		0	0	6	4	0	0		10	0	0	0	0	0		6	4	0	0	0	0		10	0	0	0	0	
50000 ppm	10	0	0	1	5	4	0	0		0	0	7	3	0	0		10	0	0	0	0	0		4	6	0	0	0	0		10	0	0	0	0	

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JCL101)

BAIS2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
SAMPLING DATE : 013-6  
SEX : MALE

URINALYSIS

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	Urobilinogen					CHI
		±	+	2+	3+	4+	
Control	10	10	0	0	0	0	0
80 ppm	10	10	0	0	0	0	0
400 ppm	10	10	0	0	0	0	0
2000 ppm	10	10	0	0	0	0	0
10000 ppm	10	10	0	0	0	0	0
50000 ppm	10	10	0	0	0	0	0

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JCL101)

BAIS2

## APPENDIX B 6-4

URINALYSIS (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 SAMPLING DATE : 013-6  
 SEX : FEMALE

# URINALYSIS

REPORT TYPE : A1

PAGE : 3

Group Name	NO. of Animals	pH							CHI	Protein						CHI	Glucose						CHI	Ketone body						CHI	Occult blood						CHI
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+	4+		-	±	+	2+	3+	4+		-	±	+	2+	3+	4+		-	±	+	2+	3+	4+	
Control	10	0	1	5	3	1	0	0		0	1	8	1	0	0		10	0	0	0	0	0		4	6	0	0	0	0		10	0	0	0	0	0	
80 ppm	10	0	1	1	6	2	0	0		0	4	6	0	0	0		10	0	0	0	0	0		4	6	0	0	0	0		10	0	0	0	0	0	
400 ppm	9	0	0	5	4	0	0	0		0	1	7	1	0	0		9	0	0	0	0	0		4	5	0	0	0	0		9	0	0	0	0	0	
2000 ppm	10	0	0	7	3	0	0	0		0	1	8	1	0	0		10	0	0	0	0	0		3	5	2	0	0	0		10	0	0	0	0	0	
10000 ppm	10	0	1	3	4	2	0	0		0	0	10	0	0	0		10	0	0	0	0	0		2	6	2	0	0	0		10	0	0	0	0	0	
50000 ppm	10	0	1	5	1	3	0	0		0	1	8	1	0	0		10	0	0	0	0	0		2	7	1	0	0	0		10	0	0	0	0	0	

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JGL101)

BAIS2



STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
SAMPLING DATE : 013-6  
SEX : FEMALE

URINALYSIS

REPORT TYPE : A1

PAGE : 4

Group Name	NO. of Animals	Urobilinogen ± + 2+ 3+ 4+ CHI
Control	10	10 0 0 0 0
80 ppm	10	10 0 0 0 0
400 ppm	9	9 0 0 0 0
2000 ppm	10	10 0 0 0 0
10000 ppm	10	10 0 0 0 0
50000 ppm	10	10 0 0 0 0

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(JGL101)

BAIS2

## APPENDIX B 7-1

GROSS FINDINGS (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE :SACRIFICED ANIMALS

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 1

Organ	Findings	Group Name	Control	80 ppm	400 ppm	2000 ppm
		NO. of Animals	10 (%)	10 (%)	10 (%)	10 (%)
spleen	dark		0 ( 0)	0 ( 0)	5 ( 50)	10 (100)

(HPT080)

BAIS2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 2

Organ	Findings	Group Name NO. of Animals	10000 ppm 10 (%)	50000 ppm 10 (%)
spleen	dark		10 (100)	10 (100)

(HPT080)

BAIS 2

## APPENDIX B 7-2

GROSS FINDINGS (THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE :SACRIFICED ANIMALS

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 3

Organ	Findings	Group Name NO. of Animals	Control 10 (%)	80 ppm 10 (%)	400 ppm 10 (%)	2000 ppm 10 (%)
spleen	dark		0 ( 0)	0 ( 0)	10 (100)	10 (100)
liver	herniation		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
kidney	white zone		0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)
ovary	cyst		0 ( 0)	1 ( 10)	0 ( 0)	1 ( 10)

(HPT080)

BAIS2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 4

Organ_____	Findings_____	Group Name	10000 ppm	50000 ppm
		NO. of Animals	10 (%)	10 (%)
spleen	dark		10 (100)	10 (100)
liver	herniation		0 ( 0)	0 ( 0)
kidney	white zone		0 ( 0)	0 ( 0)
ovary	cyst		0 ( 0)	1 ( 10)

(IPT080)

BAIS2

## APPENDIX B 7-3

GROSS FINDINGS (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : FEMALE DEAD AND MORIBUND ANIMALS



STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 14W)

PAGE : 1

Organ_____	Findings_____	Group Name	Control	80 ppm	400 ppm	2000 ppm
		NO. of Animals	0 (%)	0 (%)	1 (%)	0 (%)
thymus	atrophic		- ( -)	- ( -)	1 (100)	- ( -)

(HPT080)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 14W)

PAGE : 2

Organ	Findings	Group Name NO. of Animals	10000 ppm 0 (%)	50000 ppm 0 (%)
thymus	atrophic		- ( - )	- ( - )

(HPT080)

BAIS 2

## APPENDIX B 7-4

GROSS FINDINGS (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : MALE :SACRIFICED ANIMALS

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 1

Organ	Findings	Group Name NO. of Animals	Control	80 ppm	400 ppm	2000 ppm
			10 (%)	10 (%)	10 (%)	10 (%)
spleen	dark		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	black zone		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
kidney	hydronephrosis		0 ( 0)	1 ( 10)	0 ( 0)	1 ( 10)

(IPT080)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 2

Organ	Findings	Group Name	10000 ppm	50000 ppm
		NO. of Animals	10 (%)	10 (%)
spleen	dark		0 ( 0)	10 (100)
	black zone		0 ( 0)	0 ( 0)
kidney	hydronephrosis		0 ( 0)	0 ( 0)

(HPT080)

BAIS 2

## APPENDIX B 7-5

GROSS FINDINGS (THIRTEEN—WEEK STUDY: SUMMARY)

MOSUE : FEMALE :SACRIFICED ANIMALS

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 3

Organ	Findings	Group Name	Control	80 ppm	400 ppm	2000 ppm
		NO. of Animals	10 (%)	10 (%)	9 (%)	10 (%)
spleen	dark		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	black zone		0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)
ovary	cyst		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)

(HPT080)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 4

Organ	Findings	Group Name	10000 ppm	50000 ppm
		NO. of Animals	10 (%)	10 (%)
spleen	dark		0 ( 0)	10 (100)
	black zone		2 ( 20)	0 ( 0)
ovary	cyst		0 ( 0)	0 ( 0)

(HPT080)

BATS 2



APPENDIX B 8-1

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY),ABSOLUTE

RAT : MALE

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	10	314± 11	0.218± 0.015	0.053± 0.006	2.857± 0.174	0.945± 0.044	1.032± 0.064
80 ppm	10	322± 16	0.239± 0.027	0.052± 0.004	2.938± 0.088	0.957± 0.069	1.029± 0.040
400 ppm	10	311± 28	0.213± 0.049	0.056± 0.006	2.980± 0.098	0.920± 0.079	1.027± 0.066
2000 ppm	10	306± 18	0.195± 0.016	0.056± 0.005	2.980± 0.066	0.905± 0.077	1.033± 0.045
10000 ppm	10	300± 23	0.202± 0.024	0.057± 0.006	3.050± 0.096**	0.901± 0.055	1.031± 0.091
50000 ppm	10	299± 9*	0.184± 0.017**	0.058± 0.005	3.114± 0.089**	0.893± 0.032	1.017± 0.044

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	10	1.920±	0.085	0.537±	0.023	8.008±	0.386	1.896±	0.025
80 ppm	10	1.980±	0.104	0.581±	0.040	8.266±	0.441	1.899±	0.053
400 ppm	10	2.064±	0.169	0.615±	0.067*	8.272±	0.785	1.880±	0.056
2000 ppm	10	2.084±	0.133*	0.641±	0.045**	8.856±	0.478**	1.892±	0.070
10000 ppm	10	2.109±	0.185*	0.648±	0.049**	9.992±	0.730**	1.916±	0.051
50000 ppm	10	2.136±	0.105**	0.644±	0.031**	11.909±	0.510**	1.920±	0.038

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 2

APPENDIX B 8-2

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY),ABSOLUTE

RAT : FEMALE

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	Body Weight		THYMUS		ADRENALS		OVARIES		HEART		LUNGS	
Control	10	181±	10	0.194±	0.016	0.059±	0.007	0.111±	0.020	0.643±	0.072	0.766±	0.037
80 ppm	10	182±	6	0.197±	0.016	0.058±	0.004	0.116±	0.016	0.635±	0.056	0.776±	0.055
400 ppm	10	170±	14	0.170±	0.021*	0.055±	0.007	0.106±	0.013	0.608±	0.041	0.769±	0.043
2000 ppm	10	170±	6	0.178±	0.027	0.057±	0.004	0.106±	0.012	0.619±	0.055	0.785±	0.046
10000 ppm	10	164±	4**	0.160±	0.017**	0.054±	0.005	0.111±	0.006	0.605±	0.026	0.780±	0.030
50000 ppm	10	154±	7**	0.161±	0.024**	0.055±	0.004	0.103±	0.025	0.559±	0.036**	0.713±	0.022*

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	10	1.233±	0.069	0.365±	0.023	4.276±	0.304	1.759±	0.033
80 ppm	10	1.258±	0.064	0.397±	0.028	4.375±	0.149	1.747±	0.063
400 ppm	10	1.267±	0.094	0.446±	0.046**	4.318±	0.331	1.767±	0.042
2000 ppm	10	1.289±	0.078	0.492±	0.028**	4.923±	0.275**	1.764±	0.060
10000 ppm	10	1.229±	0.039	0.473±	0.030**	5.235±	0.204**	1.779±	0.032
50000 ppm	10	1.189±	0.054	0.433±	0.028**	6.127±	0.317**	1.764±	0.025

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS2

APPENDIX B 8-3

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY),ABSOLUTE

MOUSE: MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	10	30.9± 1.8	0.043± 0.009	0.010± 0.004	0.200± 0.033	0.139± 0.007	0.160± 0.011
80 ppm	10	30.2± 3.3	0.035± 0.006*	0.009± 0.005	0.207± 0.030	0.139± 0.011	0.156± 0.011
400 ppm	10	30.0± 1.9	0.035± 0.006*	0.009± 0.004	0.200± 0.036	0.143± 0.009	0.155± 0.014
2000 ppm	10	28.3± 2.2	0.037± 0.005	0.009± 0.004	0.195± 0.020	0.144± 0.014	0.147± 0.009*
10000 ppm	10	25.7± 2.2**	0.033± 0.005**	0.009± 0.003	0.187± 0.023	0.136± 0.019	0.151± 0.010
50000 ppm	10	23.4± 0.9**	0.030± 0.005**	0.010± 0.003	0.187± 0.032	0.127± 0.012	0.143± 0.006**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS2



STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	10	0.416±	0.017	0.046±	0.005	1.046±	0.074	0.455±	0.015
80 ppm	10	0.610±	0.601	0.047±	0.006	1.045±	0.072	0.456±	0.013
400 ppm	10	0.403±	0.016	0.045±	0.003	1.102±	0.054	0.458±	0.013
2000 ppm	10	0.425±	0.110	0.048±	0.010	1.094±	0.086	0.454±	0.015
10000 ppm	10	0.383±	0.022*	0.043±	0.007	1.085±	0.102	0.450±	0.016
50000 ppm	10	0.363±	0.016**	0.068±	0.006**	1.100±	0.051	0.457±	0.009

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 2

APPENDIX B 8-4

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY),ABSOLUTE

MOUSE: FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	10	21.7± 1.8	0.044± 0.006	0.012± 0.003	0.016± 0.007	0.116± 0.006	0.153± 0.015
80 ppm	10	20.7± 1.2	0.039± 0.006	0.011± 0.004	0.021± 0.005	0.116± 0.007	0.146± 0.013
400 ppm	9	20.9± 1.1	0.042± 0.006	0.013± 0.002	0.022± 0.006	0.123± 0.010	0.152± 0.010
2000 ppm	10	20.7± 1.2	0.040± 0.007	0.011± 0.002	0.019± 0.003	0.119± 0.013	0.140± 0.010*
10000 ppm	10	19.4± 1.2**	0.037± 0.005	0.011± 0.002	0.019± 0.005	0.113± 0.008	0.144± 0.008
50000 ppm	10	19.2± 0.7**	0.040± 0.004	0.012± 0.002	0.017± 0.006	0.110± 0.006	0.134± 0.007**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	10	0.295±	0.014	0.050±	0.006	0.858±	0.086	0.465±	0.017
80 ppm	10	0.280±	0.018	0.047±	0.007	0.813±	0.062	0.465±	0.015
400 ppm	9	0.307±	0.014	0.049±	0.009	0.850±	0.056	0.464±	0.014
2000 ppm	10	0.292±	0.018	0.050±	0.008	0.850±	0.067	0.475±	0.010
10000 ppm	10	0.280±	0.014	0.045±	0.007	0.830±	0.054	0.469±	0.016
50000 ppm	10	0.274±	0.012*	0.055±	0.005	0.901±	0.043	0.465±	0.015

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 2

APPENDIX B 9-1

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY), RELATIVE

RAT : MALE

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	10	314± 11	0.070± 0.005	0.017± 0.002	0.910± 0.053	0.301± 0.014	0.328± 0.015
80 ppm	10	322± 16	0.074± 0.008	0.016± 0.002	0.913± 0.042	0.297± 0.018	0.320± 0.014
400 ppm	10	311± 28	0.068± 0.013	0.018± 0.003	0.963± 0.065	0.296± 0.014	0.331± 0.022
2000 ppm	10	306± 18	0.064± 0.003	0.019± 0.002	0.977± 0.047*	0.296± 0.012	0.339± 0.020
10000 ppm	10	300± 23	0.067± 0.005	0.019± 0.002*	1.023± 0.064**	0.302± 0.013	0.344± 0.014
50000 ppm	10	299± 9*	0.061± 0.005**	0.020± 0.002**	1.044± 0.037**	0.298± 0.010	0.341± 0.010

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	10	0.611± 0.021	0.171± 0.006	2.549± 0.087	0.604± 0.022
80 ppm	10	0.615± 0.021	0.180± 0.007*	2.566± 0.068	0.590± 0.026
400 ppm	10	0.664± 0.030**	0.197± 0.007**	2.658± 0.069*	0.608± 0.044
2000 ppm	10	0.682± 0.020**	0.210± 0.006**	2.897± 0.070**	0.621± 0.047
10000 ppm	10	0.704± 0.029**	0.216± 0.007**	3.338± 0.057**	0.642± 0.039
50000 ppm	10	0.715± 0.027**	0.215± 0.008**	3.988± 0.123**	0.643± 0.021

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 2

APPENDIX B 9-2

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY), RELATIVE

RAT : FEMALE



STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	10	181± 10	0.108± 0.009	0.032± 0.003	0.061± 0.009	0.356± 0.026	0.425± 0.023
80 ppm	10	182± 6	0.108± 0.007	0.032± 0.002	0.064± 0.009	0.348± 0.023	0.426± 0.022
400 ppm	10	170± 14	0.100± 0.007	0.033± 0.005	0.063± 0.009	0.361± 0.042	0.455± 0.028*
2000 ppm	10	170± 6	0.104± 0.013	0.034± 0.003	0.062± 0.007	0.364± 0.032	0.462± 0.023**
10000 ppm	10	164± 4**	0.098± 0.010	0.033± 0.003	0.067± 0.004	0.369± 0.014	0.477± 0.019**
50000 ppm	10	154± 7**	0.104± 0.017	0.036± 0.002	0.067± 0.017	0.363± 0.033	0.462± 0.015**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	10	0.683± 0.028	0.203± 0.010	2.366± 0.067	0.976± 0.054
80 ppm	10	0.690± 0.021	0.218± 0.011*	2.402± 0.081	0.959± 0.033
400 ppm	10	0.749± 0.053*	0.263± 0.014**	2.548± 0.060	1.048± 0.084
2000 ppm	10	0.759± 0.052**	0.289± 0.013**	2.896± 0.142**	1.038± 0.037
10000 ppm	10	0.750± 0.014**	0.289± 0.017**	3.199± 0.124**	1.087± 0.028**
50000 ppm	10	0.771± 0.023**	0.281± 0.015**	3.973± 0.165**	1.145± 0.051**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS2

APPENDIX B 9-3

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY), RELATIVE

MOUSE: MALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	10	30.9± 1.8	0.139± 0.031	0.033± 0.014	0.651± 0.112	0.451± 0.037	0.517± 0.028
80 ppm	10	30.2± 3.3	0.119± 0.014	0.031± 0.014	0.698± 0.158	0.465± 0.059	0.521± 0.047
400 ppm	10	30.0± 1.9	0.115± 0.016	0.030± 0.014	0.672± 0.132	0.477± 0.034	0.519± 0.049
2000 ppm	10	28.3± 2.2	0.132± 0.013	0.033± 0.014	0.690± 0.067	0.511± 0.039*	0.523± 0.038
10000 ppm	10	25.7± 2.2**	0.127± 0.018	0.036± 0.011	0.728± 0.084	0.526± 0.043**	0.590± 0.064**
50000 ppm	10	23.4± 0.9**	0.128± 0.023	0.042± 0.012	0.805± 0.153	0.546± 0.059**	0.613± 0.032**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	10	1.350± 0.070	0.150± 0.020	3.388± 0.193	1.476± 0.096
80 ppm	10	2.085± 2.201	0.157± 0.023	3.481± 0.212	1.528± 0.181
400 ppm	10	1.350± 0.095	0.150± 0.009	3.683± 0.120**	1.534± 0.111
2000 ppm	10	1.520± 0.478	0.170± 0.035	3.873± 0.192**	1.612± 0.127
10000 ppm	10	1.495± 0.108	0.166± 0.018	4.222± 0.148**	1.764± 0.177**
50000 ppm	10	1.554± 0.044**	0.291± 0.026**	4.708± 0.137**	1.859± 0.079**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 2

APPENDIX B 9-4

ORGAN WEIGHT (THIRTEEN—WEEK STUDY: SUMMARY), RELATIVE

MOUSE: FEMALE

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 14)

PAGE : 3

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	10	21.7± 1.8	0.201± 0.021	0.054± 0.015	0.075± 0.035	0.538± 0.054	0.707± 0.060
80 ppm	10	20.7± 1.2	0.189± 0.020	0.054± 0.018	0.102± 0.023	0.561± 0.037	0.705± 0.050
400 ppm	9	20.9± 1.1	0.203± 0.031	0.063± 0.011	0.105± 0.027	0.586± 0.035	0.729± 0.047
2000 ppm	10	20.7± 1.2	0.193± 0.026	0.055± 0.009	0.092± 0.013	0.575± 0.071	0.678± 0.041
10000 ppm	10	19.4± 1.2**	0.191± 0.031	0.054± 0.011	0.098± 0.028	0.584± 0.039	0.745± 0.049
50000 ppm	10	19.2± 0.7**	0.207± 0.020	0.061± 0.011	0.090± 0.030	0.574± 0.043	0.698± 0.037

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 14)

PAGE : 4

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	10	1.368± 0.062	0.231± 0.020	3.959± 0.120	2.161± 0.201
80 ppm	10	1.353± 0.051	0.227± 0.030	3.927± 0.199	2.250± 0.109
400 ppm	9	1.460± 0.048*	0.233± 0.045	4.065± 0.174	2.224± 0.124
2000 ppm	10	1.413± 0.059	0.240± 0.030	4.110± 0.199	2.304± 0.127
10000 ppm	10	1.447± 0.073*	0.231± 0.030	4.286± 0.164**	2.427± 0.126**
50000 ppm	10	1.428± 0.068	0.286± 0.027**	4.694± 0.146**	2.425± 0.128**

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS2



APPENDIX B 10-1

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS

(THIRTEEN—WEEK STUDY: SUMMARY)

RAT : MALE : SACRIFICED ANIMALS

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 1

Organ	Findings	Group Name No. of Animals				Control 10				80 ppm 10				400 ppm 10				2000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]																					
nasal cavity	inflammation:transitional epithelium	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	2 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
[Hematopoietic system]																					
bone marrow	increased hematopoiesis	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	3 ( 30)	0 ( 0)	0 ( 0)	0 ( 0)	5 ( 50)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
spleen	engorgement of erythrocyte	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	10 (100)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	9 ( 90)	1 ( 10)	0 ( 0)	0 ( 0)
[Digestive system]																					
tongue	foreign body granuloma	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
liver	granulation	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	swelling:central	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
[Urinary system]																					
kidney	basophilic change	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	eosinophilic body	8 ( 80)	2 ( 20)	0 ( 0)	0 ( 0)	2 ( 20)	8 ( 80)	0 ( 0)	0 ( 0)	4 ( 40)	6 ( 60)	0 ( 0)	0 ( 0)	2 ( 20)	6 ( 60)	2 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
[Endocrine system]																					
pituitary	Rathke pouch	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 2

		Group Name	10000 ppm				50000 ppm			
		No. of Animals	10				10			
Organ_____	Findings_____		<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)
[Respiratory system]										
nasal cavit	inflammation:transitional epithelium		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
[Hematopoietic system]										
bone marrow	increased hematopoiesis		7 ( 70)	0 ( 0)	0 ( 0)	0 ** ( 0)	6 ( 60)	1 ( 10)	0 ( 0)	0 ** ( 0)
spleen	engorgement of erythrocyte		6 ( 60)	4 ( 40)	0 ( 0)	0 ** ( 0)	9 ( 90)	1 ( 10)	0 ( 0)	0 ** ( 0)
[Digestive system]										
tongue	foreign body granuloma		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
liver	granulation		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	2 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)
	swelling:central		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	6 ( 60)	0 ( 0)	0 ( 0)	0 * ( 0)
[Urinary system]										
kidney	basophilic change		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
	eosinophilic body		0 ( 0)	6 ( 60)	4 ( 40)	0 ** ( 0)	5 ( 50)	5 ( 50)	0 ( 0)	0 ( 0)
[Endocrine system]										
pituitary	Rathke pouch		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 3

Organ_____	Findings_____	Group Name No. of Animals	Control 10				80 ppm 10				400 ppm 10				2000 ppm 10			
			<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)

[Special sense organs/appandage]

Harder gl	Lymphocytic infiltration		0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
			( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

(HPT150)

BAIS2

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 4

Organ	Findings	Group Name No. of Animals	10000 ppm 10				50000 ppm 10			
			<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)

[Special sense organs/appandage]

Harder gl	lymphocytic infiltration	1	0	0	0	0	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

(HPT150)

BA1S2

APPENDIX B 10-2

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS

(THIRTEEN—WEEK STUDY: SUMMARY)

RAT : FEMALE : SACRIFICED ANIMALS

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 5

Organ	Findings	Group Name	Control				80 ppm				400 ppm				2000 ppm			
		No. of Animals	10				10				10				10			
			<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
			(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]																		
nasal cavit	inflammation:transitional epithelium		7 ( 70)	0 ( 0)	0 ( 0)	0 ( 0)	8 ( 80)	0 ( 0)	0 ( 0)	0 ( 0)	7 ( 70)	0 ( 0)	0 ( 0)	0 ( 0)	4 ( 40)	0 ( 0)	0 ( 0)	0 ( 0)
lung	foamy cell		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
[Hematopoietic system]																		
bone marrow	granulation		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	2 ( 20)	1 ( 10)	0 ( 0)	0 ( 0)	4 ( 40)	4 ( 40)	0 ( 0)	0 ( 0) **	1 ( 10)	6 ( 60)	0 ( 0)	0 ( 0) *
	increased hematopoiesis		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	7 ( 70)	0 ( 0)	0 ( 0)	0 ( 0) **	4 ( 40)	5 ( 50)	0 ( 0)	0 ( 0) **
spleen	deposit of hemosiderin		5 ( 50)	0 ( 0)	0 ( 0)	0 ( 0)	10 (100)	0 ( 0)	0 ( 0)	0 ( 0) *	10 (100)	0 ( 0)	0 ( 0)	0 ( 0) *	5 ( 50)	5 ( 50)	0 ( 0)	0 ( 0) **
	engorgement of erythrocyte		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	10 (100)	0 ( 0)	0 ( 0)	0 ( 0) **	9 ( 90)	1 ( 10)	0 ( 0)	0 ( 0) **
[Digestive system]																		
liver	herniation		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	granulation		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	2 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)	3 ( 30)	0 ( 0)	0 ( 0)	0 ( 0)
[Urinary system]																		
kidney	mineralization:cortico-medullary junction		1 ( 10)	9 ( 90)	0 ( 0)	0 ( 0)	1 ( 10)	9 ( 90)	0 ( 0)	0 ( 0)	5 ( 50)	5 ( 50)	0 ( 0)	0 ( 0)	6 ( 60)	4 ( 40)	0 ( 0)	0 ( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 6

Organ	Findings	Group Name No. of Animals				10000 ppm 10				50000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]													
nasal cavit	inflammation:transitional epithelium	3	0	0	0	0	0	0	0	0	0	0	0 **
		( 30)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
lung	foamy cell	1	0	0	0	0	0	0	0	0	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
[Hematopoietic system]													
bone marrow	granulation	0	1	0	0	0	0	0	0	0	0	0	0
		( 0)	( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	increased hematopoiesis	5	5	0	0 **	6	3	0	0 **	6	3	0	0 **
		( 50)	( 50)	( 0)	( 0)	( 60)	( 30)	( 0)	( 0)	( 60)	( 30)	( 0)	( 0)
spleen	deposit of hemosiderin	2	8	0	0 **	1	9	0	0 **	1	9	0	0 **
		( 20)	( 80)	( 0)	( 0)	( 10)	( 90)	( 0)	( 0)	( 10)	( 90)	( 0)	( 0)
	engorgement of erythrocyte	3	7	0	0 **	3	7	0	0 **	3	7	0	0 **
		( 30)	( 70)	( 0)	( 0)	( 30)	( 70)	( 0)	( 0)	( 30)	( 70)	( 0)	( 0)
[Digestive system]													
liver	herniation	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	granulation	2	0	0	0	2	0	0	0	2	0	0	0
		( 20)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)
[Urinary system]													
kidney	mineralization:cortico-medullary junction	9	0	0	0 **	6	2	0	0 **	6	2	0	0 **
		( 90)	( 0)	( 0)	( 0)	( 60)	( 20)	( 0)	( 0)	( 60)	( 20)	( 0)	( 0)

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe



STUDY NO. : 0220  
ANIMAL : RAT F344  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 7

Organ	Findings	Group Name No. of Animals				Control 10				80 ppm 10				400 ppm 10				2000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Endocrine system]																					
pituitary	Rathke pouch	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
thyroid	ultimibranchial body remanet	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
[Reproductive system]																					
ovary	cyst	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)
[Special sense organs/appandage]																					
Harder gl	Lymphocytic infiltration	1	0	0	0	2	2	0	0	3	0	0	0	1	1	0	0	1	1	0	0
		( 10)	( 0)	( 0)	( 0)	( 20)	( 20)	( 0)	( 0)	( 30)	( 0)	( 0)	( 0)	( 10)	( 10)	( 0)	( 0)	( 10)	( 10)	( 0)	( 0)

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

(IPT150)

BATS2

STUDY NO. : 0220  
 ANIMAL : RAT F344  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 8

Organ	Findings	Group Name No. of Animals	10000 ppm				50000 ppm			
			10				10			
			<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)
[Endocrine system]										
pituitary	Rathke pouch		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
thyroid	ultimibranchial body remanet		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
[Reproductive system]										
ovary	cyst		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
[Special sense organs/appandage]										
Harder gl	Lymphocytic infiltration		1 ( 10)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

(HPT150)

BAIS2

APPENDIX B 10-3

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS

(THIRTEEN—WEEK STUDY: SUMMARY)

MOUSE: FEMALE : DEAD AND MORIBUND ANIMALS

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
 DEAD AND MORIBUND ANIMALS (0- 14W)

PAGE : 1

Organ	Findings	Group Name No. of Animals	Control 0				80 ppm 0				400 ppm 1				2000 ppm 0			
			<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)
[Respiratory system]																		
nasal cavit	degeneration:olfactory epithelium		- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	1 (100)	0 ( 0 )	0 ( 0 )	0 ( 0 )	- ( - )	- ( - )	- ( - )	- ( - )
[Hematopoietic system]																		
thymus	atrophy		- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	0 ( 0 )	0 ( 0 )	1 (100)	0 ( 0 )	- ( - )	- ( - )	- ( - )	- ( - )
spleen	atrophy		- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	- ( - )	0 ( 0 )	0 ( 0 )	1 (100)	0 ( 0 )	- ( - )	- ( - )	- ( - )	- ( - )
			<1>:Slight	<2>:Moderate	<3>:Marked	<4>:Severe												

(HPT150)

BAIS2

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 14W)

PAGE : 2

Organ	Findings	Group Name No. of Animals	10000 ppm				50000 ppm			
			<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
			(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]										
nasal cavit	degeneration:olfactory epithelium		-	-	-	-	-	-	-	-
			( - )	( - )	( - )	( - )	( - )	( - )	( - )	( - )
[Hematopoietic system]										
thymus	atrophy		-	-	-	-	-	-	-	-
			( - )	( - )	( - )	( - )	( - )	( - )	( - )	( - )
spleen	atrophy		-	-	-	-	-	-	-	-
			( - )	( - )	( - )	( - )	( - )	( - )	( - )	( - )

<1>:Slight      <2>:Moderate      <3>:Marked      <4>:Severe

(HPT150)

BA1S2

APPENDIX B 10-4

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS

(THIRTEEN—WEEK STUDY: SUMMARY)

MOUSE: MALE : SACRIFICED ANIMALS

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 1

Organ	Findings	Group Name No. of Animals	Control 10				80 ppm 10				400 ppm 10				2000 ppm 10			
			<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)
[Respiratory system]																		
nasal cavit	eosinophilic change:olfactory epithelium		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	eosinophilic change:respiratory epithelium		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
lung	cytologic alteration:NOS		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
[Hematopoietic system]																		
spleen	deposit of hemosiderin		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	deposit of melanin		2 ( 20)	1 ( 10)	0 ( 0)	0 ( 0)	3 ( 30)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)
	extramedullary hematopoiesis		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	7 ( 70)	0 ( 0)	0 ( 0)	0 ( 0) **	5 ( 50)	5 ( 50)	0 ( 0)	0 ( 0) **
[Digestive system]																		
liver	granulation		3 ( 30)	0 ( 0)	0 ( 0)	0 ( 0)	2 ( 20)	1 ( 10)	0 ( 0)	0 ( 0)	3 ( 30)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)
[Urinary system]																		
kidney	vacuolization of proximal tubule		6 ( 60)	1 ( 10)	0 ( 0)	0 ( 0)	2 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)	2 ( 20)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0) **
	hydronephrosis		0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 14W)

PAGE : 2

		Group Name	10000 ppm				50000 ppm			
		No. of Animals	10				10			
Organ_____	Findings_____	<1> (%)	<2> (%)	<3> (%)	<4> (%)	<1> (%)	<2> (%)	<3> (%)	<4> (%)	
[Respiratory system]										
nasal cavit	eosinophilic change:olfactory epithelium	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	
	eosinophilic change:respiratory epithelium	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	
lung	cytologic alteration:NOS	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	
[Hematopoietic system]										
spleen	deposit of hemosiderin	9 ( 90)	0 ( 0)	0 ( 0)	0 ** ( 0)	10 (100)	0 ( 0)	0 ( 0)	0 ** ( 0)	
	deposit of melanin	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	1 ( 10)	0 ( 0)	0 ( 0)	
	extramedullary hematopoiesis	3 ( 30)	7 ( 70)	0 ( 0)	0 ** ( 0)	0 ( 0)	2 ( 20)	8 ( 80)	0 ** ( 0)	
[Digestive system]										
Liver	granulation	1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)	4 ( 40)	0 ( 0)	0 ( 0)	0 ( 0)	
[Urinary system]										
kidney	vacuolization of proximal tubule	0 ( 0)	0 ( 0)	0 ( 0)	0 ** ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ** ( 0)	
	hydronephrosis	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	0 ( 0)	

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe



STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 3

Organ	Findings	Group Name No. of Animals				Control 10				80 ppm 10				400 ppm 10				2000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Urinary system]																					
urin bladd	hyaline droplet degeneration:superficial cell of transit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	4	0	0 **
		( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 60 )	( 40 )	( 0 )	( 0 )
[Endocrine system]																					
thyroid	cyst	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
adrenal	deposit of melanin	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
	accessory cortical nodule	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

(HPT150)

BAIS2

STUDY NO. : 0221  
 ANIMAL : MOUSE BDF1  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 14W)

PAGE : 4

Organ	Findings	Group Name No. of Animals				10000 ppm 10				50000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Urinary system]													
urin bladd	hyaline droplet degeneration:superficial cell of transit	0	10	0	0 **	0	10	0	0 **	0	10	0	0 **
		( 0)	(100)	( 0)	( 0)	( 0)	(100)	( 0)	( 0)	( 0)	(100)	( 0)	( 0)
[Endocrine system]													
thyroid	cyst	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
adrenal	deposit of melanin	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	accessory cortical nodule	1	0	0	0	0	0	0	0	0	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

(HPT150)

BAIS2

APPENDIX B 10-5

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS

(THIRTEEN—WEEK STUDY: SUMMARY)

MOUSE: FEMALE : SACRIFICED ANIMALS

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 5

Organ	Findings	Group Name No. of Animals				Control 10				80 ppm 10				400 ppm 9				2000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]																					
nasal cavit	eosinophilic change:olfactory epithelium	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 30)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	eosinophilic change:respiratory epithelium	2	0	0	0	0	0	0	0	2	0	0	0	2	0	0	0	2	0	0	0
		( 20)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 22)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)
[Hematopoietic system]																					
spleen	deposit of hemosiderin	0	0	0	0	1	0	0	0	8	0	0	0 **	8	0	0	0 **	8	0	0	0 **
		( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)	( 89)	( 0)	( 0)	( 0)	( 80)	( 0)	( 0)	( 0)	( 80)	( 0)	( 0)	( 0)
	deposit of melanin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)
	extramedullary hematopoiesis	5	2	0	0	9	1	0	0	7	1	0	0	8	2	0	0	8	2	0	0
		( 50)	( 20)	( 0)	( 0)	( 90)	( 10)	( 0)	( 0)	( 78)	( 11)	( 0)	( 0)	( 80)	( 20)	( 0)	( 0)	( 80)	( 20)	( 0)	( 0)
[Digestive system]																					
liver	granulation	2	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		( 20)	( 0)	( 0)	( 0)	( 30)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)
[Urinary system]																					
urin bladd	hyaline droplet degeneration:superficial cell of transit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
[Endocrine system]																					
adrenal	accessory cortical nodule	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 22)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

STUDY NO. : 0221  
ANIMAL : MOUSE BDF1  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 14W)

PAGE : 6

Organ	Findings	Group Name No. of Animals				10000 ppm 10				50000 ppm 10			
		<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>	<1>	<2>	<3>	<4>
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]													
nasal cavit	eosinophilic change:olfactory epithelium	0	0	0	0	0	0	0	0	0	0	0	0
		( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
	eosinophilic change:respiratory epithelium	0	0	0	0	1	0	0	0	10	0	0	0
		( 0 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )
[Hematopoietic system]													
spleen	deposit of hemosiderin	8	0	0	0 **	10	0	0	0 **	100	0	0	0
		( 80 )	( 0 )	( 0 )	( 0 )	( 100 )	( 0 )	( 0 )	( 0 )	( 100 )	( 0 )	( 0 )	( 0 )
	deposit of melanin	0	2	0	0	0	0	0	0	0	0	0	0
		( 0 )	( 20 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
	extramedullary hematopoiesis	3	7	0	0 *	2	7	1	0 *	20	70	10	0
		( 30 )	( 70 )	( 0 )	( 0 )	( 20 )	( 70 )	( 10 )	( 0 )	( 20 )	( 70 )	( 10 )	( 0 )
[Digestive system]													
liver	granulation	1	0	0	0	1	0	0	0	10	0	0	0
		( 10 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )
[Urinary system]													
urin bladd	hyaline droplet degeneration:superficial cell of transit	10	0	0	0 **	0	10	0	0 **	0	100	0	0
		( 100 )	( 0 )	( 0 )	( 0 )	( 0 )	( 100 )	( 0 )	( 0 )	( 0 )	( 100 )	( 0 )	( 0 )
[Endocrine system]													
adrenal	accessory cortical nodule	1	0	0	0	0	0	0	0	0	0	0	0
		( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square <1>:Slight <2>:Moderate <3>:Marked <4>:Severe

APPENDIX B 11-1

IDENTITY AND PURITY OF BIPHENYL  
PERFORMED AT THE JAPAN BIOASSAY LABORATORY  
(THIRTEEN—WEEK STUDY)

# STABILITY OF ANTHRACENE AT THE JAPAN BIOASSAY LABORATORY(THIRTEEN-WEEK STUDIES)

Lot no.304P4138

1. Sample storage: Anthracene were stored for about 16 weeks at 5°C.

## 2. Gas Chromatography

Instrument: Hewlett Packard 5890A  
 Column: Methyl Silicone(0.2mm  $\phi$   $\times$  30m)  
 Column Temperature: 170°C  
 Flow Rate: 1 ml/min  
 Detector: FID(Hydrogen Flame Ionization)  
 Injection Volume: 1  $\mu$ l

Results: Major peak and six impurities

Date	Peak No.	Retention Time(min)	AREA (measurement)	AREA (percent of total peak)
10/21/92	1	5.1	78	0.0155
	2	10.683	674	0.134
	3	13.995	6611	1.31
	4	19.47	2602	0.516
	5	20.308	485500	96.3
	6	20.905	1512	0.300
	7	22.065	7091	1.41
02/09/93	1	5.1	85	0.0166
	2	10.692	656	0.129
	3	14.008	6399	1.25
	4	19.497	2617	0.513
	5	20.342	492352	96.4
	6	20.953	1544	0.302
	7	22.1	6946	1.36

3. Conclusions: Gas chromatography indicated six impurities with concentration totaling <3.7% of the major peak.  
 Consequently, Anthracene was stable as the chemical when stored for about 16 weeks at 5°C.

APPENDIX B 11-2

STABILITY OF ANTHRACENE AT THE JAPAN BIOASSAY LABORATORY  
(THIRTEEN-WEEK STUDY)



IDENTITY AND PURITY OF ANTHRACENE PERFORMED AT THE JAPAN BIOASSAY LABORATORY  
(THIRTEEN-WEEK STUDIES)

Lot no. 304P4138


1. Spectral data

(1) Mass Spectrometry

Instrument: Hitachi M-80B

Ionization: EI (Electron Ionization)

Ionization Voltage: 70eV



Mass Spectrum of ANTHRACENE

Result:

Molecular Weight


Theoretical Value 178.1 (Calculated)

Literature Values 178 (Sadtler Handbook by Sadtler Research Laboratories, Inc.)

Determined 178.2

## (2) Infrared Spectrometry

Instrument : Hitachi 270-30  
Cell : KBr(Wafer)  
Slit : Medium



Infrared Spectrum of ANTHRACENE

Results:

Wave Number

Determines

Literature Values

( $\text{CM}^{-1}$ )

460 ~ 490

460 ~ 490

700 ~ 750

700 ~ 750

860 ~ 900

860 ~ 900

940 ~ 970

940 ~ 970

990 ~ 1010

990 ~ 1010

1130 ~ 1160

1130 ~ 1160

1300 ~ 1330

1300 ~ 1330

1440 ~ 1470

1440 ~ 1470

1530 ~ 1550

1610 ~ 1640

1610 ~ 1640

3030 ~ 3080

3010 ~ 3050

(Sadtler Handbook  
by Sadtler Research  
Laboratories, Inc.)

2. Conclusions: The result of the Mass spectrum agreed with the theoretical value and the Infrared spectrum agreed with the literature values.

## APPENDIX B 11-3

### ANALYSIS OF ANTHRACENE CONCENTRATION IN FORMULATED DIETS OF THE THIRTEEN —WEEK STUDIES

# ANALYSIS OF ANTHRACENE CONCENTRATION AND HOMOGENEITY IN FORMULATED DIETS OF THE THIRTEEN-WEEK STUDIES

(Rat)(MOUSE)

Concentration of Anthracene in feed for Target Concentration(ppm)						
Date	80	( a )	400	( a )	2000	( a )
	( b )	( b )	( b )	( b )	( b )	( b )
10/15/92	71.7	( 89.6 )	373	( 93.3 )	2020	( 101 )
	( 6.6 )	( 3.6 )	( 0.9 )	( 2.6 )	( 110 )	( 1.7 )

(a) Percent of target concentration

(b) Homogeneity(C.V.(%) n=7)

Analytical method: The sample were analyzed by the Gas Chromatography.

Instrument :Hewlett Packard 5890A  
 Column :Methylsilicon (0.2mm  $\phi$   $\times$  30m)  
 Column Temperature :260°C  
 Flow Rate :1ml/min  
 Detector :FID  
 Injection Volume :1  $\mu$  l

## APPENDIX B 11-4

### STABILITY OF ANTHRACENE IN FORMULATED DIETS OF THE THIRTEEN - WEEK STUDIES

# STABILITY OF ANTHRACENE IN FORMULATED DIETS OF THE THIRTEEN-WEEK STUDIES

(Rat)(Mouse)

Date	Concentration of Anthracene in feed for Target Concentration(ppm)	
	80 ( a )	50000 ( a )
08/18/92(b)	70.8( 100 )	50300 ( 100 )
10/15/92(c)	73.2( 103 )	53100 ( 106 )

(a) Percent of concentration on preparation day

(b) Date of preparation

(c) Formulated diets were stored for about 2 months at 8°C.

Analytical method: The sample were analyzed by the Gas Chromatography.

Instrument :Hewlett Packard 5890A  
Column :Methylsilicon (0.2mm  $\phi$   $\times$  30m)  
Column Temperature :260°C  
Flow Rate :1ml/min  
Detector :FID  
Injection Volume :1  $\mu$  l

## APPENDIX C 1

### METHODS FOR HEMATOLOGY, BIOCHEMISTRY AND URINALSYS

# METHODS FOR HEMATOLOGY, BIOCHEMISTRY AND URINALYSIS

Item	Method	Unit
<b>Hematology</b>		
Red blood cell (RBC)	Light scattering method <sup>1)</sup>	$\times 10^6 / \mu\text{l}$
Hemoglobin (Hgb)	Cyanmethemoglobin method <sup>1)</sup>	g/dl
Hematocrit (Hct)	Calculated as $\text{RBC} \times \text{MCV} / 10$ <sup>1)</sup>	%
Mean corpuscular volume (MCV)	Light scattering method <sup>1)</sup>	fl
Mean corpuscular hemoglobin (MCH)	Calculated as $\text{Hgb} / \text{RBC} \times 10$ <sup>1)</sup>	pg
Mean corpuscular hemoglobin concentration (MCHC)	Calculated as $\text{Hgb} / \text{Hct} \times 100$ <sup>1)</sup>	g/dl
Platelet	Light scattering method <sup>1)</sup>	$\times 10^3 / \mu\text{l}$
White blood cell (WBC)	Light scattering method <sup>1)</sup>	$\times 10^3 / \mu\text{l}$
Differential WBC	Pattern recognition method <sup>2)</sup> (May-Grunwald-Giemsa staining)	%
Reticulocyte	Pattern recognition method <sup>2)</sup> (New methyleneblue staining)	%
Prothrombin time	Quick one stage method <sup>3)</sup>	sec
Activated partial thromboplastin time (APTT)	Ellagic acid activated method <sup>3)</sup>	sec
<b>Biochemistry</b>		
Total protein (TP)	Biuret method <sup>4)</sup>	g/dl
Albumin (Alb)	BCG method <sup>4)</sup>	g/dl
A/G ratio	Calculated as $\text{Alb} / (\text{TP} - \text{Alb})$ <sup>4)</sup>	
T-bilirubin	Michaelson method <sup>4)</sup>	mg/dl
Glucose	Enzymatic method (HK·G-6-PDH) <sup>4)</sup>	mg/dl
T-cholesterol	Enzymatic method (CEH·COD·POD) <sup>4)</sup>	mg/dl
Triglyceride	Enzymatic method (GK·GPO·POD) <sup>4)</sup>	
Phospholipid	Enzymatic method (PLD·COD·POD) <sup>4)</sup>	mg/dl
Glutamic oxaloacetic transaminase (GOT)	Karmen method <sup>4)</sup>	IU/l
Glutamic pyruvic transaminase (GPT)	Karmen method <sup>4)</sup>	IU/l
Lactate dehydrogenase (LDH)	Wroblewski-LaDue method <sup>4)</sup>	IU/l
Alkaline phosphatase (ALP)	GSCC method <sup>4)</sup>	
$\gamma$ -Glutamyl transpeptidase (G-GTP)	L- $\gamma$ -Glutamyl-p-nitroanilide substrate method <sup>4)</sup>	IU/l
Creatine phosphokinase (CPK)	GSCC method <sup>4)</sup>	IU/l
Urea nitrogen	Enzymatic method (Urease·GLDH) <sup>4)</sup>	mg/dl
Creatinine	Jaffe method <sup>4)</sup>	mg/dl
Sodium	Flame photometry <sup>5)</sup>	mEq/l
Potassium	Flame photometry <sup>5)</sup>	mEq/l
Chloride	Coulometric titration <sup>5)</sup>	mEq/l
Calcium	OCPC method <sup>4)</sup>	mg/dl
Inorganic phosphorus	Enzymatic method (SPL·PGM·G-6-PDH) <sup>4)</sup>	mg/dl
<b>Urinalysis</b>		
PH, Protein, Glucose, Ketone body, Bilirubin, Occult blood, Urobilinogen	Urinalysis reagent paper method <sup>6)</sup>	

1) Automatic blood cell analyzer (Technicon H-1 : Technicon Instruments Corporation, USA)

2) Automatic blood cell differential analyzer (Hitachi 8200 : Hitachi, Ltd., Japan)

3) Automatic coagulometer (Amelung KC-10 : Heinrich Amelung GmbH, Germany)

4) Automatic analyzer (Hitachi 705 : Hitachi, Ltd., Japan)

5) Flame photometer (Hitachi 750 : Hitachi, Ltd., Japan)

6) Ames reagent strips for urinalysis (Multistix, Uro-Labstix : Miles Sankyo Co., Ltd., Japan)



## APPENDIX C 2

### UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY

## UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY

	TEST ITEM	DECIMAL PLACE	UNIT
HEMATOLOGY	Red blood cell	2	$10^6/\mu\text{l}$
	Hemoglobin	1	g/dl
	Hematocrit	1	%
	MCV	1	fl
	MCH	1	pg
	MCHC	1	g/dl
	Platelet	0	$\times 10^3/\mu\text{l}$
	Prothrombin time	1	sec.
	APTT	1	sec.
	White blood cell	2	$\times 10^3/\mu\text{l}$
	Differential WBC	0	%
	Reticulocyte	1	%
BIOCHEMISTRY	Total protein	1	g/dl
	Albumin	1	g/dl
	A/G ratio	1	—
	T-bilirubin	2	mg/dl
	Glucose	0	mg/dl
	T-cholesterol	0	mg/dl
	Triglyceride	0	mg/dl
	Phospholipid	0	mg/dl
	GOT	0	IU/l
	GPT	0	IU/l
	LDH	0	IU/l
	ALP	0	IU/l
	$\gamma$ -GTP	0	IU/l
	CPK	0	IU/l
	Urea nitrogen	1	mg/dl
	Creatinine	1	mg/dl
	Sodium	0	mEq/l
	Potassium	1	mEq/l
	Chloride	0	mEq/l
	Calcium	1	mg/dl
	Inorganic phosphorus	1	mg/dl