

キノリンのラットを用いた経口投与による  
13 週間毒性試験(混水試験)報告書

試験番号：0289

## APPENDIX

## APPENDIXES

APPENDIX A 1	CLINICAL OBSERVATION: SUMMARY, RAT : FEMALE ( 13-WEEK STUDY )
APPENDIX B 1	BODY WEIGHT CHANGES: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX B 2	BODY WEIGHT CHANGES: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX C 1	WATER CONSUMPTION CHANGES: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX C 2	WATER CONSUMPTION CHANGES: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX D 1	FOOD CONSUMPTION CHANGES: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX D 2	FOOD CONSUMPTION CHANGES: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX E 1	CHEMICAL INTAKE CHANGES: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX E 2	CHEMICAL INTAKE CHANGES: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX F 1	HEMATOLOGY: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX F 2	HEMATOLOGY: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX G 1	BIOCHEMISTRY: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX G 2	BIOCHEMISTRY: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )

## APPENDIXES (CONTINUED)

APPENDIX H 1	URINALYSIS : SUMMARY, RAT : MALE (13-WEEK STUDY)
APPENDIX H 2	URINALYSIS : SUMMARY, RAT : FEMALE (13-WEEK STUDY)
APPENDIX I 1	GROSS FINDINGS: SUMMARY, RAT: MALE: ALL ANIMALS ( 13-WEEK STUDY )
APPENDIX I 2	GROSS FINDINGS: SUMMARY, RAT: FEMALE: ALL ANIMALS ( 13-WEEK STUDY )
APPENDIX J 1	ORGAN WEIGHT: ABSOLUTE: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX J 2	ORGAN WEIGHT: ABSOLUTE: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX K 1	ORGAN WEIGHT: RELATIVE: SUMMARY, RAT: MALE ( 13-WEEK STUDY )
APPENDIX K 2	ORGAN WEIGHT: RELATIVE: SUMMARY, RAT: FEMALE ( 13-WEEK STUDY )
APPENDIX L 1	HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: MALE: ALL ANIMALS ( 13-WEEK STUDY )
APPENDIX L 2	HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: FEMALE: ALL ANIMALS ( 13-WEEK STUDY )
APPENDIX M 1	IDENTITY AND IMPURITY OF QUINOLINE IN THE 13-WEEK DRINKING WATER STUDY
APPENDIX M 2	STABILITY OF QUINOLINE IN THE 13-WEEK DRINKING WATER STUDY
APPENDIX M 3	CONCENTRATION OF QUINOLINE IN FORMULATED WATER IN THE 13-WEEK DRINKING WATER STUDY
APPENDIX M 4	STABILITY OF QUINOLINE IN FORMULATED WATER IN THE 13-WEEK DRINKING WATER STUDY

## APPENDIXES (CONTINUED)

- APPENDIX N 1      METHODS FOR HEMATOLOGY, BIOCHEMISTRY AND URINALYSIS IN  
THE 13-WEEK DRINKING WATER STUDY OF QUINOLINE
- APPENDIX O 1      UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY  
IN THE 13-WEEK DRINKING WATER STUDY OF QUINOLINE

## APPENDIX A 1

CLINICAL OBSERVATION : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1 13

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : FEMALE

PAGE : 1

Clinical sign	Group Name	Administration Week-day												
		1-7	2-7	3-7	4-7	5-7	6-7	7-7	8-7	9-7	10-7	11-7	12-7	13-7
		1	1	1	1	1	1	1	1	1	1	1	1	1
PILOERECTION	Control	0	0	0	0	0	0	0	0	0	0	0	0	0
	158 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	237 ppm	1	0	0	0	0	0	0	0	0	0	0	0	0
	355 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	533 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	800 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
SOILED PERI GENITALIA	Control	0	0	0	0	0	0	0	0	0	0	0	0	0
	158 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	237 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	355 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	533 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	800 ppm	1	1	1	1	0	0	0	0	0	0	0	0	0
SMALL STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0
	158 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	237 ppm	1	0	0	0	0	0	0	0	0	0	0	0	0
	355 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	533 ppm	10	0	0	0	0	0	0	0	0	0	0	0	0
	800 ppm	10	10	0	0	0	0	0	0	0	0	0	0	0
OLIGO-STOOL	Control	0	0	0	0	0	0	0	0	0	0	0	0	0
	158 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	237 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	355 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	533 ppm	0	0	0	0	0	0	0	0	0	0	0	0	0
	800 ppm	1	0	0	0	0	0	0	0	0	0	0	0	0

## APPENDIX B 1

BODY WEIGHT CHANGES :SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration week						
	0	1	2	3	4	5	6
Control	124± 5	155± 7	187± 11	212± 12	235± 11	229± 13	253± 11
158 ppm	124± 5	151± 7	184± 8	211± 9	234± 9	250± 10**	264± 11*
237 ppm	124± 5	149± 7	177± 7	203± 8	224± 8	240± 9*	254± 8
355 ppm	124± 5	148± 7	178± 8	205± 7	227± 8	242± 7*	256± 7
533 ppm	124± 5	143± 6**	173± 8**	199± 9*	221± 10**	238± 10	250± 10
800 ppm	124± 5	127± 9**	156± 9**	185± 10**	207± 9**	224± 8	238± 7**

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration week		8		9		10		11		12		13	
	7													
Control	270±	12	284±	11	295±	13	304±	13	312±	13	319±	13	324±	13
158 ppm	276±	12	288±	13	298±	16	306±	15	314±	15	320±	14	327±	15
237 ppm	266±	9	277±	9	288±	10	298±	9	303±	9	309±	10	315±	12
355 ppm	265±	7	278±	8	289±	7	300±	7	307±	7	312±	6	320±	7
533 ppm	260±	9	273±	10	284±	11	295±	11	299±	11	308±	10	317±	11
800 ppm	248±	9**	261±	9**	271±	10**	280±	10**	288±	10**	292±	11**	302±	10**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 3

## APPENDIX B 2

BODY WEIGHT CHANGES : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration week		1		2		3		4		5		6	
	0													
Control	103±	3	119±	4	133±	4	146±	4	154±	4	160±	5	168±	5
158 ppm	103±	3	117±	4	132±	4	144±	4	152±	4	159±	5	165±	6
237 ppm	103±	3	112±	11	128±	5	140±	5*	147±	4*	153±	5*	157±	4**
355 ppm	103±	3	111±	5	127±	5*	136±	5**	144±	5**	150±	6**	154±	7**
533 ppm	103±	3	104±	3**	121±	4**	132±	5**	140±	7**	147±	8**	151±	7**
800 ppm	103±	3	86±	6**	104±	7**	120±	7**	130±	7**	137±	7**	141±	7**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration week		7		8		9		10		11		12		13	
Control	174±	7	178±	6	184±	7	187±	7	189±	7	192±	8	193±	7		
158 ppm	169±	7	173±	7	178±	7	179±	7	184±	7	185±	7	186±	7		
237 ppm	162±	5**	167±	6**	172±	5**	175±	5**	177±	5**	178±	6**	179±	5**		
355 ppm	158±	6**	163±	6**	166±	5**	170±	7**	172±	8**	174±	7**	174±	7**		
533 ppm	154±	7**	158±	7**	162±	8**	168±	8**	169±	8**	172±	9**	172±	8**		
800 ppm	144±	7**	149±	7**	152±	8**	154±	9**	157±	9**	159±	9**	161±	9**		

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS 3

## APPENDIX C 1

WATER CONSUMPTION CHANGES : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
UNIT : g  
SEX : MALE

WATER CONSUMPTION CHANGES (SUMMARY)  
ALL ANIMALS

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	17.2	18.0	18.8	19.6	10.8	20.2	19.8
158ppm	14.7	16.0	16.8	17.0	17.0	16.1	15.9
237ppm	13.5	14.3	14.5	15.2	15.6	14.4	14.6
355ppm	12.1	12.8	13.1	13.4	13.4	13.0	12.7
533ppm	10.5	12.2	12.7	13.0	13.0	12.3	12.3
800ppm	7.5	10.7	11.5	11.8	11.8	11.5	11.4

Group Name	Administration week					
	8	9	10	11	12	13
Control	19.4	19.3	19.3	18.8	18.7	18.5
158ppm	16.2	15.9	18.7	16.2	16.2	16.4
237ppm	14.4	14.6	15.2	14.6	14.8	14.3
355ppm	13.3	14.1	13.6	13.6	13.1	13.6
533ppm	12.8	12.7	13.1	13.2	13.0	13.0
800ppm	12.1	11.6	12.0	12.3	11.7	12.1

## APPENDIX C 2

WATER CONSUMPTION CHANGES : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 SEX : FEMALE

WATER CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	13.7	15.8	15.4	15.0	14.9	14.8	14.9
158ppm	12.8	12.7	12.7	11.9	11.9	11.2	11.1
237ppm	10.4	11.5	11.3	10.4	10.0	9.7	9.6
355ppm	11.3	11.8	11.4	10.2	10.0	10.0	10.3
533ppm	7.7	9.3	9.2	8.9	8.8	8.1	8.5
800ppm	4.3	7.7	8.0	7.8	7.8	7.3	7.1

Group Name	Administration week					
	8	9	10	11	12	13
Control	15.1	16.0	14.7	14.7	14.5	14.2
158ppm	11.2	11.0	10.9	11.2	11.0	10.6
237ppm	9.6	9.5	9.6	9.8	10.1	8.7
355ppm	10.2	9.9	10.2	9.4	9.3	9.7
533ppm	8.3	8.4	8.6	8.5	8.5	7.7
800ppm	7.4	7.1	7.4	7.4	7.4	7.3

## APPENDIX D 1

FOOD CONSUMPTION CHANGES : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	13.8± 1.0	15.3± 1.3	15.5± 1.0	16.1± 0.6	10.7± 3.4	16.9± 1.4	15.9± 0.8
158 ppm	13.2± 0.9	15.0± 1.0	15.9± 0.8	16.6± 0.7	16.5± 0.9**	15.8± 0.7	15.8± 0.9
237 ppm	12.9± 0.6	14.3± 0.7	14.7± 0.7	15.8± 1.0	15.3± 0.9*	14.9± 0.6**	15.0± 0.7
355 ppm	12.5± 0.9*	14.1± 0.7*	14.9± 0.6	15.6± 0.5	15.5± 0.6*	15.1± 0.5*	14.9± 0.6*
533 ppm	11.4± 0.6**	13.6± 1.0**	14.5± 1.0	15.1± 0.8*	15.3± 0.7*	14.9± 0.7**	14.5± 0.3**
800 ppm	9.6± 1.2**	12.8± 1.0**	14.1± 0.9**	14.9± 0.7**	15.1± 0.9	14.6± 0.6**	14.5± 0.9**

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

Group Name	Administration week					
	8	9	10	11	12	13
Control	16.3± 0.6	15.7± 1.0	15.4± 0.8	15.0± 0.6	14.8± 0.7	15.3± 0.7
158 ppm	15.8± 0.8	15.6± 0.9	15.7± 0.9	15.4± 0.8	15.4± 0.9	15.9± 0.8
237 ppm	14.7± 0.9**	14.6± 0.8*	14.8± 0.7	14.4± 0.6	14.6± 0.8	14.8± 0.7
355 ppm	15.5± 0.6	15.5± 0.5	15.5± 0.5	15.3± 0.7	15.0± 0.6	15.7± 0.6
533 ppm	14.9± 0.4**	15.0± 0.7	15.0± 0.6	14.7± 0.8	15.2± 0.6	15.2± 0.7
800 ppm	14.7± 0.8**	14.9± 0.8	14.7± 1.1	14.8± 0.9	14.4± 0.8	15.2± 0.7

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

## APPENDIX D 2

FOOD CONSUMPTION CHANGES : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 3

Group Name	Administration week						
	1	2	3	4	5	6	7
Control	11.1± 0.3	11.0± 0.4	11.1± 0.3	10.8± 0.4	10.8± 0.5	10.5± 0.5	10.6± 0.6
158 ppm	10.5± 0.5	10.9± 0.2	11.1± 0.5	10.9± 0.5	10.9± 0.5	10.4± 0.5	10.4± 0.6
237 ppm	9.5± 2.3	10.8± 0.6	11.0± 0.9	10.5± 0.7	10.3± 0.9	10.0± 0.6	10.0± 0.9
355 ppm	9.8± 0.5*	10.6± 0.6	10.6± 0.5	10.4± 0.5	10.4± 0.7	9.9± 0.6	9.9± 0.5
533 ppm	8.6± 0.5**	10.2± 0.6*	10.5± 0.7	10.6± 0.7	10.3± 0.7	10.0± 0.6	10.1± 0.6
800 ppm	5.7± 1.0**	8.7± 1.0**	10.2± 0.6**	10.4± 0.7	10.1± 0.6	9.6± 0.5**	9.5± 0.6**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 13  
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 4

Group Name	Administration week					
	8	9	10	11	12	13
Control	10.6± 0.6	10.4± 0.6	10.3± 0.5	9.9± 0.5	10.0± 0.5	9.7± 1.0
158 ppm	10.2± 0.6	10.2± 0.6	10.1± 0.5	10.1± 0.5	10.0± 0.4	9.8± 0.4
237 ppm	10.1± 0.7	10.2± 0.7	10.0± 0.7	9.8± 0.7	9.8± 0.7	9.5± 0.6
355 ppm	10.2± 0.5	10.1± 0.7	10.1± 0.8	9.9± 0.7	9.9± 0.4	9.7± 0.4
533 ppm	10.0± 0.8	10.1± 0.6	10.0± 0.5	10.2± 0.4	10.0± 0.4	9.8± 0.6
800 ppm	9.8± 0.7	9.7± 0.7	9.3± 0.7**	9.6± 0.7	9.6± 0.7	9.8± 0.7

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

## APPENDIX E 1

CHEMICAL INTAKE CHANGES : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : mg/kg/day  
 SEX : MALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

Group Name	Administration (weeks)						
	1	2	3	4	5	6	7
Control	0.0	0.0	0.0	0.0	0.0	0.0	0.0
158ppm	15.4	13.7	12.6	11.4	10.7	9.6	9.1
237ppm	21.5	19.2	16.9	16.1	15.4	13.5	13.0
355ppm	28.9	25.5	22.7	20.9	19.7	18.0	17.0
533ppm	39.2	37.6	34.1	31.4	29.1	26.3	25.2
800ppm	47.3	54.9	49.5	45.7	42.2	38.6	36.7

Group Name	Administration (weeks)					
	8	9	10	11	12	13
Control	0.0	0.0	0.0	0.0	0.0	0.0
158ppm	8.9	8.4	9.6	8.2	8.0	7.9
237ppm	12.4	12.0	12.1	11.4	11.3	10.8
355ppm	17.0	17.4	16.1	15.7	14.9	15.1
533ppm	24.9	23.8	23.7	23.5	22.5	21.9
800ppm	37.0	34.3	34.4	34.2	32.1	32.0

## APPENDIX E 2

CHEMICAL INTAKE CHANGES : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 UNIT : mg/kg/day  
 SEX : FEMALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
 ALL ANIMALS

Group Name	Administration (weeks)						
	1	2	3	4	5	6	7
Control	0.0	0.0	0.0	0.0	0.0	0.0	0.0
158ppm	17.2	15.2	13.9	12.4	11.8	10.7	10.4
237ppm	21.9	21.2	19.1	16.8	15.5	14.6	14.0
355ppm	36.1	32.9	29.8	25.3	23.8	23.1	23.0
533ppm	39.5	41.1	37.1	33.7	31.8	28.5	29.3
800ppm	39.7	59.6	53.2	47.8	45.8	41.6	39.5

Group Name	Administration (weeks)					
	8	9	10	11	12	13
Control	0.0	0.0	0.0	0.0	0.0	0.0
158ppm	10.2	9.8	9.6	9.6	9.4	9.0
237ppm	13.6	13.1	13.1	13.1	13.4	11.5
355ppm	22.2	21.2	21.2	19.5	19.0	19.8
533ppm	28.0	27.5	27.3	26.9	26.3	23.9
800ppm	39.6	37.4	38.6	37.7	37.2	36.3

## APPENDIX F 1

HEMATOLOGY : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 1

Group Name	NO. of Animals	RED BLOOD CELL 10 <sup>6</sup> /μl		HEMOGLOBIN g/dl		HEMATOCRIT %		MCV fl		MCH pg		MCHC g/dl		PLATELET 10 <sup>3</sup> /μl	
Control	10	9.13±	0.13	16.0±	0.4	45.3±	0.6	49.6±	0.5	17.6±	0.3	35.4±	0.6	656±	42
158 ppm	10	9.02±	0.37	15.6±	0.4	44.6±	1.8	49.5±	0.7	17.3±	0.4	35.0±	0.8	683±	64
237 ppm	10	8.86±	0.36	15.4±	0.4**	43.7±	1.8	49.3±	0.6	17.4±	0.6	35.3±	1.0	674±	83
355 ppm	10	8.69±	0.24*	15.1±	0.3**	42.8±	1.1**	49.3±	0.8	17.4±	0.5	35.3±	1.1	675±	51
533 ppm	10	8.55±	0.33**	14.8±	0.3**	42.0±	1.7**	49.1±	0.3	17.4±	0.7	35.4±	1.5	684±	52
800 ppm	10	8.56±	0.34**	14.6±	0.4**	41.5±	1.7**	48.5±	0.6**	17.1±	0.6	35.3±	1.2	724±	54

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
MEASURE. TIME : 1  
SEX : MALE

REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 14W)

PAGE : 2

Group Name	NO. of Animals	RETICULOCYTE %		PROTHROMBIN TIME s e c		APTT s e c	
Control	10	27±	5	19.3±	3.5	22.6±	2.2
158 ppm	10	32±	7	19.1±	3.8	21.3±	3.0
237 ppm	10	27±	4	19.2±	4.0	21.9±	2.2
355 ppm	10	30±	8	18.2±	3.7	21.0±	2.0
533 ppm	10	30±	5	19.1±	4.1	22.8±	4.0
800 ppm	10	36±	6**	16.9±	3.3	21.2±	2.5

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 3

Group Name	NO. of Animals	WBC 10 <sup>3</sup> /μl		Differential N-BAND		WBC (%) N-SEG		EOSINO		BASO		MONO		LYMPHO		OTHERS	
Control	10	2.88±	0.40	0±	1	33±	7	2±	2	0±	0	3±	1	62±	7	0±	0
158 ppm	10	3.35±	0.90	0±	0	33±	7	2±	1	0±	0	4±	1	62±	8	0±	0
237 ppm	10	2.68±	1.32	0±	0	34±	6	2±	1	0±	0	3±	1	61±	7	0±	0
355 ppm	10	2.59±	0.83	0±	0	39±	6	3±	2	0±	0	3±	1	55±	7	0±	0
533 ppm	10	2.65±	0.78	1±	1	35±	8	2±	1	0±	0	4±	2	58±	8	0±	0
800 ppm	10	2.71±	1.18	1±	1	33±	5	2±	1	0±	0	3±	2	61±	6	0±	0

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

## APPENDIX F 2

HEMATOLOGY : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 4

Group Name	NO. of Animals	RED BLOOD CELL 10 <sup>6</sup> /μl	HEMOGLOBIN g/dl	HEMATOCRIT %	MCV fl	MCH pg	MCHC g/dl	PLATELET 10 <sup>3</sup> /μl
Control	10	8.22± 0.26	15.6± 0.5	43.0± 1.5	52.3± 0.5	19.0± 0.5	36.2± 1.0	635± 131
158 ppm	10	8.13± 0.51	15.4± 0.6	43.2± 2.9	53.1± 1.0	19.0± 0.9	35.8± 1.9	637± 169
237 ppm	10	8.07± 0.32	15.1± 0.7	42.3± 1.6	52.4± 0.5	18.7± 0.4	35.7± 0.8	665± 130
355 ppm	9	7.90± 0.48	14.9± 0.5	41.3± 2.4	52.2± 0.4	18.9± 0.9	36.2± 1.5	632± 104
533 ppm	10	8.06± 0.36	14.9± 0.7	42.3± 1.7	52.4± 0.6	18.5± 0.2	35.3± 0.6	678± 124
800 ppm	9	8.06± 0.27	14.9± 0.7	42.3± 1.3	52.5± 0.6	18.5± 0.8**	35.2± 1.5	698± 105

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuGrj  
MEASURE. TIME : 1  
SEX : FEMALE

REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 14W)

PAGE : 5

Group Name	NO. of Animals	RETICULOCYTE %		PROTHROMBIN TIME s e c		APTT s e c	
Control	10	24±	6	11.6±	0.5	14.7±	2.0
158 ppm	10	26±	7	11.7±	0.4	14.6±	1.9
237 ppm	10	24±	7	11.6±	0.4	14.9±	2.3
355 ppm	9	24±	6	11.6±	0.4	13.6±	2.1
533 ppm	10	25±	4	11.7±	0.5	15.0±	2.4
800 ppm	9	27±	6	11.5±	0.5	14.9±	2.3

Significant difference : \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 6

Group Name	NO. of Animals	WBC 10 <sup>3</sup> /μl		Differential N-BAND		WBC (%) N-SEG		EOSINO		BASO		MONO		LYMPHO		OTHERS	
Control	10	2.01±	2.00	0±	0	31±	10	3±	2	0±	0	4±	2	62±	11	0±	0
158 ppm	10	1.56±	1.44	0±	0	29±	10	2±	1	0±	0	4±	1	66±	10	0±	0
237 ppm	10	1.73±	1.31	0±	1	28±	10	3±	2	0±	0	4±	2	65±	12	0±	0
355 ppm	9	1.52±	0.97	1±	1	30±	9	1±	1	0±	0	3±	2	65±	8	0±	0
533 ppm	10	1.99±	1.52	0±	0	27±	8	2±	1	0±	0	3±	1	68±	8	0±	0
800 ppm	9	2.01±	1.67	0±	0	26±	6	2±	1	0±	0	4±	1	68±	6	0±	0

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

## APPENDIX G 1

BIOCHEMISTRY : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 1

Group Name	NO. of Animals	TOTAL PROTEIN g /dl		ALBUMIN g /dl		A/G RATIO		T-BILIRUBIN mg /dl		GLUCOSE mg /dl		T-CHOLESTEROL mg /dl		TRIGLYCERIDE mg /dl	
Control	10	6.5±	0.1	3.9±	0.1	1.5±	0.1	0.15±	0.01	189±	9	51±	4	73±	18
158 ppm	10	6.6±	0.1	3.9±	0.1	1.5±	0.1	0.15±	0.01	187±	6	61±	4	99±	19
237 ppm	10	6.5±	0.1	3.9±	0.1	1.5±	0.1	0.16±	0.01	193±	11	65±	3	102±	16*
355 ppm	10	6.6±	0.1	4.0±	0.1	1.5±	0.1	0.15±	0.01	194±	9	72±	4**	101±	30
533 ppm	10	6.6±	0.1	4.0±	0.1*	1.5±	0.1	0.16±	0.01	184±	8	81±	7**	106±	31*
800 ppm	10	6.6±	0.1	4.0±	0.1**	1.5±	0.0*	0.16±	0.02	189±	14	92±	7**	92±	27

Significant defference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl		GOT IU/l		GPT IU/l		LDH IU/l		ALP IU/l		G-GTP IU/l		CPK IU/l	
Control	10	102±	5	75±	10	45±	7	121±	28	270±	24	2±	1	92±	6
158 ppm	10	120±	9	71±	6	41±	2	131±	31	263±	13	2±	1	101±	9
237 ppm	10	126±	7	67±	4*	39±	3	128±	44	270±	18	2±	1	95±	13
355 ppm	10	137±	10**	65±	5**	37±	3**	122±	13	265±	21	1±	1	96±	5
533 ppm	10	151±	11**	63±	5**	37±	3**	126±	26	265±	20	2±	1	97±	7
800 ppm	10	163±	16**	62±	4**	40±	4	139±	49	248±	14	2±	1	98±	11

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 3

Group Name	NO. of Animals	UREA NITROGEN mg/dl		CREATININE mg/dl		SODIUM mEq/l		POTASSIUM mEq/l		CHLORIDE mEq/l		CALCIUM mg/dl		INORGANIC PHOSPHORUS mg/dl	
Control	10	17.9±	1.2	0.5±	0.1	142±	1	3.6±	0.2	106±	1	10.4±	0.1	5.7±	0.6
158 ppm	10	17.9±	1.1	0.5±	0.0	141±	1	3.7±	0.2	106±	1	10.5±	0.2	5.6±	0.7
237 ppm	10	18.8±	1.4	0.5±	0.0	142±	1	3.8±	0.2	106±	1	10.5±	0.1	5.6±	0.7
355 ppm	10	19.7±	1.7	0.5±	0.1	142±	1	3.6±	0.3	106±	2	10.6±	0.1**	5.6±	0.5
533 ppm	10	20.1±	2.3*	0.5±	0.0	141±	1	3.8±	0.1	106±	2	10.6±	0.1**	5.8±	0.5
800 ppm	10	20.0±	2.2*	0.5±	0.0	141±	1	3.8±	0.2	105±	2	10.8±	0.1**	6.0±	0.6

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

## APPENDIX G 2

BIOCHEMISTRY : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 4

Group Name	NO. of Animals	TOTAL PROTEIN g / dl		ALBUMIN g / dl		A/G RATIO		T-BILIRUBIN mg / dl		GLUCOSE mg / dl		T-CHOLESTEROL mg / dl		TRIGLYCERIDE mg / dl	
Control	10	6.7±	0.2	4.1±	0.1	1.5±	0.1	0.16±	0.01	150±	14	79±	8	22±	8
158 ppm	10	6.5±	0.2	3.9±	0.2	1.5±	0.1	0.15±	0.01	148±	12	85±	9	25±	8
237 ppm	10	6.3±	0.2**	3.8±	0.1**	1.5±	0.1	0.16±	0.01	144±	9	89±	8	28±	6
355 ppm	9	6.2±	0.2**	3.7±	0.1**	1.5±	0.1	0.16±	0.01	148±	10	92±	11**	31±	8
533 ppm	10	6.2±	0.2**	3.7±	0.1**	1.5±	0.1	0.16±	0.01	144±	7	96±	10**	28±	6
800 ppm	9	6.1±	0.1**	3.7±	0.1**	1.5±	0.1	0.16±	0.01	149±	12	109±	6**	30±	8

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 5

Group Name	NO. of Animals	PHOSPHOLIPID mg/dl		GOT IU/l		GPT IU/l		LDH IU/l		ALP IU/l		G-GTP IU/l		CPK IU/l	
Control	10	147±	13	75±	19	43±	20	150±	30	163±	10	2±	1	93±	8
158 ppm	10	156±	15	64±	6	29±	3**	139±	62	164±	21	2±	1	89±	18
237 ppm	10	159±	11	66±	8	33±	5	141±	34	157±	24	2±	1	88±	14
355 ppm	9	164±	17*	63±	4	30±	3*	127±	33	163±	12	2±	1	93±	16
533 ppm	10	165±	16*	61±	3**	31±	3*	117±	33	168±	20	3±	1	85±	9
800 ppm	9	179±	9**	62±	3*	34±	4	120±	30	169±	17	2±	1	95±	14

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 14W)

REPORT TYPE : A1

PAGE : 6

Group Name	NO. of Animals	UREA NITROGEN mg/dl		CREATININE mg/dl		SODIUM mEq/l		POTASSIUM mEq/l		CHLORIDE mEq/l		CALCIUM mg/dl		INORGANIC PHOSPHORUS mg/dl	
Control	10	18.1±	1.8	0.5±	0.1	142±	1	3.6±	0.2	107±	1	10.2±	0.1	4.3±	1.4
158 ppm	10	17.8±	1.6	0.5±	0.0	141±	2	3.7±	0.4	107±	2	10.3±	0.3	4.7±	1.2
237 ppm	10	18.4±	2.0	0.5±	0.0	140±	1**	3.8±	0.2	107±	1	10.2±	0.3	4.8±	1.0
355 ppm	9	19.5±	2.0	0.5±	0.1	140±	1*	3.7±	0.2	106±	2	10.2±	0.2	5.1±	0.7
533 ppm	10	19.8±	2.5	0.5±	0.0	140±	1**	3.7±	0.2	106±	2	10.2±	0.1	5.1±	1.1
800 ppm	9	21.1±	1.9**	0.5±	0.1	140±	2*	3.6±	0.3	106±	1	10.3±	0.2	5.4±	0.6

Significant defference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

## APPENDIX H 1

URINALYSIS : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuGrj  
 MEASURE. TIME : 1  
 SEX : MALE

# URINALYSIS

REPORT TYPE : A1

PAGE : 1

Group Name	NO. of Animals	pH							CHI	Protein						CHI	Glucose						CHI	Ketone body						CHI	Bilirubin				CHI
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		-	±	+	2+	3+	4+		-	±	+	2+	3+	4+		-	±	+	2+	3+	4+		-	+	2+	3+	
Control	10	0	0	0	0	0	8	2		0	0	3	6	1	0		10	0	0	0	0	0		0	5	5	0	0	0		10	0	0	0	
158 ppm	10	0	0	0	0	2	5	3		0	0	2	8	0	0		10	0	0	0	0	0		0	6	4	0	0	0		10	0	0	0	
237 ppm	10	0	0	0	0	3	6	1		0	0	4	6	0	0		10	0	0	0	0	0		0	6	4	0	0	0		10	0	0	0	
355 ppm	10	0	0	0	0	4	5	1		0	0	2	8	0	0		10	0	0	0	0	0		0	2	8	0	0	0		10	0	0	0	
533 ppm	10	0	0	0	0	4	6	0	*	0	0	0	10	0	0		10	0	0	0	0	0		0	5	4	1	0	0		10	0	0	0	
800 ppm	10	0	0	0	0	1	9	0		0	0	0	10	0	0		10	0	0	0	0	0		0	3	7	0	0	0		10	0	0	0	

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS3

STUDY NO. : 0289

URINALYSIS

ANIMAL : RAT F344/DuCrj

MEASURE. TIME : 1

SEX : MALE

REPORT TYPE : A1

PAGE : 2

Group Name	NO. of Animals	Occult blood					Urobilinogen						
		—	±	+	2+	3+	CHI	±	+	2+	3+	4+	CHI
Control	10	10	0	0	0	0		10	0	0	0	0	
158 ppm	10	10	0	0	0	0		10	0	0	0	0	
237 ppm	10	10	0	0	0	0		10	0	0	0	0	
355 ppm	10	10	0	0	0	0		10	0	0	0	0	
533 ppm	10	10	0	0	0	0		10	0	0	0	0	
800 ppm	10	10	0	0	0	0		10	0	0	0	0	

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS3

## APPENDIX H 2

URINALYSIS : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

# URINALYSIS

REPORT TYPE : A1

PAGE : 3

Group Name	NO. of Animals	pH_____							CHI	Protein_____					CHI	Glucose_____					CHI	Ketone body — ± + 2+ 3+ 4+    CHI					Bilirubin — + 2+ 3+    CHI							
		5.0	6.0	6.5	7.0	7.5	8.0	8.5		—	±	+	2+	3+		4+	—	±	+	2+		3+	4+	—	±	+		2+	3+	4+	—	+	2+	3+
Control	10	0	0	0	0	0	9	1		0	2	6	2	0	0		10	0	0	0	0	0		5	5	0	0	0	0		10	0	0	0
158 ppm	10	0	0	0	0	0	10	0		0	0	6	4	0	0		10	0	0	0	0	0		2	8	0	0	0	0		10	0	0	0
237 ppm	10	0	1	1	1	3	4	0		0	0	5	5	0	0		10	0	0	0	0	0		1	9	0	0	0	0		10	0	0	0
355 ppm	10	0	0	2	1	2	5	0		0	0	4	6	0	0		10	0	0	0	0	0		1	9	0	0	0	0		10	0	0	0
533 ppm	10	0	0	0	3	4	2	1	**	0	0	4	6	0	0		10	0	0	0	0	0		0	10	0	0	0	0	**	10	0	0	0
800 ppm	10	0	0	2	2	3	3	0	*	0	0	3	7	0	0		10	0	0	0	0	0		0	10	0	0	0	0	**	10	0	0	0

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS 3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
MEASURE. TIME : 1  
SEX : FEMALE

URINALYSIS

REPORT TYPE : A1

PAGE : 4

Group Name	NO. of Animals	Occult blood					Urobilinogen						
		-	±	+	2+	3+	CHI	±	+	2+	3+	4+	CHI
Control	10	10	0	0	0	0		10	0	0	0	0	
158 ppm	10	10	0	0	0	0		10	0	0	0	0	
237 ppm	10	10	0	0	0	0		10	0	0	0	0	
355 ppm	10	10	0	0	0	0		10	0	0	0	0	
533 ppm	10	9	0	1	0	0		10	0	0	0	0	
800 ppm	10	10	0	0	0	0		10	0	0	0	0	

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of CHI SQUARE

(HCL101)

BAIS3

## APPENDIX I 1

GROSS FINDINGS : SUMMARY, RAT : MALE ALL ANIMALS

(13 - WEEK STUDY)

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 1

Organ	Findings	Group Name	Control	158 ppm	237 ppm	355 ppm
		NO. of Animals	10 (%)	10 (%)	10 (%)	10 (%)
Liver	herniation		1 ( 10)	0 ( 0)	0 ( 0)	0 ( 0)

(HPT080)

BAIS3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 2

Organ	Findings	Group Name NO. of Animals	533 ppm 10 (%)	800 ppm 10 (%)
Liver	herniation		0 ( 0)	0 ( 0)

(HPT080)

BAIS 3

## APPENDIX I 2

GROSS FINDINGS : SUMMARY, RAT : FEMALE ALL ANIMALS

(13 - WEEK STUDY)

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 3

Organ_____	Findings_____	Group Name	Control	158 ppm	237 ppm	355 ppm
		NO. of Animals	10 (%)	10 (%)	10 (%)	10 (%)
liver	herniation		1 ( 10)	0 ( 0)	2 ( 20)	1 ( 10)

(HPT080)

BAIS 3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 4

Organ	Findings	Group Name NO. of Animals	533 ppm 10 (%)	800 ppm 10 (%)
Liver	herniation		0 ( 0)	0 ( 0)

(HPT080)

BAIS3

## APPENDIX J 1

ORGAN WEIGHT, ABSOLUTE : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14W)

PAGE : 1

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	10	301± 12	0.238± 0.023	0.051± 0.003	2.772± 0.064	0.866± 0.057	1.054± 0.093
158 ppm	10	305± 13	0.234± 0.030	0.054± 0.006	2.850± 0.099	0.916± 0.054	1.054± 0.064
237 ppm	10	295± 10	0.228± 0.019	0.051± 0.004	2.793± 0.076	0.874± 0.036	1.041± 0.070
355 ppm	10	299± 7	0.227± 0.024	0.054± 0.004	2.834± 0.079	0.895± 0.051	1.032± 0.038
533 ppm	10	297± 10	0.231± 0.026	0.054± 0.006	2.860± 0.064	0.867± 0.044	1.034± 0.046
800 ppm	10	284± 11**	0.209± 0.022	0.056± 0.006	2.802± 0.069	0.842± 0.034	1.018± 0.048

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	10	1.828±	0.079	0.538±	0.031	7.592±	0.380	1.857±	0.035
158 ppm	10	1.939±	0.062**	0.583±	0.032**	8.512±	0.537**	1.889±	0.031
237 ppm	10	1.876±	0.058	0.556±	0.032	8.302±	0.407**	1.857±	0.039
355 ppm	10	1.925±	0.061*	0.565±	0.037	8.865±	0.333**	1.855±	0.032
533 ppm	10	1.940±	0.082**	0.572±	0.025	9.266±	0.394**	1.881±	0.042
800 ppm	10	1.965±	0.090**	0.561±	0.023	9.720±	0.406**	1.865±	0.035

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 3

## APPENDIX J 2

ORGAN WEIGHT, ABSOLUTE : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14W)

PAGE : 3

Group Name	NO. of Animals	Body Weight	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	10	180± 7	0.208± 0.022	0.060± 0.011	0.100± 0.011	0.613± 0.039	0.761± 0.038
158 ppm	10	174± 7	0.182± 0.018*	0.061± 0.009	0.100± 0.009	0.620± 0.053	0.800± 0.026
237 ppm	10	169± 5**	0.184± 0.018	0.060± 0.005	0.093± 0.015	0.589± 0.035	0.778± 0.037
355 ppm	10	166± 6**	0.184± 0.028	0.060± 0.004	0.098± 0.010	0.589± 0.033	0.773± 0.026
533 ppm	10	164± 8**	0.168± 0.023**	0.061± 0.005	0.099± 0.009	0.572± 0.029	0.779± 0.068
800 ppm	10	152± 10**	0.159± 0.013**	0.060± 0.005	0.097± 0.015	0.550± 0.039**	0.724± 0.037

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 14W)

PAGE : 4

Group Name	NO. of Animals	KIDNEYS		SPLEEN		LIVER		BRAIN	
Control	10	1.174±	0.056	0.381±	0.026	4.211±	0.293	1.722±	0.052
158 ppm	10	1.247±	0.042*	0.386±	0.023	4.311±	0.303	1.735±	0.033
237 ppm	10	1.249±	0.075*	0.383±	0.024	4.233±	0.140	1.724±	0.036
355 ppm	10	1.309±	0.039**	0.395±	0.042	4.414±	0.219	1.740±	0.026
533 ppm	10	1.319±	0.057**	0.392±	0.029	4.482±	0.290	1.723±	0.050
800 ppm	10	1.283±	0.059**	0.362±	0.023	4.553±	0.224*	1.687±	0.036

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS3

## APPENDIX K 1

ORGAN WEIGHT, RELATIVE : SUMMARY, RAT : MALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 14W)

PAGE : 1

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	TESTES	HEART	LUNGS
Control	10	301± 12	0.079± 0.006	0.017± 0.001	0.922± 0.041	0.287± 0.012	0.350± 0.021
158 ppm	10	305± 13	0.077± 0.009	0.018± 0.002	0.934± 0.035	0.300± 0.011	0.345± 0.014
237 ppm	10	295± 10	0.078± 0.006	0.017± 0.001	0.948± 0.039	0.297± 0.013	0.353± 0.022
355 ppm	10	299± 7	0.076± 0.007	0.018± 0.001	0.947± 0.033	0.299± 0.015	0.345± 0.015
533 ppm	10	297± 10	0.078± 0.008	0.018± 0.002	0.965± 0.024	0.292± 0.015	0.349± 0.014
800 ppm	10	284± 11**	0.074± 0.009	0.020± 0.002**	0.989± 0.054**	0.297± 0.009	0.359± 0.013

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 14W)

PAGE : 2

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	10	0.608± 0.015	0.179± 0.005	2.523± 0.057	0.618± 0.023
158 ppm	10	0.636± 0.023**	0.191± 0.006**	2.786± 0.058**	0.620± 0.026
237 ppm	10	0.637± 0.013**	0.189± 0.007*	2.815± 0.069**	0.630± 0.020
355 ppm	10	0.643± 0.020**	0.189± 0.012*	2.961± 0.073**	0.620± 0.016
533 ppm	10	0.654± 0.016**	0.193± 0.009**	3.124± 0.066**	0.635± 0.029
800 ppm	10	0.692± 0.015**	0.198± 0.005**	3.426± 0.113**	0.658± 0.026**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 3

## APPENDIX K 2

ORGAN WEIGHT, RELATIVE : SUMMARY, RAT : FEMALE

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 14W)

PAGE : 3

Group Name	NO. of Animals	Body Weight (g)	THYMUS	ADRENALS	OVARIES	HEART	LUNGS
Control	10	180± 7	0.115± 0.010	0.033± 0.006	0.055± 0.004	0.341± 0.019	0.423± 0.024
158 ppm	10	174± 7	0.105± 0.014	0.035± 0.005	0.057± 0.004	0.356± 0.027	0.460± 0.014**
237 ppm	10	169± 5**	0.109± 0.011	0.035± 0.003	0.055± 0.008	0.348± 0.027	0.460± 0.016**
355 ppm	10	166± 6**	0.111± 0.016	0.036± 0.002	0.059± 0.005	0.355± 0.017	0.467± 0.022**
533 ppm	10	164± 8**	0.102± 0.014	0.037± 0.004	0.060± 0.007	0.349± 0.025	0.473± 0.030**
800 ppm	10	152± 10**	0.105± 0.009	0.039± 0.004**	0.064± 0.011	0.362± 0.023	0.476± 0.022**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS3

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 14W)

PAGE : 4

Group Name	NO. of Animals	KIDNEYS	SPLEEN	LIVER	BRAIN
Control	10	0.653± 0.025	0.212± 0.011	2.340± 0.101	0.959± 0.041
158 ppm	10	0.717± 0.021**	0.222± 0.011	2.477± 0.135*	0.998± 0.038
237 ppm	10	0.738± 0.039**	0.227± 0.013	2.502± 0.061**	1.019± 0.034*
355 ppm	10	0.791± 0.038**	0.239± 0.025**	2.664± 0.100**	1.052± 0.044**
533 ppm	10	0.803± 0.023**	0.239± 0.012**	2.726± 0.075**	1.050± 0.057**
800 ppm	10	0.843± 0.040**	0.238± 0.016**	2.994± 0.148**	1.111± 0.078**

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS 3

APPENDIX L 1

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : MALE : ALL ANIMALS

(13 - WEEK STUDY)

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 1

Organ_____	Findings_____	Group Name	Control				158 ppm				237 ppm				355 ppm			
		No. of Animals on Study	10				10				10				10			
		Grade	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
			(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]																		
nasal cavit			<10>				<10>				<10>				<10>			
	respiratory metaplasia:gland		0	2	0	0	0	1	0	0	0	2	0	0	1	0	0	0
			( 0 )	( 20 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	( 20 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )
	manifestation of duct of olfactory gland:olfactory epithelium		0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 20 )	( 0 )	( 0 )	( 0 )
	multinuclear like change of supporting cell		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
	atrophy:olfactory epithelium		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
lung			<10>				<10>				<10>				<10>			
	osseous metaplasia		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )
[Digestive system]																		
liver			<10>				<10>				<10>				<10>			
	herniation		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100  
 Significant difference : \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 2

Organ	Findings	533 ppm				800 ppm			
		No. of Animals on Study				No. of Animals on Study			
		Grade				Grade			
		1	2	3	4	1	2	3	4
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Respiratory system]									
nasal cavit		<10>				<10>			
	respiratory metaplasia:gland	2	0	0	0	0	0	0	0
		( 20)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	manifestation of duct of olfactory gland:olfactory epith	1	9	0	0 **	4	6	0	0 **
		( 10)	( 90)	( 0)	( 0)	( 40)	( 60)	( 0)	( 0)
lung	multinuclear like change of supporting cell	1	0	0	0	9	0	0	0 **
		( 10)	( 0)	( 0)	( 0)	( 90)	( 0)	( 0)	( 0)
	atrophy:olfactory epithelium	3	0	0	0	9	0	0	0 **
		( 30)	( 0)	( 0)	( 0)	( 90)	( 0)	( 0)	( 0)
	osseous metaplasia	0	0	0	0	1	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)
[Digestive system]									
liver		<10>				<10>			
	herniation	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100  
Significant difference ; \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 3

Organ_____	Findings_____	Group Name	Control				158 ppm				237 ppm				355 ppm			
		No. of Animals on Study	10				10				10				10			
		Grade	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
			(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
[Digestive system]																		
liver	vacuolic change:single cell	<10>	<10>				<10>				<10>							
		0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	
		( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 20 )	( 0 )	( 0 )	( 0 )	
[Urinary system]																		
kidney	basophilic change	<10>	<10>				<10>				<10>							
		1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	
		( 10 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	
	eosinophilic body	0	9	1	0	1	8	1	0	4	6	0	0	3	7	0	0	
		( 0 )	( 90 )	( 10 )	( 0 )	( 10 )	( 80 )	( 10 )	( 0 )	( 40 )	( 60 )	( 0 )	( 0 )	( 30 )	( 70 )	( 0 )	( 0 )	
	hyaline cast	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		( 20 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	
[Endocrine system]																		
pituitary	Rathke pouch	<10>	<10>				<10>				<10>							
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		( 20 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )		

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe

< a > a : Number of animals examined at the site

b : Number of animals with lesion

( c ) c : b / a \* 100

Significant difference ; \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 4

		533 ppm				800 ppm			
		No. of Animals on Study				No. of Animals on Study			
		Grade				Grade			
Organ_____	Findings_____	1	2	3	4	1	2	3	4
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
<hr/>									
[Digestive system]									
liver		<10>				<10>			
	vacuolic change:single cell	6	0	0	0 *	5	4	0	0 **
		( 60)	( 0)	( 0)	( 0)	( 50)	( 40)	( 0)	( 0)
 [Urinary system]									
kidney		<10>				<10>			
	basophilic change	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	eosinophilic body	3	7	0	0	3	7	0	0
		( 30)	( 70)	( 0)	( 0)	( 30)	( 70)	( 0)	( 0)
	hyaline cast	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
 [Endocrine system]									
pituitary		<10>				<10>			
	Rathke pouch	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe

< a > a : Number of animals examined at the site

b b : Number of animals with lesion

( c ) c : b / a \* 100

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 5

Organ	Findings	Control				158 ppm				237 ppm				355 ppm			
		No. of Animals on Study				No. of Animals on Study				No. of Animals on Study				No. of Animals on Study			
		1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

[Endocrine system]

thyroid	ultimibranchial body remanet	<10>				<10>				<10>				<10>			
		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100  
 Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square

(HPT150)

BAIS3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 6

Organ	Findings	533 ppm				800 ppm			
		No. of Animals on Study				No. of Animals on Study			
		1	2	3	4	1	2	3	4
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

[Endocrine system]

thyroid	ultimibranhial body remanet	<10>				<10>			
		0	0	0	0	0	0	0	0
		( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100  
 Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square

(HPT150)

BAIS3

## APPENDIX L 2

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : FEMALE: ALL ANIMALS

(13 - WEEK STUDY)

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 7

Organ	Findings	Control No. of Animals on Study Grade				158 ppm 10				237 ppm 10				355 ppm 10			
		1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

[Respiratory system]

nasal cavit		<10>				<10>				<10>				<10>			
	respiratory metaplasia:gland	1	0	0	0	3	0	0	0	3	0	0	0	0	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 30)	( 0)	( 0)	( 0)	( 30)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	manifestation of duct of olfactory gland:olfactory epithelium	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	multinuclear like change of supporting cell	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	atrophy:olfactory epithelium	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

[Hematopoietic system]

bone marrow		<10>				<10>				<10>				<10>			
	granulation	1	3	0	0	1	4	0	0	0	2	0	0	0	3	0	0
		( 10)	( 30)	( 0)	( 0)	( 10)	( 40)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)	( 30)	( 0)	( 0)

[Digestive system]

liver		<10>				<10>				<10>				<10>			
	herniation	1	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0
		( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 20)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)	( 0)

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b : Number of animals with lesion  
( c ) c : b / a \* 100  
Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 8

		533 ppm				800 ppm					
		10				10					
		No. of Animals on Study				No. of Animals on Study					
Organ	Findings	Grade	1	2	3	4	Grade	1	2	3	4
			(%)	(%)	(%)	(%)		(%)	(%)	(%)	(%)
[Respiratory system]											
nasal cavity			<10>					<10>			
	respiratory metaplasia:gland		2	0	0	0		1	0	0	0
			( 20)	( 0)	( 0)	( 0)		( 10)	( 0)	( 0)	( 0)
	manifestation of duct of olfactory gland:olfactory epith		4	5	0	0 **		4	5	0	0 **
			( 40)	( 50)	( 0)	( 0)		( 40)	( 50)	( 0)	( 0)
	multinuclear like change of supporting cell		1	0	0	0		2	0	0	0
			( 10)	( 0)	( 0)	( 0)		( 20)	( 0)	( 0)	( 0)
	atrophy:olfactory epithelium		2	0	0	0		1	0	0	0
			( 20)	( 0)	( 0)	( 0)		( 10)	( 0)	( 0)	( 0)
[Hematopoietic system]											
bone marrow			<10>					<10>			
	granulation		0	3	0	0		1	1	0	0
			( 0)	( 30)	( 0)	( 0)		( 10)	( 10)	( 0)	( 0)
[Digestive system]											
liver			<10>					<10>			
	herniation		0	0	0	0		0	0	0	0
			( 0)	( 0)	( 0)	( 0)		( 0)	( 0)	( 0)	( 0)

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100  
 Significant difference ; \* : P ≤ 0.05 \*\* : P ≤ 0.01 Test of Chi Square

STUDY NO. : 0289  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 14W)

PAGE : 9

Organ	Findings	Group Name	Control				158 ppm				237 ppm				355 ppm			
		No. of Animals on Study	10				10				10				10			
		Grade	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
			(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

[Urinary system]

kidney		<10>				<10>				<10>				<10>			
	hyaline cast	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )
	mineralization:cortico-medullary junction	2	4	0	0	4	2	0	0	2	2	0	0	5	0	0	0
		( 20 )	( 40 )	( 0 )	( 0 )	( 40 )	( 20 )	( 0 )	( 0 )	( 20 )	( 20 )	( 0 )	( 0 )	( 50 )	( 0 )	( 0 )	( 0 )
	mineralization:papilla	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )

[Special sense organs/appandage]

Harder gl		<10>				<10>				<10>				<10>			
	lymphocytic infiltration	0	4	0	0	0	2	0	0	0	1	0	0	1	1	0	0
		( 0 )	( 40 )	( 0 )	( 0 )	( 0 )	( 20 )	( 0 )	( 0 )	( 0 )	( 10 )	( 0 )	( 0 )	( 10 )	( 10 )	( 0 )	( 0 )

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe

< a > a : Number of animals examined at the site

b b : Number of animals with lesion

( c ) c : b / a \* 100

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square

(HPT150)

BA1S3

STUDY NO. : 0289  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 14W)

PAGE : 10

Organ	Findings	Group Name		533 ppm				800 ppm			
		No. of Animals on Study		10				10			
		Grade		1	2	3	4	1	2	3	4
				(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)

[Urinary system]

kidney		<10>				<10>			
	hyaline cast	2	0	0	0	0	0	0	0
		( 20)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)
	mineralization:cortico-medullary junction	4	1	0	0	0	1	0	0
		( 40)	( 10)	( 0)	( 0)	( 0)	( 10)	( 0)	( 0)
	mineralization:papilla	0	0	0	0	0	0	0	0
		( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

[Special sense organs/appandage]

Harder gl		<10>				<10>			
	Lymphocytic infiltration	0	1	0	0	0	0	0	0
		( 0)	( 10)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe

< a > a : Number of animals examined at the site

b b : Number of animals with lesion

( c ) c : b / a \* 100

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$  Test of Chi Square

## APPENDIX M 1

### IDENTITY AND IMPURITY OF QUINOLINE IN THE 13 - WEEK DRINKING WATER STUDY

## IDENTITY AND IMPURITY OF QUINOLINE IN THE 13-WEEK DRINKING WATER STUDY

Test Substance : Quinoline (Tokyo Kasei Kogyo Co., Ltd.)

Lot No. : FHD03



## 1. Spectral Data

Mass Spectrometry

Instrument : Hewlett Packard 5989B Mass Spectrometer

Ionization : EI (Electron Ionization)

Ionization Voltage : 70eV



Results: The mass spectrum was consistent with literature spectrum.

(\*Fred W. McLafferty (1994) Wiley Registry of Mass Spectral Data, 6th edition.  
John Wiley and Sons, Inc. (U.S.), Entry Number 6221)

## 2. Impurity

Instrument : Hewlett Packard 5890A Gas Chromatograph  
Column : INNOWAX (0.2 mm  $\phi$   $\times$  50 m)  
Column Temperature : 190° C  
Flow Rate : 1 mL/min  
Detector : FID (Flame Ionization Detector)  
Injection Volume : 1  $\mu$ L

Sample Name	Peak No.	Area (%)	Peak Name
Test Substance	1	0.166	2-Methyl Naphthalene
	2	99.685	Quinoline
	3	0.149	Isoquinoline

Results: Gas chromatography indicated one major peak (peak No.2) and two impurities. It was identified only by comparing its gas chromatograph with that of 2-methyl naphthalene (peak No.1) and isoquinoline (peak No.3) in the quinoline, the amount in the test substance were 0.166%, and 0.149%.

3. Conclusions: The test substance was identified as quinoline by the mass spectrum and the infrared spectrum. Gas chromatography indicated one major peak (peak No.2) and two impurities. It was identified only by comparing its gas chromatograph with that of 2-methyl naphthalene and isoquinoline, the amount in the test substance were 0.166% and 0.149%.

## APPENDIX M 2

### STABILITY OF QUINOLINE IN THE 13 - WEEK DRINKING WATER STUDY

## STABILITY OF QUINOLINE IN THE 13-WEEK DRINKING WATER STUDY

Test Substance : Quinoline (Tokyo Kasei Kogyo Co., Ltd.)

Lot No. : FHD03

1. Sample Storage : This lot was used from 1995.5.31 to 1995.9.1. Test substance was stored in a dark place at room temperature.

2. Gas Chromatography

Instrument : Hewlett Packard 5890A Gas Chromatograph

Column : INNOWAX (0.2 mm  $\phi$   $\times$  50 m)

Column Temperature : 190° C

Flow Rate : 1 mL/min

Detector : FID (Flame Ionization Detector)

Injection Volume : 1  $\mu$ L

Date (date analyzed)	Peak No.	Retention Time (min)	Area (%)
1995.05.30	1	5.397	0.166
	2	6.354	99.685
	3	6.779	0.149
1995.09.29	1	5.398	0.166
	2	6.353	99.686
	3	6.777	0.148

Results: Gas chromatography indicated one major peak (peak No.2) and two impurities (peaks No.1 and No.3 < 0.4% of total area) analyzed on 1995.5.30 and one major peak (peak No.2) and two impurities (peaks No.1 and No.3 < 0.4% of total area) analyzed on 1995.9.29. No new trace impurity peak in the test substance analyzed on 1995.9.29 was detected.

3. Conclusions: The test substance was stable for about 4 months in a dark place at room temperature.

## APPENDIX M 3

### CONCENTRATION OF QUINOLINE IN FORMULATED WATER IN THE 13 - WEEK DRINKING WATER STUDY

# CONCENTRATION OF QUINOLINE IN FORMULATED WATER IN THE 13-WEEK DRINKING WATER STUDY

Date Analyzed	Target Concentration				
	158 <sup>a</sup>	237	355	533	800
1995.05.30	161.0(101.9) <sup>b</sup>	241.6(101.9)	357.5(100.7)	546.2(102.5)	816.2(102.0)

<sup>a</sup> ppm  
<sup>b</sup> %

Analytical Method : The samples were analyzed by high performance liquid chromatography.

Instrument : Hewlett Packard 1090 High Performance Liquid Chromatograph

Column : TSK GEL ODS 80TM (4.6 mm  $\phi$   $\times$  150 mm)

Column Temperature : 50°C

Flow Rate : 1 mL/min

Mobile Phase : Methanol : Distilled water = 3 : 2

Detector : UV (280 nm)

Injection Volume : 10  $\mu$ L

## APPENDIX M 4

### STABILITY OF QUINOLINE IN FORMULATED WATER IN THE 13 - WEEK DRINKING WATER STUDY

# STABILITY OF QUINOLINE IN FORMULATED WATER IN THE 13-WEEK DRINKING WATER STUDY

Date Prepare	Date Analyzed	Target Concentration	
		158 <sup>a</sup>	800
1995.05.30	1995.05.30	161.0(100) <sup>b</sup>	816.2(100)
	1995.06.07 <sup>c</sup>	157.9( 98.1)	793.7( 97.2)

<sup>a</sup> ppm

<sup>b</sup> %(Percentage was based on the concentration on date of preparation.)

<sup>c</sup> animal room samples

Analytical Method : The samples were analyzed by high performance liquid chromatography.

Instrument : Hewlett Packard 1090 High Performance Liquid Chromatograph

Column : TSK GEL ODS 80TM (4.6 mm  $\phi$   $\times$  150 mm)

Column Temperature : 50°C

Flow Rate : 1 mL/min

Mobile Phase : Methanol : Distilled water = 3 : 2

Detector : UV (280 nm)

Injection Volume : 10  $\mu$ L

## APPENDIX N 1

### METHODS FOR HEMATOLOGY AND BIOCHEMISTRY IN THE 13 - WEEK DRINKING WATER STUDY OF QUINOLINE

METHODS FOR HEMATOLOGY, BIOCHEMISTRY AND URINALYSIS  
IN THE 13-WEEK DRINKING WATER STUDY OF QUINOLINE

Item	Method
<b>Hematology</b>	
Red blood cell (RBC)	Light scattering method <sup>1)</sup>
Hemoglobin (Hgb)	Cyanmethemoglobin method <sup>1)</sup>
Hematocrit (Hct)	Calculated as $RBC \times MCV/10$ <sup>1)</sup>
Mean corpuscular volume (MCV)	Light scattering method <sup>1)</sup>
Mean corpuscular hemoglobin (MCH)	Calculated as $Hgb/RBC \times 10$ <sup>1)</sup>
Mean corpuscular hemoglobin concentration (MCHC)	Calculated as $Hgb/Hct \times 100$ <sup>1)</sup>
Platelet	Light scattering method <sup>1)</sup>
Reticulocyte	Pattern recognition method <sup>3)</sup> (New methyleneblue staining)
Prothrombin time	Quick one stage method <sup>2)</sup>
Activated partial thromboplastin time (APTT)	Ellagic acid activaterd method <sup>2)</sup>
White blood cell (WBC)	Light scattering method <sup>1)</sup>
Differential WBC	Pattern recognition method <sup>3)</sup> (May-Grunwald-Giemsa staining)
<b>Biochemistry</b>	
Total protein (TP)	Biuret method <sup>4)</sup>
Albumin (Alb)	BCG method <sup>4)</sup>
A/G ratio	Calculated as $Alb/(TP - Alb)$ <sup>4)</sup>
T-bilirubin	Alkaline azobilirubin method <sup>4)</sup>
Glucose	Enzymatic method (GLK·G-6-PDH) <sup>4)</sup>
T-cholesterol	Enzymatic method (CE·COD·POD) <sup>4)</sup>
Triglyceride	Enzymatic method (LPL·GK·GPO·POD) <sup>4)</sup>
Phospholipid	Enzymatic method (PLD·COD·POD) <sup>4)</sup>
Glutamic oxaloacetic transaminase (GOT)	UV·Rate method <sup>4)</sup>
Glutamic pyruvic transaminase (GPT)	UV·Rate method <sup>4)</sup>
Lactate dehydrogenase (LDH)	UV·Rate method <sup>4)</sup>
Alkaline phosphatase (ALP)	p-Nitrophenylphosphate method <sup>4)</sup>
$\gamma$ -Glutamyl transpeptidase ( $\gamma$ -GTP)	L- $\gamma$ -Glutamyl-p-nitroanilide method <sup>4)</sup>
Creatine phosphokinase (CPK)	UV·Rate method <sup>4)</sup>
Urea nitrogen	Enzymatic method (Urease·GLDH) <sup>4)</sup>
Creatinine	Jaffe method <sup>4)</sup>
Sodium	Ion selective electrode method <sup>4)</sup>
Potassium	Ion selective electrode method <sup>4)</sup>
Chloride	Ion selective electrode method <sup>4)</sup>
Calcium	OCPC method <sup>4)</sup>
Inorganic phosphorus	Enzymatic method (PNP·XOD·POD) <sup>4)</sup>
<b>Urinalysis</b>	
PH, Protein, Glucose, Ketone body, Bilirubin, Occult Blood, Urobilinogen	Urinalysis reagent paper method <sup>5)</sup>

1) Automatic blood cell analyzer (Technicon H·1 : Technicon Instruments Corporation, USA)

2) Automatic coagulometer (Sysmex CA-5000 : Toa Medical Electronics Co., Ltd., Japan)

3) Automatic blood cell differential analyzer (Hitachi 8200 : Hitachi, Ltd., Japan)

4) Automatic analyzer (Hitachi 7070 : Hitachi, Ltd., Japan)

5) Ames reagent strips for urinalysis (Multistix : Bayer-Sankyo Co., Ltd., Japan)

## APPENDIX O 1

UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY IN THE  
13 - WEEK DRINKING WATER STUDY OF QUINOLINE

UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY  
IN THE 13-WEEK DRINKING WATER STUDY OF QUINOLINE

Item	Unit	Decimal place
<b>Hematology</b>		
Red blood cell (RBC)	$\times 10^6 / \mu\text{L}$	2
Hemoglobin	g/dL	1
Hematocrit	%	1
Mean corpuscular volume (MCV)	fL	1
Mean corpuscular hemoglobin (MCH)	pg	1
Mean corpuscular hemoglobin concentration (MCHC)	g/dL	1
Platelet	$\times 10^3 / \mu\text{L}$	0
Reticulocyte	%	0
Prothrombin time	sec	1
Activated partial thromboplastin time (APTT)	sec	1
White blood cell (WBC)	$\times 10^3 / \mu\text{L}$	2
Differential WBC	%	0
<b>Biochemistry</b>		
Total protein	g/dL	1
Albumin	g/dL	1
A/G ratio	—	1
T-bilirubin	mg/dL	2
Glucose	mg/dL	0
T-cholesterol	mg/dL	0
Triglyceride	mg/dL	0
Phospholipid	mg/dL	0
Glutamic oxaloacetic transminase (GOT)	IU/L	0
Glutamic pyruvic transaminase (GPT)	IU/L	0
Lactate dehydrogenase (LDH)	IU/L	0
Alkaline phosphatase (ALP)	IU/L	0
$\gamma$ -Glutamyl transpeptidase ( $\gamma$ -GTP)	IU/L	0
Creatine phosphokinase (CPK)	IU/L	0
Urea nitrogen	mg/dL	1
Creatinine	mg/dL	1
Sodium	mEq/L	0
Potassium	mEq/L	1
Chloride	mEq/L	0
Calcium	mg/dL	1
Inorganic phosphorus	mg/dL	1