

*p*-ニトロアニソールのラットを用いた経口投与による  
2 週 間 毒 性 試 験（混 餌 試 験）報 告 書

試験番号：0360

## APPENDIX

## APPENDIXES

|              |  |
|--------------|--|
| APPENDIX A 1 | CLINICAL OBSERVATION: SUMMARY, RAT : MALE ( 2-WEEK STUDY )         |
| APPENDIX A 2 | CLINICAL OBSERVATION: SUMMARY, RAT : FEMALE ( 2-WEEK STUDY )       |
| APPENDIX B 1 | BODY WEIGHT CHANGES: SUMMARY, RAT: MALE ( 2-WEEK STUDY )           |
| APPENDIX B 2 | BODY WEIGHT CHANGES: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )         |
| APPENDIX C 1 | FOOD CONSUMPTION CHANGES: SUMMARY, RAT: MALE ( 2-WEEK STUDY )      |
| APPENDIX C 2 | FOOD CONSUMPTION CHANGES: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )    |
| APPENDIX D 1 | CHEMICAL INTAKE CHANGES: SUMMARY, RAT: MALE ( 2-WEEK STUDY )       |
| APPENDIX D 2 | CHEMICAL INTAKE CHANGES: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )     |
| APPENDIX E 1 | HEMATOLOGY: SUMMARY, RAT: MALE ( 2-WEEK STUDY )                    |
| APPENDIX E 2 | HEMATOLOGY: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )                  |
| APPENDIX F 1 | BIOCHEMISTRY: SUMMARY, RAT: MALE ( 2-WEEK STUDY )                  |
| APPENDIX F 2 | BIOCHEMISTRY: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )                |
| APPENDIX G 1 | GROSS FINDINGS: SUMMARY, RAT: MALE: ALL ANIMALS ( 2-WEEK STUDY )   |
| APPENDIX G 2 | GROSS FINDINGS: SUMMARY, RAT: FEMALE: ALL ANIMALS ( 2-WEEK STUDY ) |

## APPENDIXES (CONTINUED)

|              |   |
|--------------|---|
| APPENDIX G 3 | GROSS FINDINGS: SUMMARY, RAT: FEMALE: DEAD AND MORIBUND ANIMALS ( 2-WEEK STUDY )                                |
| APPENDIX G 4 | GROSS FINDINGS: SUMMARY, RAT: MALE: SACRIFICED ANIMALS( 2-WEEK STUDY )  |
| APPENDIX G 5 | GROSS FINDINGS: SUMMARY, RAT: FEMALE: SACRIFICED ANIMALS ( 2-WEEK STUDY )                                       |
| APPENDIX H 1 | ORGAN WEIGHT: ABSOLUTE: SUMMARY, RAT: MALE ( 2-WEEK STUDY )   |
| APPENDIX H 2 | ORGAN WEIGHT: ABSOLUTE: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )   |
| APPENDIX I 1 | ORGAN WEIGHT: RELATIVE: SUMMARY, RAT: MALE ( 2-WEEK STUDY )   |
| APPENDIX I 2 | ORGAN WEIGHT: RELATIVE: SUMMARY, RAT: FEMALE ( 2-WEEK STUDY )   |
| APPENDIX J 1 | HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: MALE: ALL ANIMALS ( 2-WEEK STUDY )                 |
| APPENDIX J 2 | HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: FEMALE: ALL ANIMALS ( 2-WEEK STUDY )               |
| APPENDIX J 3 | HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: FEMALE: DEAD AND MORIBUND ANIMALS ( 2-WEEK STUDY ) |
| APPENDIX J 4 | HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: MALE: SACRIFICED ANIMALS ( 2-WEEK STUDY )          |
| APPENDIX J 5 | HISTOLOGICAL FINDINGS: NON-NEOPLASTIC LESIONS: SUMMARY, RAT: FEMALE: SACRIFICED ANIMALS ( 2-WEEK STUDY )        |
| APPENDIX K 1 | IDENTITY AND IMPURITY OF p-NITROANISOLE IN THE 2-WEEK FEED STUDY  |

## APPENDIXES (CONTINUED)

|              |   |
|--------------|---|
| APPENDIX K 2 | STABILITY OF p-NITROANISOLE IN FEEDING OF RATS IN THE 2-WEEK FEED STUDY                           |
| APPENDIX K 3 | CONCENTRATION OF p-NITROANISOLE IN FORMULATED DIETS IN THE 2-WEEK FEED STUDY                      |
| APPENDIX K 4 | STABILITY OF p-NITROANISOLE IN FORMULATED DIETS IN THE 2-WEEK FEED STUDY                          |
| APPENDIX L 1 | METHODS FOR HEMATOLOGY, BIOCHEMISTRY IN THE 2-WEEK FEED STUDY OF p-NITROANISOLE                   |
| APPENDIX M1  | UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRYIN THE 2-WEEK FEED STUDY OF p-NITROANISOLE |

## APPENDIX A 1

CLINICAL OBSERVATION : SUMMARY, RAT : MALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1 2

CLINICAL OBSERVATION (SUMMARY)  
 ALL ANIMALS

SEX : MALE

PAGE : 1

| Clinical sign         | Group Name | Administration Week-day |          |          |          |          |
|-----------------------|------------|-------------------------|----------|----------|----------|----------|
|                       |            | 1-1<br>1                | 1-3<br>1 | 1-7<br>1 | 2-3<br>1 | 2-7<br>1 |
| COLORED               | Control    | 0                       | 0        | 0        | 0        | 0        |
|                       | 1250 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 2500 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 5000 ppm   | 0                       | 0        | 0        | 5        | 5        |
|                       | 10000 ppm  | 0                       | 0        | 0        | 5        | 5        |
|                       | 20000 ppm  | 0                       | 0        | 0        | 0        | 0        |
| PILOERECTION          | Control    | 0                       | 0        | 0        | 0        | 0        |
|                       | 1250 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 2500 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 5000 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 10000 ppm  | 0                       | 0        | 0        | 0        | 0        |
|                       | 20000 ppm  | 0                       | 0        | 5        | 5        | 5        |
| SOILED PERI GENITALIA | Control    | 0                       | 0        | 0        | 0        | 0        |
|                       | 1250 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 2500 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 5000 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 10000 ppm  | 0                       | 0        | 0        | 0        | 0        |
|                       | 20000 ppm  | 0                       | 0        | 3        | 3        | 3        |
| YELLOW URINE          | Control    | 0                       | 0        | 0        | 0        | 0        |
|                       | 1250 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 2500 ppm   | 0                       | 0        | 0        | 0        | 5        |
|                       | 5000 ppm   | 0                       | 0        | 0        | 5        | 5        |
|                       | 10000 ppm  | 0                       | 0        | 0        | 5        | 5        |
|                       | 20000 ppm  | 0                       | 5        | 5        | 5        | 5        |
| OLIGO-STOOL           | Control    | 0                       | 0        | 0        | 0        | 0        |
|                       | 1250 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 2500 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 5000 ppm   | 0                       | 0        | 0        | 0        | 0        |
|                       | 10000 ppm  | 5                       | 5        | 5        | 0        | 0        |
|                       | 20000 ppm  | 5                       | 5        | 5        | 5        | 5        |

## APPENDIX A 2

CLINICAL OBSERVATION : SUMMARY, RAT : FEMALE  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1 2

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 2

| Clinical sign         | Group Name | Administration Week-day |     |     |     |     |
|-----------------------|------------|-------------------------|-----|-----|-----|-----|
|                       |            | 1-1                     | 1-3 | 1-7 | 2-3 | 2-7 |
|                       |            | 1                       | 1   | 1   | 1   | 1   |
| DEATH                 | Control    | 0                       | 0   | 0   | 0   | 0   |
|                       | 1250 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 2500 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 5000 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 10000 ppm  | 0                       | 0   | 0   | 0   | 0   |
|                       | 20000 ppm  | 0                       | 0   | 0   | 1   | 5   |
| HUNCHBACK POSITION    | Control    | 0                       | 0   | 0   | 0   | 0   |
|                       | 1250 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 2500 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 5000 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 10000 ppm  | 0                       | 0   | 0   | 0   | 0   |
|                       | 20000 ppm  | 0                       | 0   | 1   | 1   | 0   |
| WASTING               | Control    | 0                       | 0   | 0   | 0   | 0   |
|                       | 1250 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 2500 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 5000 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 10000 ppm  | 0                       | 0   | 0   | 0   | 0   |
|                       | 20000 ppm  | 0                       | 0   | 0   | 4   | 0   |
| COLORED               | Control    | 0                       | 0   | 0   | 0   | 0   |
|                       | 1250 ppm   | 0                       | 0   | 0   | 0   | 4   |
|                       | 2500 ppm   | 0                       | 0   | 0   | 2   | 5   |
|                       | 5000 ppm   | 0                       | 0   | 0   | 5   | 5   |
|                       | 10000 ppm  | 0                       | 5   | 5   | 5   | 5   |
|                       | 20000 ppm  | 0                       | 5   | 5   | 4   | 0   |
| PILOERECTION          | Control    | 0                       | 0   | 0   | 0   | 0   |
|                       | 1250 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 2500 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 5000 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 10000 ppm  | 0                       | 0   | 0   | 0   | 0   |
|                       | 20000 ppm  | 0                       | 0   | 5   | 4   | 0   |
| SOILED PERI GENITALIA | Control    | 0                       | 0   | 0   | 0   | 0   |
|                       | 1250 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 2500 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 5000 ppm   | 0                       | 0   | 0   | 0   | 0   |
|                       | 10000 ppm  | 0                       | 0   | 0   | 0   | 0   |
|                       | 20000 ppm  | 0                       | 0   | 5   | 4   | 0   |



STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1 2

CLINICAL OBSERVATION (SUMMARY)  
ALL ANIMALS

SEX : FEMALE

PAGE : 3

| Clinical sign | Group Name | Administration Week-day |     |     |     |     |
|---------------|------------|-------------------------|-----|-----|-----|-----|
|               |            | 1-1                     | 1-3 | 1-7 | 2-3 | 2-7 |
|               |            | 1                       | 1   | 1   | 1   | 1   |
| YELLOW URINE  | Control    | 0                       | 0   | 0   | 0   | 0   |
|               | 1250 ppm   | 0                       | 0   | 0   | 4   | 5   |
|               | 2500 ppm   | 0                       | 0   | 0   | 5   | 5   |
|               | 5000 ppm   | 0                       | 0   | 0   | 5   | 5   |
|               | 10000 ppm  | 0                       | 0   | 1   | 5   | 5   |
|               | 20000 ppm  | 0                       | 5   | 5   | 4   | 0   |
| OLIGO-STOOL   | Control    | 0                       | 0   | 0   | 0   | 0   |
|               | 1250 ppm   | 0                       | 0   | 0   | 0   | 0   |
|               | 2500 ppm   | 0                       | 0   | 0   | 0   | 0   |
|               | 5000 ppm   | 0                       | 0   | 0   | 0   | 0   |
|               | 10000 ppm  | 5                       | 5   | 5   | 0   | 0   |
|               | 20000 ppm  | 5                       | 5   | 5   | 4   | 0   |

## APPENDIX B 1

BODY WEIGHT CHANGES : SUMMARY, RAT : MALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 2  
 SEX : MALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

| Group Name | Administration |   | week-day |     |      |     |      |     |      |     |      |      |
|------------|----------------|---|----------|-----|------|-----|------|-----|------|-----|------|------|
|            | 0-0            |   | 1-1      |     | 1-3  |     | 1-7  |     | 2-3  |     | 2-7  |      |
| Control    | 130±           | 4 | 136±     | 3   | 144± | 4   | 161± | 4   | 178± | 5   | 192± | 4    |
| 1250 ppm   | 129±           | 4 | 133±     | 5   | 142± | 6   | 160± | 5   | 176± | 6   | 190± | 5    |
| 2500 ppm   | 130±           | 4 | 131±     | 3   | 141± | 4   | 159± | 4   | 174± | 6   | 190± | 6    |
| 5000 ppm   | 129±           | 5 | 125±     | 3** | 134± | 3** | 153± | 4   | 168± | 5   | 184± | 5    |
| 10000 ppm  | 129±           | 4 | 120±     | 4** | 120± | 4** | 135± | 5** | 145± | 4** | 157± | 3**  |
| 20000 ppm  | 129±           | 4 | 116±     | 3** | 108± | 3** | 102± | 6** | 99±  | 9** | 87±  | 10** |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HAN260)

BAIS3

## APPENDIX B 2

BODY WEIGHT CHANGES : SUMMARY, RAT : FEMALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 2  
 SEX : FEMALE

BODY WEIGHT CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

| Group Name  | Administration |   | week-day |     |      |     |      |     |      |     |       |     |
|---|----------------|---|----------|-----|------|-----|------|-----|------|-----|-------|-----|
|   | 0-0            |   | 1-1      |     | 1-3  |     | 1-7  |     | 2-3  |     | 2-7   |     |
| Control   | 98±            | 3 | 99±      | 4   | 103± | 6   | 111± | 5   | 119± | 5   | 126±  | 6   |
| 1250 ppm  | 98±            | 3 | 100±     | 5   | 103± | 4   | 111± | 4   | 118± | 5   | 123±  | 7   |
| 2500 ppm  | 98±            | 3 | 97±      | 4   | 102± | 4   | 109± | 5   | 112± | 7   | 120±  | 8   |
| 5000 ppm  | 98±            | 3 | 93±      | 3*  | 97±  | 4   | 105± | 5   | 112± | 5   | 118±  | 5   |
| 10000 ppm   | 98±            | 2 | 90±      | 2** | 88±  | 2** | 95±  | 2** | 98±  | 4** | 107±  | 6** |
| 20000 ppm   | 98±            | 4 | 88±      | 5** | 79±  | 5** | 68±  | 5** | 61±  | 6** | -     |     |
| Significant difference ; * : $P \leq 0.05$ ** : $P \leq 0.01$ Test of Dunnett |                |   |          |     |      |     |      |     |      |     |       |     |
| (HAN260)  |                |   |          |     |      |     |      |     |      |     | BAIS3 |     |

## APPENDIX C 1

FOOD CONSUMPTION CHANGES : SUMMARY, RAT : MALE  
(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 2  
 SEX : MALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 1

| Group Name  | Administration week-day(effective) |             |             |           |
|---|------------------------------------|-------------|-------------|-----------|
|   | 1-3(3)                             | 1-7(4)      | 2-3(3)      | 2-7(4)    |
| Control   | 13.8± 0.2                          | 14.0± 0.6   | 14.7± 0.4   | 13.9± 0.2 |
| 1250 ppm  | 12.9± 0.5                          | 13.4± 0.7   | 14.2± 0.8   | 14.1± 0.7 |
| 2500 ppm  | 11.8± 0.6**                        | 13.0± 0.5*  | 14.1± 0.8   | 14.2± 0.6 |
| 5000 ppm  | 8.8± 0.6**                         | 12.0± 0.4** | 13.6± 0.4   | 14.1± 0.9 |
| 10000 ppm   | 6.3± 0.6**                         | 9.7± 0.6**  | 10.5± 0.5** | 11.5± 0.6 |
| 20000 ppm   | 5.5± 1.3**                         | 6.3± 0.8**  | 6.9± 1.4**  | 7.8± 1.9* |
| Significant difference ; * : $P \leq 0.05$ ** : $P \leq 0.01$ Test of Dunnett |                                    |             |             |           |
| (HAN260)  |                                    |             |             | BAIS3     |

## APPENDIX C 2

### FOOD CONSUMPTION CHANGES : SUMMARY, RAT : FEMALE (2-WEEK STUDY)



STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 UNIT : g  
 REPORT TYPE : A1 2  
 SEX : FEMALE

FOOD CONSUMPTION CHANGES (SUMMARY)  
 ALL ANIMALS

PAGE : 2

| Group Name  | Administration week-day(effective) |            |            |            |
|---|------------------------------------|------------|------------|------------|
|   | 1-3(3)                             | 1-7(4)     | 2-3(3)     | 2-7(4)     |
| Control   | 9.7± 0.6                           | 10.2± 0.5  | 10.7± 0.4  | 10.1± 0.4  |
| 1250 ppm  | 9.2± 0.4                           | 9.6± 0.5   | 9.7± 0.6   | 9.7± 0.6   |
| 2500 ppm  | 8.5± 0.4                           | 9.1± 0.7   | 8.9± 1.0   | 9.4± 0.9   |
| 5000 ppm  | 7.2± 0.8*                          | 8.7± 0.7   | 9.2± 0.7   | 9.2± 0.6   |
| 10000 ppm   | 8.5± 8.7*                          | 6.7± 0.4** | 6.8± 0.4** | 7.8± 0.4** |
| 20000 ppm   | 8.5± 7.1                           | 6.2± 1.8** | 9.6± 1.8   | -          |
| Significant difference ; * : $P \leq 0.05$ ** : $P \leq 0.01$ Test of Dunnett |                                    |            |            |            |
| (HAN260)  |                                    |            |            | BAIS3      |

## APPENDIX D 1

CHEMICAL INTAKE CHANGES : SUMMARY, RAT : MALE  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
UNIT : mg/kg/day  
REPORT TYPE : A1 2  
SEX : MALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 1

| Group Name | Administration (weeks) |                  |
|------------|------------------------|------------------|
|            | 1                      | 2                |
| Control    | 0.000± 0.000           | 0.000± 0.000     |
| 1250 ppm   | 104.619± 3.495         | 92.523± 3.307    |
| 2500 ppm   | 204.014± 6.034         | 186.475± 5.544   |
| 5000 ppm   | 393.469± 7.635         | 383.459± 17.661  |
| 10000 ppm  | 714.559± 19.160        | 729.282± 42.825  |
| 20000 ppm  | 1245.493±211.429       | 1838.292±634.463 |

## APPENDIX D 2

CHEMICAL INTAKE CHANGES : SUMMARY, RAT : FEMALE

(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
UNIT : mg/kg/day  
REPORT TYPE : A1 2  
SEX : FEMALE

CHEMICAL INTAKE CHANGES (SUMMARY)  
ALL ANIMALS

PAGE : 2

| Group Name | Administration (weeks) |                 |
|------------|------------------------|-----------------|
|            | 1                      | 2               |
| Control    | 0.000± 0.000           | 0.000± 0.000    |
| 1250 ppm   | 108.059± 2.452         | 98.423± 2.684   |
| 2500 ppm   | 209.425± 7.183         | 196.728± 9.246  |
| 5000 ppm   | 415.143± 18.409        | 391.529± 16.011 |
| 10000 ppm  | 708.988± 58.196        | 730.714± 27.128 |
| 20000 ppm  | 1781.984±416.691       | -               |

## APPENDIX E 1

HEMATOLOGY : SUMMARY, RAT : MALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 1

| Group Name | NO. of<br>Animals | RED BLOOD CELL<br>10 <sup>6</sup> /μl | HEMOGLOBIN<br>g/dl | HEMATOCRIT<br>% | MCV<br>fl  | MCH<br>pg   | MCHC<br>g/dl | PLATELET<br>10 <sup>3</sup> /μl |
|------------|-------------------|---------------------------------------|--------------------|-----------------|------------|-------------|--------------|---------------------------------|
| Control    | 5                 | 7.82± 0.14                            | 14.4± 0.2          | 43.6± 0.9       | 55.8± 0.4  | 18.4± 0.2   | 33.0± 0.2    | 875± 32                         |
| 1250 ppm   | 5                 | 7.88± 0.28                            | 14.3± 0.4          | 43.5± 1.6       | 55.2± 0.2  | 18.1± 0.2   | 32.8± 0.5    | 866± 73                         |
| 2500 ppm   | 5                 | 7.45± 0.28                            | 13.6± 0.5          | 41.7± 1.5       | 56.0± 0.3  | 18.3± 0.2   | 32.6± 0.3    | 986± 25**                       |
| 5000 ppm   | 5                 | 6.32± 0.25**                          | 12.1± 0.4**        | 38.2± 1.2**     | 60.5± 1.0  | 19.2± 0.4** | 31.6± 0.8**  | 1098± 43**                      |
| 10000 ppm  | 4                 | 5.79± 0.26**                          | 11.6± 0.5**        | 36.3± 1.0**     | 62.8± 1.3* | 20.0± 0.5** | 31.9± 0.4*   | 1056± 55**                      |
| 20000 ppm  | 5                 | 5.66± 0.33**                          | 11.3± 0.7**        | 31.8± 2.7**     | 56.0± 1.5  | 20.0± 0.3** | 35.8± 0.8**  | 619± 33**                       |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 2W)

PAGE : 2

| Group Name | NO. of<br>Animals | RETICULOCYTE<br>% |      | METHEMOGLOBIN<br>% |     | PROTHROMBIN TIME<br>s e c |       | APTT<br>s e c |      |
|------------|-------------------|-------------------|------|--------------------|-----|---------------------------|-------|---------------|------|
| Control    | 5                 | 26±               | 6    | 0.3±               | 0.1 | 14.0±                     | 0.2   | 18.4±         | 2.8  |
| 1250 ppm   | 5                 | 31±               | 6    | 0.3±               | 0.1 | 14.1±                     | 0.2   | 15.9±         | 2.9  |
| 2500 ppm   | 5                 | 38±               | 5    | 0.4±               | 0.1 | 14.1±                     | 0.5   | 16.8±         | 2.4  |
| 5000 ppm   | 5                 | 107±              | 12   | 0.5±               | 0.5 | 13.5±                     | 0.2   | 14.3±         | 2.7  |
| 10000 ppm  | 4                 | 194±              | 25** | 0.7±               | 0.5 | 14.1±                     | 0.3   | 11.9±         | 1.1* |
| 20000 ppm  | 5                 | 238±              | 92** | 1.4±               | 1.0 | 16.0±                     | 0.5** | 21.9±         | 5.8  |

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett



STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
MEASURE. TIME : 1  
SEX : MALE

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 3

| Group Name | NO. of<br>Animals | WBC<br>10 <sup>3</sup> /μl |       | Differential<br>N-BAND |   | WBC (%)<br>N-SEG |      | EOSINO |   | BASO |   | MONO |   | LYMPHO |      | OTHER |   |
|------------|-------------------|----------------------------|-------|------------------------|---|------------------|------|--------|---|------|---|------|---|--------|------|-------|---|
| Control    | 5                 | 3.01±                      | 0.52  | 0±                     | 0 | 10±              | 4    | 1±     | 1 | 0±   | 0 | 1±   | 0 | 87±    | 4    | 0±    | 0 |
| 1250 ppm   | 5                 | 3.47±                      | 1.31  | 0±                     | 1 | 13±              | 1    | 0±     | 1 | 0±   | 0 | 1±   | 1 | 85±    | 1    | 0±    | 0 |
| 2500 ppm   | 5                 | 4.47±                      | 0.97  | 0±                     | 0 | 11±              | 3    | 1±     | 1 | 0±   | 0 | 2±   | 3 | 87±    | 4    | 0±    | 0 |
| 5000 ppm   | 5                 | 4.23±                      | 0.38  | 1±                     | 1 | 16±              | 4    | 1±     | 1 | 0±   | 0 | 2±   | 1 | 81±    | 3    | 0±    | 0 |
| 10000 ppm  | 4                 | 5.96±                      | 1.90* | 0±                     | 1 | 21±              | 7    | 0±     | 0 | 0±   | 0 | 4±   | 4 | 75±    | 9    | 0±    | 0 |
| 20000 ppm  | 5                 | 2.92±                      | 0.59  | 1±                     | 1 | 40±              | 18** | 0±     | 0 | 0±   | 0 | 1±   | 1 | 57±    | 18** | 0±    | 0 |

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

## APPENDIX E 2

HEMATOLOGY : SUMMARY, RAT : FEMALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 4

| Group Name | NO. of<br>Animals | RED BLOOD CELL<br>10 <sup>6</sup> /μl | HEMOGLOBIN<br>g/dl | HEMATOCRIT<br>% | MCV<br>fl  | MCH<br>pg   | MCHC<br>g/dl | PLATELET<br>10 <sup>3</sup> /μl |
|------------|-------------------|---------------------------------------|--------------------|-----------------|------------|-------------|--------------|---------------------------------|
| Control    | 5                 | 8.21± 0.26                            | 15.2± 0.5          | 44.4± 1.2       | 54.1± 0.4  | 18.5± 0.2   | 34.2± 0.3    | 871± 49                         |
| 1250 ppm   | 5                 | 8.02± 0.11                            | 14.8± 0.3          | 43.3± 0.4       | 53.9± 0.3  | 18.5± 0.2   | 34.3± 0.4    | 815± 75                         |
| 2500 ppm   | 5                 | 7.52± 0.29**                          | 13.6± 0.7**        | 40.6± 1.6       | 53.9± 0.4  | 18.1± 0.2   | 33.6± 0.4    | 852± 63                         |
| 5000 ppm   | 5                 | 6.15± 0.23**                          | 11.5± 0.5**        | 36.0± 1.4**     | 58.6± 0.4  | 18.8± 0.2   | 32.0± 0.6**  | 894± 48                         |
| 10000 ppm  | 5                 | 5.75± 0.28**                          | 11.1± 0.7**        | 34.9± 2.6**     | 60.6± 1.6* | 19.3± 0.3** | 31.8± 0.6**  | 971± 56*                        |
| 20000 ppm  | 0                 | -                                     | -                  | -               | -          | -           | -            | -                               |

Significant difference : \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
MEASURE. TIME : 1  
SEX : FEMALE

REPORT TYPE : A1

HEMATOLOGY (SUMMARY)  
ALL ANIMALS ( 2W)

PAGE : 5

| Group Name | NO. of<br>Animals | RETICULOCYTE<br>% |      | METHEMOGLOBIN<br>% |     | PROTHROMBIN TIME<br>s e c |      | APTT<br>s e c |     |
|------------|-------------------|-------------------|------|--------------------|-----|---------------------------|------|---------------|-----|
| Control    | 5                 | 22±               | 9    | 0.2±               | 0.1 | 15.1±                     | 0.2  | 20.7±         | 5.5 |
| 1250 ppm   | 5                 | 22±               | 7    | 0.2±               | 0.1 | 14.7±                     | 0.1  | 15.4±         | 2.9 |
| 2500 ppm   | 5                 | 32±               | 13   | 0.3±               | 0.1 | 14.7±                     | 0.4  | 16.6±         | 4.1 |
| 5000 ppm   | 5                 | 111±              | 18*  | 0.7±               | 0.4 | 14.4±                     | 0.5* | 16.8±         | 2.9 |
| 10000 ppm  | 5                 | 199±              | 41** | 0.8±               | 0.4 | 15.2±                     | 0.2  | 29.0±         | 8.7 |
| 20000 ppm  | 0                 | -                 |      | -                  |     | -                         |      | -             |     |

Significant difference : \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL070)

BAIS3

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

HEMATOLOGY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 6

| Group Name | NO. of<br>Animals | WBC<br>10 <sup>3</sup> /μl |      | Differential<br>N-BAND |   | WBC (%)<br>N-SEG |   | EOSINO |   | BASO |   | MONO |   | LYMPHO |   | OTHER |   |
|------------|-------------------|----------------------------|------|------------------------|---|------------------|---|--------|---|------|---|------|---|--------|---|-------|---|
| Control    | 5                 | 4.08±                      | 0.86 | 0±                     | 0 | 14±              | 2 | 0±     | 1 | 0±   | 0 | 2±   | 2 | 83±    | 3 | 0±    | 1 |
| 1250 ppm   | 5                 | 3.68±                      | 0.93 | 0±                     | 0 | 9±               | 5 | 2±     | 1 | 0±   | 0 | 2±   | 0 | 87±    | 6 | 0±    | 0 |
| 2500 ppm   | 5                 | 5.07±                      | 3.14 | 0±                     | 1 | 15±              | 5 | 1±     | 1 | 0±   | 0 | 1±   | 1 | 83±    | 6 | 0±    | 0 |
| 5000 ppm   | 5                 | 4.57±                      | 1.20 | 1±                     | 1 | 15±              | 4 | 1±     | 1 | 0±   | 0 | 1±   | 0 | 81±    | 3 | 0±    | 1 |
| 10000 ppm  | 5                 | 4.05±                      | 1.00 | 1±                     | 1 | 13±              | 2 | 0±     | 1 | 0±   | 0 | 1±   | 1 | 84±    | 3 | 0±    | 1 |
| 20000 ppm  | 0                 | -                          | -    | -                      | - | -                | - | -      | - | -    | - | -    | - | -      | - | -     | - |

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

## APPENDIX F 1

BIOCHEMISTRY : SUMMARY, RAT : MALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 1

| Group Name | NO. of Animals | TOTAL PROTEIN<br>g/dl |       | ALBUMIN<br>g/dl |       | A/G RATIO |       | T-BILIRUBIN<br>mg/dl |        | GLUCOSE<br>mg/dl |     | T-CHOLESTEROL<br>mg/dl |      | PHOSPHOLIPID<br>mg/dl |      |
|------------|----------------|-----------------------|-------|-----------------|-------|-----------|-------|----------------------|--------|------------------|-----|------------------------|------|-----------------------|------|
| Control    | 5              | 5.6±                  | 0.1   | 3.6±            | 0.1   | 1.9±      | 0.0   | 0.12±                | 0.01   | 178±             | 11  | 64±                    | 3    | 123±                  | 5    |
| 1250 ppm   | 5              | 5.6±                  | 0.2   | 3.7±            | 0.1   | 1.9±      | 0.1   | 0.12±                | 0.02   | 202±             | 16  | 63±                    | 4    | 120±                  | 6    |
| 2500 ppm   | 5              | 5.9±                  | 0.1   | 3.8±            | 0.1   | 1.8±      | 0.1   | 0.13±                | 0.01   | 183±             | 12  | 74±                    | 3    | 142±                  | 5    |
| 5000 ppm   | 5              | 6.3±                  | 0.3** | 4.0±            | 0.2*  | 1.8±      | 0.0   | 0.15±                | 0.02*  | 179±             | 10  | 98±                    | 8    | 180±                  | 14   |
| 10000 ppm  | 4              | 6.6±                  | 0.4** | 4.2±            | 0.3*  | 1.8±      | 0.1   | 0.22±                | 0.02** | 152±             | 2   | 141±                   | 13** | 255±                  | 24** |
| 20000 ppm  | 5              | 6.8±                  | 0.2** | 4.6±            | 0.2** | 2.1±      | 0.1** | 0.24±                | 0.02** | 97±              | 22* | 143±                   | 23** | 249±                  | 43** |

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 2

| Group Name | NO. of<br>Animals | GOT<br>IU/ℓ |    | GPT<br>IU/ℓ |     | LDH<br>IU/ℓ |     | G-GTP<br>IU/ℓ |    | CPK<br>IU/ℓ |     | UREA NITROGEN<br>mg/dℓ |       | CREATININE<br>mg/dℓ |     |
|------------|-------------------|-------------|----|-------------|-----|-------------|-----|---------------|----|-------------|-----|------------------------|-------|---------------------|-----|
| Control    | 5                 | 55±         | 2  | 29±         | 1   | 207±        | 77  | 2±            | 1  | 176±        | 59  | 14.8±                  | 1.7   | 0.4±                | 0.0 |
| 1250 ppm   | 5                 | 57±         | 3  | 28±         | 2   | 185±        | 70  | 2±            | 1  | 190±        | 87  | 16.5±                  | 1.9   | 0.4±                | 0.1 |
| 2500 ppm   | 5                 | 52±         | 3  | 29±         | 2   | 175±        | 66  | 2±            | 1  | 160±        | 41  | 15.6±                  | 2.4   | 0.4±                | 0.1 |
| 5000 ppm   | 5                 | 51±         | 1  | 29±         | 2   | 153±        | 33  | 2±            | 0  | 128±        | 14  | 16.5±                  | 2.2   | 0.4±                | 0.0 |
| 10000 ppm  | 4                 | 43±         | 3* | 28±         | 5   | 168±        | 40  | 7±            | 1  | 123±        | 11  | 17.9±                  | 1.0   | 0.4±                | 0.0 |
| 20000 ppm  | 5                 | 90±         | 56 | 104±        | 79* | 304±        | 137 | 53±           | 28 | 112±        | 55* | 37.2±                  | 9.2** | 0.4±                | 0.0 |

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett



STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : MALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 3

| Group Name | NO. of<br>Animals | SODIUM<br>mEq/ℓ |     | POTASSIUM<br>mEq/ℓ |       | CHLORIDE<br>mEq/ℓ |     | CALCIUM<br>mg/dℓ |       | INORGANIC PHOSPHORUS<br>mg/dℓ |      |
|------------|-------------------|-----------------|-----|--------------------|-------|-------------------|-----|------------------|-------|-------------------------------|------|
| Control    | 5                 | 140±            | 1   | 4.1±               | 0.3   | 105±              | 1   | 10.9±            | 0.1   | 7.7±                          | 1.2  |
| 1250 ppm   | 5                 | 140±            | 1   | 4.0±               | 0.2   | 104±              | 1   | 10.9±            | 0.2   | 7.8±                          | 1.2  |
| 2500 ppm   | 5                 | 139±            | 1   | 4.3±               | 0.3   | 104±              | 0   | 11.0±            | 0.1   | 8.6±                          | 1.2  |
| 5000 ppm   | 5                 | 140±            | 1   | 4.5±               | 0.2   | 102±              | 1*  | 11.3±            | 0.1*  | 9.7±                          | 1.6* |
| 10000 ppm  | 4                 | 138±            | 2   | 5.3±               | 0.3** | 101±              | 1** | 11.4±            | 0.2** | 9.5±                          | 0.8  |
| 20000 ppm  | 5                 | 143±            | 1** | 4.8±               | 0.7*  | 105±              | 2   | 10.8±            | 0.3   | 6.8±                          | 0.5  |

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS3

## APPENDIX F 2

BIOCHEMISTRY : SUMMARY, RAT : FEMALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 2W)

REPORT TYPE : A1

PAGE : 4

| Group Name | NO. of<br>Animals | TOTAL PROTEIN<br>g/dl |       | ALBUMIN<br>g/dl |       | A/G RATIO |     | T-BILIRUBIN<br>mg/dl |        | GLUCOSE<br>mg/dl |     | T-CHOLESTEROL<br>mg/dl |     | PHOSPHOLIPID<br>mg/dl |     |
|------------|-------------------|-----------------------|-------|-----------------|-------|-----------|-----|----------------------|--------|------------------|-----|------------------------|-----|-----------------------|-----|
| Control    | 5                 | 5.4±                  | 0.1   | 3.6±            | 0.1   | 1.9±      | 0.1 | 0.12±                | 0.00   | 173±             | 12  | 69±                    | 2   | 125±                  | 6   |
| 1250 ppm   | 5                 | 5.4±                  | 0.2   | 3.5±            | 0.1   | 1.9±      | 0.1 | 0.13±                | 0.01   | 177±             | 14  | 68±                    | 4   | 124±                  | 10  |
| 2500 ppm   | 5                 | 5.4±                  | 0.1   | 3.5±            | 0.1   | 1.9±      | 0.1 | 0.14±                | 0.01   | 174±             | 12  | 73±                    | 6   | 133±                  | 11  |
| 5000 ppm   | 5                 | 5.8±                  | 0.2** | 3.8±            | 0.2   | 1.9±      | 0.1 | 0.18±                | 0.02** | 160±             | 13  | 105±                   | 7** | 177±                  | 8** |
| 10000 ppm  | 5                 | 6.4±                  | 0.1** | 4.2±            | 0.1** | 1.9±      | 0.1 | 0.22±                | 0.04** | 145±             | 4** | 141±                   | 2** | 235±                  | 6** |
| 20000 ppm  | 0                 | -                     |       | -               |       | -         |     | -                    |        | -                |     | -                      |     | -                     |     |

Significant difference ; \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
MEASURE. TIME : 1  
SEX : FEMALE

REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
ALL ANIMALS ( 2W)

PAGE : 5

| Group Name | NO. of<br>Animals | GOT<br>I U / ℓ |   | GPT<br>I U / ℓ |   | LDH<br>I U / ℓ |     | G-GTP<br>I U / ℓ |     | CPK<br>I U / ℓ |    | UREA NITROGEN<br>mg / dl |     | CREATININE<br>mg / dl |     |
|------------|-------------------|----------------|---|----------------|---|----------------|-----|------------------|-----|----------------|----|--------------------------|-----|-----------------------|-----|
| Control    | 5                 | 59±            | 4 | 28±            | 1 | 246±           | 54  | 2±               | 1   | 153±           | 29 | 16.9±                    | 3.4 | 0.4±                  | 0.1 |
| 1250 ppm   | 5                 | 63±            | 5 | 30±            | 3 | 358±           | 198 | 3±               | 1   | 183±           | 66 | 17.4±                    | 2.8 | 0.4±                  | 0.1 |
| 2500 ppm   | 5                 | 64±            | 6 | 29±            | 3 | 346±           | 94  | 3±               | 1   | 183±           | 45 | 18.8±                    | 3.5 | 0.4±                  | 0.1 |
| 5000 ppm   | 5                 | 58±            | 4 | 28±            | 3 | 333±           | 141 | 3±               | 1   | 161±           | 43 | 20.4±                    | 1.5 | 0.4±                  | 0.0 |
| 10000 ppm  | 5                 | 59±            | 4 | 31±            | 5 | 498±           | 230 | 13±              | 1** | 192±           | 52 | 20.4±                    | 2.7 | 0.4±                  | 0.0 |
| 20000 ppm  | 0                 | -              |   | -              |   | -              |     | -                |     | -              |    | -                        |     | -                     |     |

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 MEASURE. TIME : 1  
 SEX : FEMALE

REPORT TYPE : A1

BIOCHEMISTRY (SUMMARY)  
 ALL ANIMALS ( 2W)

PAGE : 6

| Group Name | NO. of<br>Animals | SODIUM<br>mEq/ℓ |   | POTASSIUM<br>mEq/ℓ |      | CHLORIDE<br>mEq/ℓ |   | CALCIUM<br>mg/dℓ |       | INORGANIC PHOSPHORUS<br>mg/dℓ |     |
|------------|-------------------|-----------------|---|--------------------|------|-------------------|---|------------------|-------|-------------------------------|-----|
| Control    | 5                 | 139±            | 1 | 4.1±               | 0.4  | 106±              | 1 | 10.5±            | 0.1   | 7.0±                          | 1.1 |
| 1250 ppm   | 5                 | 139±            | 1 | 4.3±               | 0.6  | 106±              | 2 | 10.5±            | 0.1   | 7.1±                          | 1.5 |
| 2500 ppm   | 5                 | 139±            | 1 | 4.0±               | 0.4  | 107±              | 3 | 10.4±            | 0.1   | 6.3±                          | 1.6 |
| 5000 ppm   | 5                 | 138±            | 1 | 4.7±               | 0.4  | 105±              | 2 | 10.8±            | 0.2*  | 7.9±                          | 1.9 |
| 10000 ppm  | 5                 | 139±            | 1 | 5.1±               | 0.7* | 105±              | 2 | 11.0±            | 0.1** | 7.9±                          | 0.9 |
| 20000 ppm  | 0                 | -               |   | -                  |      | -                 |   | -                |       | -                             |     |

Significant difference ; \* :  $P \leq 0.05$

\*\* :  $P \leq 0.01$

Test of Dunnett

(HCL074)

BAIS 3

## APPENDIX G 1

GROSS FINDINGS : SUMMARY, RAT : MALE ALL ANIMALS  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 1

| Organ  | Findings   | Group Name     | Control | 1250 ppm | 2500 ppm | 5000 ppm |
|--------|------------|----------------|---------|----------|----------|----------|
|        |            | NO. of Animals | 5 (%)   | 5 (%)    | 5 (%)    | 5 (%)    |
| thymus | atrophic   |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 0 ( 0)   |
| spleen | dark       |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 5 (100)  |
| liver  | dark       |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 0 ( 0)   |
|        | herniation |                | 0 ( 0)  | 1 ( 20)  | 0 ( 0)   | 0 ( 0)   |

(HPT080)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 2

| Organ  | Findings   | Group Name     | 10000 ppm | 20000 ppm |
|--------|------------|----------------|-----------|-----------|
|        |            | NO. of Animals | 5 (%)     | 5 (%)     |
| thymus | atrophic   |                | 0 ( 0)    | 5 (100)   |
| spleen | dark       |                | 4 ( 80)   | 5 (100)   |
| liver  | dark       |                | 0 ( 0)    | 5 (100)   |
|        | herniation |                | 0 ( 0)    | 0 ( 0)    |

(HPT080)

BAIS3



## APPENDIX G 2

GROSS FINDINGS : SUMMARY, RAT : FEMALE ALL ANIMALS  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 3

| Organ  | Findings   | Group Name     | Control | 1250 ppm | 2500 ppm | 5000 ppm |
|--------|------------|----------------|---------|----------|----------|----------|
|        |            | NO. of Animals | 5 (%)   | 5 (%)    | 5 (%)    | 5 (%)    |
| thymus | atrophic   |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 0 ( 0)   |
| spleen | dark       |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 5 (100)  |
| Liver  | herniation |                | 0 ( 0)  | 2 ( 40)  | 0 ( 0)   | 0 ( 0)   |

(HPT080)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 4

| Organ  | Findings   | Group Name     | 10000 ppm | 20000 ppm |
|--------|------------|----------------|-----------|-----------|
|        |            | NO. of Animals | 5 (%)     | 5 (%)     |
| thymus | atrophic   |                | 0 ( 0)    | 5 (100)   |
| spleen | dark       |                | 4 ( 80)   | 0 ( 0)    |
| Liver  | herniation |                | 0 ( 0)    | 0 ( 0)    |

(HPT080)

BAIS3

## APPENDIX G 3

GROSS FINDINGS : SUMMARY, RAT : FEMALE : DEAD AND MORIBUND ANIMALS  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 2W)

PAGE : 1

| Organ  | Findings | Group Name     | Control | 1250 ppm | 2500 ppm | 5000 ppm |
|--------|----------|----------------|---------|----------|----------|----------|
|        |          | NO. of Animals | 0 (%)   | 0 (%)    | 0 (%)    | 0 (%)    |
| thymus | atrophic |                | - ( - ) | - ( - )  | - ( - )  | - ( - )  |

(HPT080)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 2W)

PAGE : 2

| Organ  | Findings | Group Name<br>NO. of Animals | 10000 ppm<br>0 (%) | 20000 ppm<br>5 (%) |
|--------|----------|------------------------------|--------------------|--------------------|
| thymus | atrophic |                              | - ( -)             | 5 (100)            |

(HPT080)

BAIS3

## APPENDIX G 4

GROSS FINDINGS : SUMMARY, RAT : MALE : SACRIFICED ANIMALS  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 1

| Organ  | Findings   | Group Name     | Control | 1250 ppm | 2500 ppm | 5000 ppm |
|--------|------------|----------------|---------|----------|----------|----------|
|        |            | NO. of Animals | 5 (%)   | 5 (%)    | 5 (%)    | 5 (%)    |
| thymus | atrophic   |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 0 ( 0)   |
| spleen | dark       |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 5 (100)  |
| liver  | dark       |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 0 ( 0)   |
|        | herniation |                | 0 ( 0)  | 1 ( 20)  | 0 ( 0)   | 0 ( 0)   |

(HPT080)

BAIS3



STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 2

| Organ  | Findings   | Group Name     | 10000 ppm | 20000 ppm |
|--------|------------|----------------|-----------|-----------|
|        |            | NO. of Animals | 5 (%)     | 5 (%)     |
| thymus | atrophic   |                | 0 ( 0)    | 5 (100)   |
| spleen | dark       |                | 4 ( 80)   | 5 (100)   |
| liver  | dark       |                | 0 ( 0)    | 5 (100)   |
|        | herniation |                | 0 ( 0)    | 0 ( 0)    |

(HPT080)

BAIS3

## APPENDIX G 5

GROSS FINDINGS : SUMMARY, RAT : FEMALE : SACRIFICED ANIMALS  
(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 3

| Organ  | Findings   | Group Name     | Control | 1250 ppm | 2500 ppm | 5000 ppm |
|--------|------------|----------------|---------|----------|----------|----------|
|        |            | NO. of Animals | 5 (%)   | 5 (%)    | 5 (%)    | 5 (%)    |
| spleen | dark       |                | 0 ( 0)  | 0 ( 0)   | 0 ( 0)   | 5 (100)  |
| Liver  | herniation |                | 0 ( 0)  | 2 ( 40)  | 0 ( 0)   | 0 ( 0)   |

(HPT080)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

GROSS FINDINGS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 4

| Organ_____ | Findings_____ | Group Name     | 10000 ppm | 20000 ppm |
|------------|---------------|----------------|-----------|-----------|
|            |               | NO. of Animals | 5 (%)     | 0 (%)     |
| spleen     | dark          |                | 4 ( 80)   | - ( -)    |
| liver      | herniation    |                | 0 ( 0)    | - ( -)    |

(HPT080)

BAIS3

## APPENDIX H 1

ORGAN WEIGHT, ABSOLUTE : SUMMARY, RAT : MALE

(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 2W)

PAGE : 1

| Group Name | NO. of<br>Animals | Body Weight |      | THYMUS |         | ADRENALS |       | TESTES |       | HEART  |         | LUNGS  |         |
|------------|-------------------|-------------|------|--------|---------|----------|-------|--------|-------|--------|---------|--------|---------|
| Control    | 5                 | 192±        | 4    | 0.361± | 0.019   | 0.045±   | 0.003 | 2.469± | 0.110 | 0.662± | 0.046   | 0.839± | 0.020   |
| 1250 ppm   | 5                 | 190±        | 5    | 0.354± | 0.031   | 0.044±   | 0.004 | 2.465± | 0.078 | 0.692± | 0.028   | 0.818± | 0.046   |
| 2500 ppm   | 5                 | 190±        | 6    | 0.360± | 0.030   | 0.043±   | 0.004 | 2.482± | 0.124 | 0.697± | 0.042   | 0.825± | 0.033   |
| 5000 ppm   | 5                 | 184±        | 5    | 0.349± | 0.032   | 0.046±   | 0.004 | 2.567± | 0.134 | 0.691± | 0.062   | 0.819± | 0.023   |
| 10000 ppm  | 5                 | 157±        | 3**  | 0.282± | 0.018** | 0.046±   | 0.004 | 2.472± | 0.111 | 0.562± | 0.020** | 0.767± | 0.098   |
| 20000 ppm  | 5                 | 87±         | 10** | 0.039± | 0.016** | 0.043±   | 0.003 | 1.545± | 0.387 | 0.369± | 0.049** | 0.540± | 0.031** |

Significant difference : \* :  $P \leq 0.05$       \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL040)

BAIS 3

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE  
 UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
 SURVIVAL ANIMALS ( 2W)

PAGE : 2

| Group Name | NO. of<br>Animals | KIDNEYS |         | SPLEEN |         | LIVER   |         | BRAIN  |        |
|------------|-------------------|---------|---------|--------|---------|---------|---------|--------|--------|
| Control    | 5                 | 1.473±  | 0.059   | 0.483± | 0.028   | 7.582±  | 0.408   | 1.716± | 0.042  |
| 1250 ppm   | 5                 | 1.459±  | 0.025   | 0.472± | 0.018   | 7.648±  | 0.380   | 1.726± | 0.029  |
| 2500 ppm   | 5                 | 1.575±  | 0.102   | 0.539± | 0.040   | 8.612±  | 0.378   | 1.759± | 0.062  |
| 5000 ppm   | 5                 | 1.725±  | 0.079** | 0.820± | 0.065** | 9.830±  | 0.353*  | 1.752± | 0.061  |
| 10000 ppm  | 5                 | 1.577±  | 0.105   | 0.858± | 0.078** | 10.952± | 1.061** | 1.678± | 0.054  |
| 20000 ppm  | 5                 | 1.204±  | 0.106** | 0.381± | 0.041*  | 6.960±  | 1.232   | 1.616± | 0.022* |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

## APPENDIX H 2

ORGAN WEIGHT, ABSOLUTE : SUMMARY, RAT : FEMALE

(2-WEEK STUDY)



STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 2W)

PAGE : 3

| Group Name | NO. of<br>Animals | Body Weight | THYMUS         | ADRENALS      | OVARIES         | HEART           | LUNGS          |
|------------|-------------------|-------------|----------------|---------------|-----------------|-----------------|----------------|
| Control    | 5                 | 126 ± 6     | 0.286 ± 0.020  | 0.050 ± 0.005 | 0.105 ± 0.015   | 0.499 ± 0.020   | 0.646 ± 0.046  |
| 1250 ppm   | 5                 | 123 ± 7     | 0.293 ± 0.014  | 0.052 ± 0.008 | 0.098 ± 0.007   | 0.484 ± 0.030   | 0.647 ± 0.036  |
| 2500 ppm   | 5                 | 120 ± 8     | 0.280 ± 0.026  | 0.049 ± 0.006 | 0.097 ± 0.015   | 0.480 ± 0.046   | 0.615 ± 0.031  |
| 5000 ppm   | 5                 | 118 ± 5     | 0.271 ± 0.022  | 0.044 ± 0.006 | 0.095 ± 0.020   | 0.491 ± 0.027   | 0.628 ± 0.043  |
| 10000 ppm  | 5                 | 107 ± 6**   | 0.248 ± 0.021* | 0.042 ± 0.004 | 0.064 ± 0.009** | 0.424 ± 0.026** | 0.573 ± 0.022* |
| 20000 ppm  | 0                 | -           | -              | -             | -               | -               | -              |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: g

ORGAN WEIGHT:ABSOLUTE (SUMMARY)  
SURVIVAL ANIMALS ( 2W)

PAGE : 4

| Group Name | NO. of<br>Animals | KIDNEYS |       | SPLEEN |         | LIVER  |         | BRAIN  |       |
|------------|-------------------|---------|-------|--------|---------|--------|---------|--------|-------|
| Control    | 5                 | 1.006±  | 0.040 | 0.330± | 0.026   | 4.462± | 0.381   | 1.611± | 0.039 |
| 1250 ppm   | 5                 | 1.021±  | 0.079 | 0.340± | 0.024   | 4.485± | 0.233   | 1.619± | 0.024 |
| 2500 ppm   | 5                 | 1.026±  | 0.059 | 0.354± | 0.027   | 4.767± | 0.496   | 1.637± | 0.024 |
| 5000 ppm   | 5                 | 1.076±  | 0.089 | 0.606± | 0.054** | 6.022± | 0.363** | 1.618± | 0.070 |
| 10000 ppm  | 5                 | 1.045±  | 0.066 | 0.580± | 0.028** | 7.019± | 0.509** | 1.606± | 0.025 |
| 20000 ppm  | 0                 | -       |       | -      |         | -      |         | -      |       |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

## APPENDIX I 1

ORGAN WEIGHT, RELATIVE : SUMMARY, RAT : MALE

(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 2W)

PAGE : 1

| Group Name | NO. of Animals | Body Weight (g) |      | THYMUS         | ADRENALS       | TESTES        | HEART          | LUNGS         |
|------------|----------------|-----------------|------|----------------|----------------|---------------|----------------|---------------|
| Control    | 5              | 192±            | 4    | 0.188± 0.007   | 0.023± 0.002   | 1.287± 0.032  | 0.345± 0.019   | 0.438± 0.015  |
| 1250 ppm   | 5              | 190±            | 5    | 0.186± 0.011   | 0.023± 0.001   | 1.296± 0.029  | 0.364± 0.007   | 0.430± 0.016  |
| 2500 ppm   | 5              | 190±            | 6    | 0.189± 0.015   | 0.023± 0.003   | 1.304± 0.054  | 0.366± 0.016   | 0.433± 0.007  |
| 5000 ppm   | 5              | 184±            | 5    | 0.190± 0.017   | 0.025± 0.002   | 1.396± 0.059  | 0.376± 0.025   | 0.446± 0.009  |
| 10000 ppm  | 5              | 157±            | 3**  | 0.179± 0.014   | 0.029± 0.002   | 1.572± 0.051* | 0.358± 0.019   | 0.487± 0.055  |
| 20000 ppm  | 5              | 87±             | 10** | 0.043± 0.013** | 0.050± 0.008** | 1.755± 0.298* | 0.422± 0.024** | 0.624± 0.059* |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 2W)

PAGE : 2

| Group Name | NO. of<br>Animals | KIDNEYS        | SPLEEN         | LIVER          | BRAIN          |
|------------|-------------------|----------------|----------------|----------------|----------------|
| Control    | 5                 | 0.769± 0.034   | 0.252± 0.015   | 3.954± 0.207   | 0.895± 0.029   |
| 1250 ppm   | 5                 | 0.767± 0.017   | 0.248± 0.011   | 4.021± 0.158   | 0.908± 0.024   |
| 2500 ppm   | 5                 | 0.827± 0.035   | 0.283± 0.015   | 4.524± 0.171   | 0.924± 0.025   |
| 5000 ppm   | 5                 | 0.938± 0.030** | 0.446± 0.029** | 5.350± 0.210   | 0.953± 0.033   |
| 10000 ppm  | 5                 | 1.003± 0.052** | 0.545± 0.040** | 6.963± 0.607** | 1.067± 0.024*  |
| 20000 ppm  | 5                 | 1.385± 0.057** | 0.438± 0.040** | 7.943± 0.613** | 1.869± 0.186** |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS3

## APPENDIX I 2

ORGAN WEIGHT, RELATIVE : SUMMARY, RAT : FEMALE

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE  
 UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
 SURVIVAL ANIMALS ( 2W)

PAGE : 3

| Group Name | NO. of Animals | Body Weight (g) |     | THYMUS       | ADRENALS     | OVARIES        | HEART        | LUNGS        |
|------------|----------------|-----------------|-----|--------------|--------------|----------------|--------------|--------------|
| Control    | 5              | 126±            | 6   | 0.226± 0.013 | 0.040± 0.004 | 0.083± 0.014   | 0.396± 0.021 | 0.512± 0.019 |
| 1250 ppm   | 5              | 123±            | 7   | 0.238± 0.019 | 0.042± 0.005 | 0.079± 0.007   | 0.393± 0.025 | 0.525± 0.017 |
| 2500 ppm   | 5              | 120±            | 8   | 0.234± 0.015 | 0.041± 0.004 | 0.081± 0.008   | 0.400± 0.017 | 0.514± 0.024 |
| 5000 ppm   | 5              | 118±            | 5   | 0.230± 0.011 | 0.037± 0.005 | 0.080± 0.014   | 0.416± 0.017 | 0.532± 0.021 |
| 10000 ppm  | 5              | 107±            | 6** | 0.232± 0.011 | 0.040± 0.004 | 0.060± 0.006** | 0.398± 0.022 | 0.538± 0.020 |
| 20000 ppm  | 0              | -               |     | -            | -            | -              | -            | -            |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett

(HCL042)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE  
UNIT: %

ORGAN WEIGHT:RELATIVE (SUMMARY)  
SURVIVAL ANIMALS ( 2W)

PAGE : 4

| Group Name | NO. of<br>Animals | KIDNEYS        | SPLEEN         | LIVER          | BRAIN          |
|------------|-------------------|----------------|----------------|----------------|----------------|
| Control    | 5                 | 0.798± 0.030   | 0.262± 0.016   | 3.532± 0.177   | 1.278± 0.051   |
| 1250 ppm   | 5                 | 0.828± 0.031   | 0.276± 0.010   | 3.644± 0.160   | 1.317± 0.057   |
| 2500 ppm   | 5                 | 0.857± 0.025*  | 0.296± 0.020   | 3.973± 0.194** | 1.372± 0.097   |
| 5000 ppm   | 5                 | 0.911± 0.047** | 0.514± 0.046** | 5.103± 0.189** | 1.372± 0.046   |
| 10000 ppm  | 5                 | 0.979± 0.032** | 0.543± 0.026** | 6.568± 0.190** | 1.506± 0.058** |
| 20000 ppm  | 0                 | -              | -              | -              | -              |

Significant difference ; \* :  $P \leq 0.05$  \*\* :  $P \leq 0.01$

Test of Dunnett



## APPENDIX J 1

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : MALE : ALL ANIMALS

(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 1

| Organ                  | Findings                                   | Group Name<br>No. of Animals on Study<br>Grade | Control<br>5 |            |       |       | 1250 ppm<br>5 |       |       |        | 2500 ppm<br>5 |       |       |         | 5000 ppm<br>5 |       |       |       |
|------------------------|--|--|--------------|------------|-------|-------|---------------|-------|-------|--------|---------------|-------|-------|---------|---------------|-------|-------|-------|
|                        |  |  | 1            | 2          | 3     | 4     | 1             | 2     | 3     | 4      | 1             | 2     | 3     | 4       | 1             | 2     | 3     | 4     |
|                        |  |  | (%)          | (%)        | (%)   | (%)   | (%)           | (%)   | (%)   | (%)    | (%)           | (%)   | (%)   | (%)     | (%)           | (%)   | (%)   | (%)   |
| [Respiratory system]   |  |  |              |            |       |       |               |       |       |        |               |       |       |         |               |       |       |       |
| nasal cavity           | respiratory metaplasia:gland               |  | < 5>         |            |       |       | < 5>          |       |       |        | < 5>          |       |       |         | < 5>          |       |       |       |
|                        |  | 0  | 0            | 0          | 0     | 0     | 0             | 0     | 0     | 1      | 0             | 0     | 0     | 0       | 0             | 0     | 0     |       |
|                        |  | ( 0 )  | ( 0 )        | ( 0 )      | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 20 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )   | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
|                        | engorgement of erythrocyte                 |  | < 5>         |            |       |       | < 5>          |       |       |        | < 5>          |       |       |         | < 5>          |       |       |       |
|                        |  | 0  | 0            | 0          | 0     | 0     | 0             | 0     | 0     | 0      | 0             | 0     | 0     | 0       | 0             | 0     | 0     |       |
|                        |  | ( 0 )  | ( 0 )        | ( 0 )      | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )  | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )   | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| [Hematopoietic system] |  |  |              |            |       |       |               |       |       |        |               |       |       |         |               |       |       |       |
| bone marrow            | congestion                                 |  | < 5>         |            |       |       | < 5>          |       |       |        | < 5>          |       |       |         | < 5>          |       |       |       |
|                        |  | 0  | 0            | 0          | 0     | 0     | 0             | 0     | 0     | 0      | 0             | 0     | 0     | 0       | 0             | 0     | 0     |       |
|                        |  | ( 0 )  | ( 0 )        | ( 0 )      | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )  | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )   | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| thymus                 | atrophy                                    |  | < 5>         |            |       |       | < 5>          |       |       |        | < 5>          |       |       |         | < 5>          |       |       |       |
|                        |  | 0  | 0            | 0          | 0     | 0     | 0             | 0     | 0     | 0      | 0             | 0     | 0     | 0       | 0             | 0     | 0     |       |
|                        |  | ( 0 )  | ( 0 )        | ( 0 )      | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )  | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )   | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| spleen                 | deposit of hemosiderin                     |  | < 5>         |            |       |       | < 5>          |       |       |        | < 5>          |       |       |         | < 5>          |       |       |       |
|                        |  | 0  | 0            | 0          | 0     | 0     | 0             | 0     | 0     | 0      | 0             | 0     | 0     | 0       | 0             | 0     | 0     |       |
|                        |  | ( 0 )  | ( 0 )        | ( 0 )      | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )  | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 )   | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
|                        | extramedullary hematopoiesis               |  | < 5>         |            |       |       | < 5>          |       |       |        | < 5>          |       |       |         | < 5>          |       |       |       |
|                        |  | 0  | 0            | 0          | 0     | 0     | 0             | 0     | 0     | 4      | 0             | 0     | 0     | 5       | 0             | 0     | 0     |       |
|                        |  | ( 0 )  | ( 0 )        | ( 0 )      | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 80 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 100 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| Grade                  | 1 : Slight                                 | 2 : Moderate                                   | 3 : Marked   | 4 : Severe |       |       |               |       |       |        |               |       |       |         |               |       |       |       |
| < a >                  | a : Number of animals examined at the site |  |              |            |       |       |               |       |       |        |               |       |       |         |               |       |       |       |
| b                      | b : Number of animals with lesion          |  |              |            |       |       |               |       |       |        |               |       |       |         |               |       |       |       |
| ( c )                  | c : b / a * 100                            |  |              |            |       |       |               |       |       |        |               |       |       |         |               |       |       |       |

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 2

| Organ                  | Findings                     | 10000 ppm               |       |      |      | 20000 ppm               |       |       |      |
|------------------------|------------------------------|-------------------------|-------|------|------|-------------------------|-------|-------|------|
|                        |                              | No. of Animals on Study |       |      |      | No. of Animals on Study |       |       |      |
|                        |                              | Grade                   |       |      |      | Grade                   |       |       |      |
|                        |                              | 1                       | 2     | 3    | 4    | 1                       | 2     | 3     | 4    |
|                        |                              | (%)                     | (%)   | (%)  | (%)  | (%)                     | (%)   | (%)   | (%)  |
| [Respiratory system]   |                              |                         |       |      |      |                         |       |       |      |
| nasal cavit            |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | respiratory metaplasia:gland | 1                       | 0     | 0    | 0    | 1                       | 0     | 0     | 0    |
|                        |                              | ( 20)                   | ( 0)  | ( 0) | ( 0) | ( 20)                   | ( 0)  | ( 0)  | ( 0) |
|                        |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | engorgement of erythrocyte   | 0                       | 1     | 0    | 0    | 0                       | 0     | 0     | 0    |
|                        |                              | ( 0)                    | ( 20) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0)  | ( 0) |
| [Hematopoietic system] |                              |                         |       |      |      |                         |       |       |      |
| bone marrow            |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | congestion                   | 0                       | 0     | 0    | 0    | 2                       | 1     | 0     | 0    |
|                        |                              | ( 0)                    | ( 0)  | ( 0) | ( 0) | ( 40)                   | ( 20) | ( 0)  | ( 0) |
| thymus                 |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | atrophy                      | 0                       | 0     | 0    | 0    | 0                       | 0     | 5     | 0    |
|                        |                              | ( 0)                    | ( 0)  | ( 0) | ( 0) | ( 0)                    | ( 0)  | (100) | ( 0) |
| spleen                 |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | deposit of hemosiderin       | 2                       | 0     | 0    | 0    | 5                       | 0     | 0     | 0    |
|                        |                              | ( 40)                   | ( 0)  | ( 0) | ( 0) | (100)                   | ( 0)  | ( 0)  | ( 0) |
|                        |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | extramedullary hematopoiesis | 5                       | 0     | 0    | 0    | 0                       | 0     | 0     | 0    |
|                        |                              | (100)                   | ( 0)  | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0)  | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 3

|                        |                                    | Group Name              | Control |      |      |      | 1250 ppm |      |      |      | 2500 ppm |      |      |      | 5000 ppm |      |      |      |
|------------------------|------------------------------------|-------------------------|---------|------|------|------|----------|------|------|------|----------|------|------|------|----------|------|------|------|
|                        |                                    | No. of Animals on Study | 5       |      |      |      | 5        |      |      |      | 5        |      |      |      | 5        |      |      |      |
| Organ                  | Findings                           | Grade                   | 1       | 2    | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2    | 3    | 4    |
|                        |                                    |                         | (%)     | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  |
| [Hematopoietic system] |                                    |                         |         |      |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| spleen                 |                                    |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                        | engorgement of erythrocyte         |                         | 0       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 4        | 0    | 0    | 0    | 5        | 0    | 0    | 0    |
|                        |                                    |                         | ( 0)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 80)    | ( 0) | ( 0) | ( 0) | ( 100)   | ( 0) | ( 0) | ( 0) |
| [Digestive system]     |                                    |                         |         |      |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| liver                  |                                    |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                        | herniation                         |                         | 0       | 0    | 0    | 0    | 1        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    |
|                        |                                    |                         | ( 0)    | ( 0) | ( 0) | ( 0) | ( 20)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) |
|                        | necrosis:focal                     |                         | 0       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    |
|                        |                                    |                         | ( 0)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) |
|                        | hepatocellular hypertrophy:central |                         | 0       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 3        | 0    | 0    | 0    |
|                        |                                    |                         | ( 0)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 60)    | ( 0) | ( 0) | ( 0) |
| [Urinary system]       |                                    |                         |         |      |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| kidney                 |                                    |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                        | basophilic change                  |                         | 1       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    |
|                        |                                    |                         | ( 20)   | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 4

| Organ | Findings | Group Name              |  | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|-------------------------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          | No. of Animals on Study |  | 5         |     |     |     | 5         |     |     |     |
|       |          | Grade                   |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |                         |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Hematopoietic system]

|        |                            |       |      |      |      |       |      |      |      |
|--------|----------------------------|-------|------|------|------|-------|------|------|------|
| spleen | engorgement of erythrocyte | < 5>  |      |      |      | < 5>  |      |      |      |
|        |                            | 5     | 0    | 0    | 0    | 5     | 0    | 0    | 0    |
|        |                            | (100) | ( 0) | ( 0) | ( 0) | (100) | ( 0) | ( 0) | ( 0) |

[Digestive system]

|       |                                    |       |      |      |      |      |       |      |      |
|-------|------------------------------------|-------|------|------|------|------|-------|------|------|
| liver | herniation                         | < 5>  |      |      |      | < 5> |       |      |      |
|       |                                    | 0     | 0    | 0    | 0    | 0    | 0     | 0    | 0    |
|       |                                    | ( 0)  | ( 0) | ( 0) | ( 0) | ( 0) | ( 0)  | ( 0) | ( 0) |
|       | necrosis:focal                     | < 5>  |      |      |      | < 5> |       |      |      |
|       |                                    | 0     | 0    | 0    | 0    | 0    | 3     | 0    | 0    |
|       |                                    | ( 0)  | ( 0) | ( 0) | ( 0) | ( 0) | ( 60) | ( 0) | ( 0) |
|       | hepatocellular hypertrophy:central | < 5>  |      |      |      | < 5> |       |      |      |
|       |                                    | 5     | 0    | 0    | 0    | 0    | 0     | 0    | 0    |
|       |                                    | (100) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0)  | ( 0) | ( 0) |

[Urinary system]

|        |                   |      |      |      |      |      |      |      |      |
|--------|-------------------|------|------|------|------|------|------|------|------|
| kidney | basophilic change | < 5> |      |      |      | < 5> |      |      |      |
|        |                   | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|        |                   | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 5

|                       |   | Group Name              | Control |      |      |      | 1250 ppm |      |      |      | 2500 ppm |       |      |      | 5000 ppm |      |       |       |      |
|-----------------------|---|-------------------------|---------|------|------|------|----------|------|------|------|----------|-------|------|------|----------|------|-------|-------|------|
|                       |   | No. of Animals on Study | 5       |      |      |      | 5        |      |      |      | 5        |       |      |      | 5        |      |       |       |      |
| Organ                 | Findings                                  | Grade                   | 1       | 2    | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2     | 3    | 4    | 1        | 2    | 3     | 4     |      |
|                       |   |                         | (%)     | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)   | (%)  | (%)  | (%)      | (%)  | (%)   | (%)   |      |
| [Urinary system]      |   |                         |         |      |      |      |          |      |      |      |          |       |      |      |          |      |       |       |      |
| kidney                |   |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |       |      |      | < 5>     |      |       |       |      |
|                       | eosinophilic body                         |                         | 4       | 0    | 0    | 0    | 5        | 0    | 0    | 0    | 0        | 5     | 0    | 0    | 0        | 2    | 3     | 0     |      |
|                       |   |                         | ( 80)   | ( 0) | ( 0) | ( 0) | (100)    | ( 0) | ( 0) | ( 0) | ( 0)     | (100) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 40) | ( 60) | ( 0) |
|                       | mineralization:cortico-medullary junction |                         | 1       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0     | 0    | 0    | 0        | 0    | 0     | 0     |      |
|                       |   |                         | ( 20)   | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0)  | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0)  | ( 0)  |      |
| [Endocrine system]    |   |                         |         |      |      |      |          |      |      |      |          |       |      |      |          |      |       |       |      |
| pituitary             |   |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |       |      |      | < 5>     |      |       |       |      |
|                       | Rathke pouch                              |                         | 2       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0     | 0    | 0    | 0        | 0    | 0     | 0     |      |
|                       |   |                         | ( 40)   | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0)  | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0)  | ( 0)  |      |
| [Reproductive system] |   |                         |         |      |      |      |          |      |      |      |          |       |      |      |          |      |       |       |      |
| testis                |   |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |       |      |      | < 5>     |      |       |       |      |
|                       | germ cell necrosis                        |                         | 0       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0     | 0    | 0    | 0        | 0    | 0     | 0     |      |
|                       |   |                         | ( 0)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0)  | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0)  | ( 0)  |      |
| epididymis            |   |                         | < 5>    |      |      |      | < 5>     |      |      |      | < 5>     |       |      |      | < 5>     |      |       |       |      |
|                       | debris of spermatoc elements              |                         | 0       | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0     | 0    | 0    | 0        | 0    | 0     | 0     |      |
|                       |   |                         | ( 0)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0)  | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0)  | ( 0)  |      |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 6

| Organ                 | Findings                                  | Group Name<br>No. of Animals on Study<br>Grade | 10000 ppm |        |        |       | 20000 ppm |       |       |       |
|-----------------------|---|--|-----------|--------|--------|-------|-----------|-------|-------|-------|
|                       |   |  | 5         |        |        |       | 5         |       |       |       |
|                       |   |  | 1         | 2      | 3      | 4     | 1         | 2     | 3     | 4     |
|                       |   |  | (%)       | (%)    | (%)    | (%)   | (%)       | (%)   | (%)   | (%)   |
| [Urinary system]      |   |  |           |        |        |       |           |       |       |       |
| kidney                | eosinophilic body                         |  | < 5>      |        |        |       | < 5>      |       |       |       |
|                       |   |  | 0         | 2      | 3      | 0     | 3         | 0     | 0     | 0     |
|                       |   |  | ( 0 )     | ( 40 ) | ( 60 ) | ( 0 ) | ( 60 )    | ( 0 ) | ( 0 ) | ( 0 ) |
|                       | mineralization:cortico-medullary junction |  | 0         | 0      | 0      | 0     | 0         | 0     | 0     | 0     |
|                       |   |  | ( 0 )     | ( 0 )  | ( 0 )  | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) |
| [Endocrine system]    |   |  |           |        |        |       |           |       |       |       |
| pituitary             | Rathke pouch                              |  | < 5>      |        |        |       | < 5>      |       |       |       |
|                       |   |  | 0         | 0      | 0      | 0     | 0         | 0     | 0     | 0     |
|                       |   |  | ( 0 )     | ( 0 )  | ( 0 )  | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) |
| [Reproductive system] |   |  |           |        |        |       |           |       |       |       |
| testis                | germ cell necrosis                        |  | < 5>      |        |        |       | < 5>      |       |       |       |
|                       |   |  | 0         | 0      | 0      | 0     | 2         | 0     | 0     | 0     |
|                       |   |  | ( 0 )     | ( 0 )  | ( 0 )  | ( 0 ) | ( 40 )    | ( 0 ) | ( 0 ) | ( 0 ) |
| epididymis            | debris of spermatic elements              |  | < 5>      |        |        |       | < 5>      |       |       |       |
|                       |   |  | 0         | 0      | 0      | 0     | 3         | 0     | 0     | 0     |
|                       |   |  | ( 0 )     | ( 0 )  | ( 0 )  | ( 0 ) | ( 60 )    | ( 0 ) | ( 0 ) | ( 0 ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 7

|                                  |  | Group Name              | Control    |            |      |      | 1250 ppm |      |      |      | 2500 ppm |      |      |      | 5000 ppm |      |      |      |
|----------------------------------|--|-------------------------|------------|------------|------|------|----------|------|------|------|----------|------|------|------|----------|------|------|------|
|                                  |  | No. of Animals on Study | 5          |            |      |      | 5        |      |      |      | 5        |      |      |      | 5        |      |      |      |
| Organ_____                       | Findings_____                              | Grade                   | 1          | 2          | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2    | 3    | 4    |
|                                  |  |                         | (%)        | (%)        | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  |
| [Special sense organs/appendage] |  |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| Harder gl                        |  |                         | < 5>       |            |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                                  | degeneration                               |                         | 0          | 0          | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 5        | 0    | 0    | 0    |
|                                  |  |                         | ( 0)       | ( 0)       | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | (100)    | ( 0) | ( 0) | ( 0) |
|                                  | Lymphocytic infiltration                   |                         | 0          | 0          | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 1        | 0    | 0    | 0    |
|                                  |  |                         | ( 0)       | ( 0)       | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 20)    | ( 0) | ( 0) | ( 0) |
| Grade                            | 1 : Slight                                 | 2 : Moderate            | 3 : Marked | 4 : Severe |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| < a >                            | a : Number of animals examined at the site |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| b                                | b : Number of animals with lesion          |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| ( c )                            | c : b / a * 100                            |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| (HPT150)                         |  |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| BAIS                             |  |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |

BAIS3



STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 8

|       |          | Group Name              |  |  |  | 10000 ppm                     |  |  |  | 20000 ppm                     |  |  |  |
|-------|----------|-------------------------|--|--|--|-------------------------------|--|--|--|-------------------------------|--|--|--|
|       |          | No. of Animals on Study |  |  |  | 5                             |  |  |  | 5                             |  |  |  |
|       |          | Grade                   |  |  |  | 1      2      3      4        |  |  |  | 1      2      3      4        |  |  |  |
| Organ | Findings |                         |  |  |  | <u>1      2      3      4</u> |  |  |  | <u>1      2      3      4</u> |  |  |  |
|       |          |                         |  |  |  | (g/h) (g/h) (g/h) (g/h)       |  |  |  | (g/h) (g/h) (g/h) (g/h)       |  |  |  |

[Special sense organs/appendage]

|                          |  |       |       |      |      |      |       |      |      |
|--------------------------|--|-------|-------|------|------|------|-------|------|------|
| Harder gl                |  | < 5>  |       |      |      | < 5> |       |      |      |
| degeneration             |  | 4     | 1     | 0    | 0    | 0    | 5     | 0    | 0    |
|                          |  | ( 80) | ( 20) | ( 0) | ( 0) | ( 0) | (100) | ( 0) | ( 0) |
| Lymphocytic infiltration |  | 1     | 0     | 0    | 0    | 0    | 0     | 0    | 0    |
|                          |  | ( 20) | ( 0)  | ( 0) | ( 0) | ( 0) | ( 0)  | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

(HPT150)

BAIS3

## APPENDIX J 2

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : FEMALE : ALL ANIMALS

(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 9

| Organ                  | Findings                     | Group Name<br>No. of Animals on Study<br>Grade |       |       |       | Control<br>5 |       |       |       | 1250 ppm<br>5 |       |       |       | 2500 ppm<br>5 |       |       |       | 5000 ppm<br>5 |       |       |       |
|------------------------|------------------------------|--|-------|-------|-------|--------------|-------|-------|-------|---------------|-------|-------|-------|---------------|-------|-------|-------|---------------|-------|-------|-------|
|                        |                              | 1  | 2     | 3     | 4     | 1            | 2     | 3     | 4     | 1             | 2     | 3     | 4     | 1             | 2     | 3     | 4     | 1             | 2     | 3     | 4     |
|                        |                              | (%)  | (%)   | (%)   | (%)   | (%)          | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   |
| [Respiratory system]   |                              |  |       |       |       |              |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| nasal cavity           |                              | < 5>   |       |       |       | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | respiratory metaplasia:gland | 0  | 0     | 0     | 0     | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                              | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| [Hematopoietic system] |                              |  |       |       |       |              |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| bone marrow            |                              | < 5>   |       |       |       | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | congestion                   | 0  | 0     | 0     | 0     | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                              | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| thymus                 |                              | < 5>   |       |       |       | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | atrophy                      | 0  | 0     | 0     | 0     | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                              | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| spleen                 |                              | < 5>   |       |       |       | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | atrophy                      | 0  | 0     | 0     | 0     | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                              | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
|                        | deposit of hemosiderin       | 0  | 0     | 0     | 0     | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                              | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
|                        | extramedullary hematopoiesis | 0  | 0     | 0     | 0     | 0            | 0     | 0     | 0     | 1             | 0     | 0     | 0     | 5             | 0     | 0     | 0     | 5             | 0     | 0     | 0     |
|                        |                              | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 20 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 100 )       | ( 0 ) | ( 0 ) | ( 0 ) | ( 100 )       | ( 0 ) | ( 0 ) | ( 0 ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 10

| Organ                  | Findings                     | 10000 ppm               |       |      |      | 20000 ppm               |       |       |      |
|------------------------|------------------------------|-------------------------|-------|------|------|-------------------------|-------|-------|------|
|                        |                              | No. of Animals on Study |       |      |      | No. of Animals on Study |       |       |      |
|                        |                              | Grade                   |       |      |      | Grade                   |       |       |      |
|                        |                              | 1                       | 2     | 3    | 4    | 1                       | 2     | 3     | 4    |
|                        |                              | (%)                     | (%)   | (%)  | (%)  | (%)                     | (%)   | (%)   | (%)  |
| [Respiratory system]   |                              |                         |       |      |      |                         |       |       |      |
| nasal cavity           |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | respiratory metaplasia:gland | 0                       | 1     | 0    | 0    | 0                       | 0     | 0     | 0    |
|                        |                              | ( 0)                    | ( 20) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0)  | ( 0) |
| [Hematopoietic system] |                              |                         |       |      |      |                         |       |       |      |
| bone marrow            |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | congestion                   | 0                       | 0     | 0    | 0    | 0                       | 5     | 0     | 0    |
|                        |                              | ( 0)                    | ( 0)  | ( 0) | ( 0) | ( 0)                    | (100) | ( 0)  | ( 0) |
| thymus                 |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | atrophy                      | 0                       | 0     | 0    | 0    | 0                       | 0     | 5     | 0    |
|                        |                              | ( 0)                    | ( 0)  | ( 0) | ( 0) | ( 0)                    | ( 0)  | (100) | ( 0) |
| spleen                 |                              | < 5>                    |       |      |      | < 5>                    |       |       |      |
|                        | atrophy                      | 0                       | 0     | 0    | 0    | 0                       | 5     | 0     | 0    |
|                        |                              | ( 0)                    | ( 0)  | ( 0) | ( 0) | ( 0)                    | (100) | ( 0)  | ( 0) |
|                        | deposit of hemosiderin       | 0                       | 0     | 0    | 0    | 2                       | 0     | 0     | 0    |
|                        |                              | ( 0)                    | ( 0)  | ( 0) | ( 0) | ( 40)                   | ( 0)  | ( 0)  | ( 0) |
|                        | extramedullary hematopoiesis | 5                       | 0     | 0    | 0    | 0                       | 0     | 0     | 0    |
|                        |                              | (100)                   | ( 0)  | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0)  | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 11

| Organ                  | Findings                           | Control<br>5 |       |       |       | 1250 ppm<br>5 |       |       |       | 2500 ppm<br>5 |       |       |       | 5000 ppm<br>5 |       |       |       |
|------------------------|------------------------------------|--------------|-------|-------|-------|---------------|-------|-------|-------|---------------|-------|-------|-------|---------------|-------|-------|-------|
|                        |                                    | 1            | 2     | 3     | 4     | 1             | 2     | 3     | 4     | 1             | 2     | 3     | 4     | 1             | 2     | 3     | 4     |
|                        |                                    | (%)          | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   |
| [Hematopoietic system] |                                    |              |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| spleen                 |                                    | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | engorgement of erythrocyte         | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 5             | 0     | 0     | 0     | 5             | 0     | 0     | 0     |
|                        |                                    | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | (100)         | ( 0 ) | ( 0 ) | ( 0 ) | (100)         | ( 0 ) | ( 0 ) | ( 0 ) |
| [Digestive system]     |                                    |              |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| liver                  |                                    | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | herniation                         | 0            | 0     | 0     | 0     | 2             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                                    | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 40 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
|                        | hepatocellular hypertrophy:central | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 2             | 0     | 0     | 0     |
|                        |                                    | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 40 )        | ( 0 ) | ( 0 ) | ( 0 ) |
| [Urinary system]       |                                    |              |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| kidney                 |                                    | < 5>         |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | basophilic change                  | 0            | 0     | 0     | 0     | 1             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 1             | 0     | 0     | 0     |
|                        |                                    | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 20 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 20 )        | ( 0 ) | ( 0 ) | ( 0 ) |
|                        | tubular necrosis                   | 0            | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                                    | ( 0 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 12

|                        |                                    | Group Name              |      |      |      | 10000 ppm |       |       |      | 20000 ppm |       |       |      |
|------------------------|------------------------------------|-------------------------|------|------|------|-----------|-------|-------|------|-----------|-------|-------|------|
|                        |                                    | No. of Animals on Study |      |      |      | 5         |       |       |      | 5         |       |       |      |
| Organ_____             | Findings_____                      | Grade                   |      |      |      | 1         | 2     | 3     | 4    | 1         | 2     | 3     | 4    |
|                        |                                    |                         |      |      |      | (%)       | (%)   | (%)   | (%)  | (%)       | (%)   | (%)   | (%)  |
| <hr/>                  |                                    |                         |      |      |      |           |       |       |      |           |       |       |      |
| [Hematopoietic system] |                                    |                         |      |      |      |           |       |       |      |           |       |       |      |
| spleen                 |                                    | < 5>                    |      |      |      | < 5>      |       |       |      |           |       |       |      |
|                        | engorgement of erythrocyte         | 5                       | 0    | 0    | 0    | 3         | 0     | 0     | 0    | 0         | 0     | 0     | 0    |
|                        |                                    | (100)                   | ( 0) | ( 0) | ( 0) | ( 60)     | ( 0)  | ( 0)  | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) |
| [Digestive system]     |                                    |                         |      |      |      |           |       |       |      |           |       |       |      |
| Liver                  |                                    | < 5>                    |      |      |      | < 5>      |       |       |      |           |       |       |      |
|                        | herniation                         | 0                       | 0    | 0    | 0    | 0         | 0     | 0     | 0    | 0         | 0     | 0     | 0    |
|                        |                                    | ( 0)                    | ( 0) | ( 0) | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) |
|                        | hepatocellular hypertrophy:central | 4                       | 0    | 0    | 0    | 0         | 0     | 0     | 0    | 0         | 0     | 0     | 0    |
|                        |                                    | ( 80)                   | ( 0) | ( 0) | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) |
| [Urinary system]       |                                    |                         |      |      |      |           |       |       |      |           |       |       |      |
| kidney                 |                                    | < 5>                    |      |      |      | < 5>      |       |       |      |           |       |       |      |
|                        | basophilic change                  | 1                       | 0    | 0    | 0    | 0         | 0     | 0     | 0    | 0         | 0     | 0     | 0    |
|                        |                                    | ( 20)                   | ( 0) | ( 0) | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) |
|                        | tubular necrosis                   | 0                       | 0    | 0    | 0    | 0         | 2     | 2     | 0    | 0         | 2     | 2     | 0    |
|                        |                                    | ( 0)                    | ( 0) | ( 0) | ( 0) | ( 0)      | ( 40) | ( 40) | ( 0) | ( 0)      | ( 40) | ( 40) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 13

| Organ                            | Findings                                  | Group Name<br>No. of Animals on Study<br>Grade | Control<br>5 |      |      |      | 1250 ppm<br>5 |      |      |      | 2500 ppm<br>5 |      |      |      | 5000 ppm<br>5 |      |      |      |
|----------------------------------|---|--|--------------|------|------|------|---------------|------|------|------|---------------|------|------|------|---------------|------|------|------|
|                                  |   |  | 1            | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2    | 3    | 4    |
|                                  |   |  | (%)          | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  |
| [Urinary system]                 |   |  |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| kidney                           |   |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                                  | mineralization:cortico-medullary junction |  | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                                  |   |  | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
|                                  | mineralization:papilla                    |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 1             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                                  |   |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 20)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
|                                  | mineralization:cortex                     |  | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                                  |   |  | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| [Endocrine system]               |   |  |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| pituitary                        |   |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                                  | Rathke pouch                              |  | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                                  |   |  | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| thyroid                          |   |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                                  | ultimibranchial body remanet              |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                                  |   |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| [Special sense organs/appendage] |   |  |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| Harder gl                        |   |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                                  | degeneration                              |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 1             | 0    | 0    | 0    |
|                                  |   |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 20)         | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 14

| Organ                            | Findings                                  | 10000 ppm               |      |      |      | 20000 ppm               |       |      |      |
|----------------------------------|---|-------------------------|------|------|------|-------------------------|-------|------|------|
|                                  |   | No. of Animals on Study |      |      |      | No. of Animals on Study |       |      |      |
|                                  |   | 1                       | 2    | 3    | 4    | 1                       | 2     | 3    | 4    |
|                                  |   | (%)                     | (%)  | (%)  | (%)  | (%)                     | (%)   | (%)  | (%)  |
| [Urinary system]                 |   |                         |      |      |      |                         |       |      |      |
| kidney                           |   | < 5>                    |      |      |      | < 5>                    |       |      |      |
|                                  | mineralization:cortico-medullary junction | 0                       | 0    | 0    | 0    | 0                       | 0     | 0    | 0    |
|                                  |   | ( 0)                    | ( 0) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0) | ( 0) |
|                                  | mineralization:papilla                    | 0                       | 0    | 0    | 0    | 0                       | 0     | 0    | 0    |
|                                  |   | ( 0)                    | ( 0) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0) | ( 0) |
|                                  | mineralization:cortex                     | 0                       | 0    | 0    | 0    | 0                       | 0     | 0    | 0    |
|                                  |   | ( 0)                    | ( 0) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0) | ( 0) |
| [Endocrine system]               |   |                         |      |      |      |                         |       |      |      |
| pituitary                        |   | < 5>                    |      |      |      | < 5>                    |       |      |      |
|                                  | Rathke pouch                              | 0                       | 0    | 0    | 0    | 0                       | 0     | 0    | 0    |
|                                  |   | ( 0)                    | ( 0) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0) | ( 0) |
| thyroid                          |   | < 5>                    |      |      |      | < 5>                    |       |      |      |
|                                  | ultimibranchial body remanet              | 1                       | 0    | 0    | 0    | 0                       | 0     | 0    | 0    |
|                                  |   | ( 20)                   | ( 0) | ( 0) | ( 0) | ( 0)                    | ( 0)  | ( 0) | ( 0) |
| [Special sense organs/appendage] |   |                         |      |      |      |                         |       |      |      |
| Harder gl                        |   | < 5>                    |      |      |      | < 5>                    |       |      |      |
|                                  | degeneration                              | 2                       | 0    | 0    | 0    | 0                       | 3     | 0    | 0    |
|                                  |   | ( 40)                   | ( 0) | ( 0) | ( 0) | ( 0)                    | ( 60) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100



STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 ALL ANIMALS (0- 2W)

PAGE : 15

|       |          | Group Name              |     |     |     | Control |     |     |     | 1250 ppm |     |     |     | 2500 ppm |     |     |     | 5000 ppm |     |     |     |
|-------|----------|-------------------------|-----|-----|-----|---------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|
|       |          | No. of Animals on Study |     |     |     | 5       |     |     |     | 5        |     |     |     | 5        |     |     |     | 5        |     |     |     |
|       |          | Grade                   |     |     |     | 1       | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   |
| Organ | Findings | (%)                     | (%) | (%) | (%) | (%)     | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) |

[Special sense organs/appendage]

|           |                          |      |      |      |      |      |      |      |      |      |      |      |      |       |       |      |      |
|-----------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|------|------|
| Harder gl | Lymphocytic infiltration | < 5> |      |      |      | < 5> |      |      |      | < 5> |      |      |      | < 5>  |       |      |      |
|           |                          | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 2     | 2     | 0    | 0    |
|           |                          | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 40) | ( 40) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

(HPT150)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
ALL ANIMALS (0- 2W)

PAGE : 16

| Organ | Findings | Group Name              |  | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|-------------------------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          | No. of Animals on Study |  | 5         |     |     |     | 5         |     |     |     |
|       |          | Grade                   |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |                         |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Special sense organs/appendage]

|           |                          |       |      |      |      |      |      |      |      |
|-----------|--------------------------|-------|------|------|------|------|------|------|------|
| Harder gl | Lymphocytic infiltration | < 5>  |      |      |      | < 5> |      |      |      |
|           |                          | 5     | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|           |                          | (100) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100

(HPT150)

BAIS3

## APPENDIX J 3

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : FEMALE : DEAD AND MORIBUND ANIMALS

(2-WEEK STUDY)

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 2W)

PAGE : 1

|                        |                            | Group Name              | Control |       |       |       | 1250 ppm |       |       |       | 2500 ppm |       |       |       | 5000 ppm |       |       |       |
|------------------------|----------------------------|-------------------------|---------|-------|-------|-------|----------|-------|-------|-------|----------|-------|-------|-------|----------|-------|-------|-------|
|                        |                            | No. of Animals on Study | 0       |       |       |       | 0        |       |       |       | 0        |       |       |       | 0        |       |       |       |
| Organ                  | Findings                   | Grade                   | 1       | 2     | 3     | 4     | 1        | 2     | 3     | 4     | 1        | 2     | 3     | 4     | 1        | 2     | 3     | 4     |
|                        |                            |                         | (%)     | (%)   | (%)   | (%)   | (%)      | (%)   | (%)   | (%)   | (%)      | (%)   | (%)   | (%)   | (%)      | (%)   | (%)   | (%)   |
| [Hematopoietic system] |                            |                         |         |       |       |       |          |       |       |       |          |       |       |       |          |       |       |       |
| bone marrow            | congestion                 |                         | < 0>    |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       |
|                        |                            |                         | -       | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     |
|                        | ( - )                      | ( - )                   | ( - )   | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) |
| thymus                 | atrophy                    |                         | < 0>    |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       |
|                        |                            |                         | -       | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     |
|                        |                            | ( - )                   | ( - )   | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) |
| spleen                 | atrophy                    |                         | < 0>    |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       |
|                        |                            |                         | -       | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     |
|                        |                            | ( - )                   | ( - )   | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) |
|                        | deposit of hemosiderin     |                         | < 0>    |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       |
|                        |                            | -                       | -       | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     |
|                        |                            | ( - )                   | ( - )   | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) |
|                        | engorgement of erythrocyte |                         | < 0>    |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       |
|                        |                            | -                       | -       | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     |
|                        |                            | ( - )                   | ( - )   | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) |
| [Urinary system]       |                            |                         |         |       |       |       |          |       |       |       |          |       |       |       |          |       |       |       |
| kidney                 | tubular necrosis           |                         | < 0>    |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       | < 0>     |       |       |       |
|                        |                            |                         | -       | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     | -        | -     | -     | -     |
|                        | ( - )                      | ( - )                   | ( - )   | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) | ( - ) | ( - )    | ( - ) | ( - ) |       |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 DEAD AND MORIBUND ANIMALS (0- 2W)

PAGE : 2

| Organ                  | Findings                   | 10000 ppm |       |       |       | 20000 ppm |         |         |       |
|------------------------|----------------------------|-----------|-------|-------|-------|-----------|---------|---------|-------|
|                        |                            | 0         |       |       |       | 5         |         |         |       |
|                        |                            | 1         | 2     | 3     | 4     | 1         | 2       | 3       | 4     |
|                        |                            | (%)       | (%)   | (%)   | (%)   | (%)       | (%)     | (%)     | (%)   |
| [Hematopoietic system] |                            |           |       |       |       |           |         |         |       |
| bone marrow            |                            | < 0>      |       |       |       | < 5>      |         |         |       |
|                        | congestion                 | -         | -     | -     | -     | 0         | 5       | 0       | 0     |
|                        |                            | ( - )     | ( - ) | ( - ) | ( - ) | ( 0 )     | ( 100 ) | ( 0 )   | ( 0 ) |
| thymus                 |                            | < 0>      |       |       |       | < 5>      |         |         |       |
|                        | atrophy                    | -         | -     | -     | -     | 0         | 0       | 5       | 0     |
|                        |                            | ( - )     | ( - ) | ( - ) | ( - ) | ( 0 )     | ( 0 )   | ( 100 ) | ( 0 ) |
| spleen                 |                            | < 0>      |       |       |       | < 5>      |         |         |       |
|                        | atrophy                    | -         | -     | -     | -     | 0         | 5       | 0       | 0     |
|                        |                            | ( - )     | ( - ) | ( - ) | ( - ) | ( 0 )     | ( 100 ) | ( 0 )   | ( 0 ) |
|                        |                            | < 0>      |       |       |       | < 5>      |         |         |       |
|                        | deposit of hemosiderin     | -         | -     | -     | -     | 2         | 0       | 0       | 0     |
|                        |                            | ( - )     | ( - ) | ( - ) | ( - ) | ( 40 )    | ( 0 )   | ( 0 )   | ( 0 ) |
|                        |                            | < 0>      |       |       |       | < 5>      |         |         |       |
|                        | engorgement of erythrocyte | -         | -     | -     | -     | 3         | 0       | 0       | 0     |
|                        |                            | ( - )     | ( - ) | ( - ) | ( - ) | ( 60 )    | ( 0 )   | ( 0 )   | ( 0 ) |
| [Urinary system]       |                            |           |       |       |       |           |         |         |       |
| kidney                 |                            | < 0>      |       |       |       | < 5>      |         |         |       |
|                        | tubular necrosis           | -         | -     | -     | -     | 0         | 2       | 2       | 0     |
|                        |                            | ( - )     | ( - ) | ( - ) | ( - ) | ( 0 )     | ( 40 )  | ( 40 )  | ( 0 ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 DEAD AND MORIBUND ANIMALS (0- 2W)

PAGE : 3

| Organ | Findings | Group Name              |     |     |     | Control |     |     |     | 1250 ppm |     |     |     | 2500 ppm |     |     |     | 5000 ppm |     |     |     |
|-------|----------|-------------------------|-----|-----|-----|---------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|
|       |          | No. of Animals on Study |     |     |     | 0       |     |     |     | 0        |     |     |     | 0        |     |     |     | 0        |     |     |     |
|       |          | Grade                   |     |     |     | 1       | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   |
|       |          | (%)                     | (%) | (%) | (%) | (%)     | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) |

[Special sense organs/appendage]

|           |              |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-----------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Harder gl | degeneration | < 0>  |       |       |       | < 0>  |       |       |       | < 0>  |       |       |       | < 0>  |       |       |       |
|           |              | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) | ( - ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100

(HPT150)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
DEAD AND MORIBUND ANIMALS (0- 2W)

PAGE : 4

| Organ | Findings | Group Name              |  | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|-------------------------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          | No. of Animals on Study |  | 0         |     |     |     | 5         |     |     |     |
|       |          | Grade                   |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |                         |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Special sense organs/appendage]

|              |  |      |      |      |      |      |       |      |      |
|--------------|--|------|------|------|------|------|-------|------|------|
| Harder gl    |  | < 0> |      |      |      | < 5> |       |      |      |
| degeneration |  | -    | -    | -    | -    | 0    | 3     | 0    | 0    |
|              |  | ( -) | ( -) | ( -) | ( -) | ( 0) | ( 60) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100

(HPT150)

BAIS3

## APPENDIX J 4

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : MALE : SACRIFICED ANIMALS

(2-WEEK STUDY)



STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 1

| Organ                  | Findings                     | Group Name<br>No. of Animals on Study<br>Grade | Control<br>5 |      |      |      | 1250 ppm<br>5 |      |      |      | 2500 ppm<br>5 |      |      |      | 5000 ppm<br>5 |      |      |      |
|------------------------|------------------------------|--|--------------|------|------|------|---------------|------|------|------|---------------|------|------|------|---------------|------|------|------|
|                        |                              |  | 1            | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2    | 3    | 4    |
|                        |                              |  | (%)          | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  |
| [Respiratory system]   |                              |  |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| nasal cavit            |                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                        | respiratory metaplasia:gland |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 1             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                        |                              |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 20)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
|                        |                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                        | engorgement of erythrocyte   |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                        |                              |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| [Hematopoietic system] |                              |  |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| bone marrow            |                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                        | congestion                   |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                        |                              |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| thymus                 |                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                        | atrophy                      |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                        |                              |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| spleen                 |                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                        | deposit of hemosiderin       |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                        |                              |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
|                        |                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                        | extramedullary hematopoiesis |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 4             | 0    | 0    | 0    | 5             | 0    | 0    | 0    |
|                        |                              |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 80)         | ( 0) | ( 0) | ( 0) | ( 100)        | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 2

| Organ                  | Findings                     | 10000 ppm |       |      |      | 20000 ppm |       |       |      |
|------------------------|------------------------------|-----------|-------|------|------|-----------|-------|-------|------|
|                        |                              | 5         |       |      |      | 5         |       |       |      |
|                        |                              | 1         | 2     | 3    | 4    | 1         | 2     | 3     | 4    |
|                        |                              | (%)       | (%)   | (%)  | (%)  | (%)       | (%)   | (%)   | (%)  |
| [Respiratory system]   |                              |           |       |      |      |           |       |       |      |
| nasal cavity           |                              | < 5>      |       |      |      | < 5>      |       |       |      |
|                        | respiratory metaplasia:gland | 1         | 0     | 0    | 0    | 1         | 0     | 0     | 0    |
|                        |                              | ( 20)     | ( 0)  | ( 0) | ( 0) | ( 20)     | ( 0)  | ( 0)  | ( 0) |
|                        |                              | < 5>      |       |      |      | < 5>      |       |       |      |
|                        | engorgement of erythrocyte   | 0         | 1     | 0    | 0    | 0         | 0     | 0     | 0    |
|                        |                              | ( 0)      | ( 20) | ( 0) | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) |
| [Hematopoietic system] |                              |           |       |      |      |           |       |       |      |
| bone marrow            |                              | < 5>      |       |      |      | < 5>      |       |       |      |
|                        | congestion                   | 0         | 0     | 0    | 0    | 2         | 1     | 0     | 0    |
|                        |                              | ( 0)      | ( 0)  | ( 0) | ( 0) | ( 40)     | ( 20) | ( 0)  | ( 0) |
| thymus                 |                              | < 5>      |       |      |      | < 5>      |       |       |      |
|                        | atrophy                      | 0         | 0     | 0    | 0    | 0         | 0     | 5     | 0    |
|                        |                              | ( 0)      | ( 0)  | ( 0) | ( 0) | ( 0)      | ( 0)  | (100) | ( 0) |
| spleen                 |                              | < 5>      |       |      |      | < 5>      |       |       |      |
|                        | deposit of hemosiderin       | 2         | 0     | 0    | 0    | 5         | 0     | 0     | 0    |
|                        |                              | ( 40)     | ( 0)  | ( 0) | ( 0) | (100)     | ( 0)  | ( 0)  | ( 0) |
|                        |                              | < 5>      |       |      |      | < 5>      |       |       |      |
|                        | extramedullary hematopoiesis | 5         | 0     | 0    | 0    | 0         | 0     | 0     | 0    |
|                        |                              | (100)     | ( 0)  | ( 0) | ( 0) | ( 0)      | ( 0)  | ( 0)  | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 3

|                        |  | Group Name              | Control    |            |      |      | 1250 ppm |      |      |      | 2500 ppm |      |      |      | 5000 ppm |      |      |      |
|------------------------|--|-------------------------|------------|------------|------|------|----------|------|------|------|----------|------|------|------|----------|------|------|------|
|                        |  | No. of Animals on Study | 5          |            |      |      | 5        |      |      |      | 5        |      |      |      | 5        |      |      |      |
| Organ                  | Findings                                   | Grade                   | 1          | 2          | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2    | 3    | 4    | 1        | 2    | 3    | 4    |
|                        |  |                         | (%)        | (%)        | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  | (%)      | (%)  | (%)  | (%)  |
| [Hematopoietic system] |  |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| spleen                 |  |                         | < 5>       |            |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                        | engorgement of erythrocyte                 |                         | 0          | 0          | 0    | 0    | 0        | 0    | 0    | 0    | 4        | 0    | 0    | 0    | 5        | 0    | 0    | 0    |
|                        |  |                         | ( 0)       | ( 0)       | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 80)    | ( 0) | ( 0) | ( 0) | (100)    | ( 0) | ( 0) | ( 0) |
| [Digestive system]     |  |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| Liver                  |  |                         | < 5>       |            |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                        | herniation                                 |                         | 0          | 0          | 0    | 0    | 1        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    |
|                        |  |                         | ( 0)       | ( 0)       | ( 0) | ( 0) | ( 20)    | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) |
|                        | necrosis:focal                             |                         | 0          | 0          | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    |
|                        |  |                         | ( 0)       | ( 0)       | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) |
|                        | hepatocellular hypertrophy:central         |                         | 0          | 0          | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 3        | 0    | 0    | 0    |
|                        |  |                         | ( 0)       | ( 0)       | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 60)    | ( 0) | ( 0) | ( 0) |
| [Urinary system]       |  |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| kidney                 |  |                         | < 5>       |            |      |      | < 5>     |      |      |      | < 5>     |      |      |      | < 5>     |      |      |      |
|                        | basophilic change                          |                         | 1          | 0          | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    | 0        | 0    | 0    | 0    |
|                        |  |                         | ( 20)      | ( 0)       | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) | ( 0)     | ( 0) | ( 0) | ( 0) |
| Grade                  | 1 : Slight                                 | 2 : Moderate            | 3 : Marked | 4 : Severe |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| < a >                  | a : Number of animals examined at the site |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| b                      | b : Number of animals with lesion          |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |
| ( c )                  | c : b / a * 100                            |                         |            |            |      |      |          |      |      |      |          |      |      |      |          |      |      |      |

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 4

| Organ | Findings | Group Name<br>No. of Animals on Study<br>Grade | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          |  | 5         |     |     |     | 5         |     |     |     |
|       |          |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Hematopoietic system]

|        |                            |       |      |      |      |       |      |      |      |
|--------|----------------------------|-------|------|------|------|-------|------|------|------|
| spleen | engorgement of erythrocyte | < 5>  |      |      |      | < 5>  |      |      |      |
|        |                            | 5     | 0    | 0    | 0    | 5     | 0    | 0    | 0    |
|        |                            | (100) | ( 0) | ( 0) | ( 0) | (100) | ( 0) | ( 0) | ( 0) |

[Digestive system]

|       |                                    |       |      |      |      |      |       |      |      |
|-------|------------------------------------|-------|------|------|------|------|-------|------|------|
| Liver | herniation                         | < 5>  |      |      |      | < 5> |       |      |      |
|       |                                    | 0     | 0    | 0    | 0    | 0    | 0     | 0    | 0    |
|       |                                    | ( 0)  | ( 0) | ( 0) | ( 0) | ( 0) | ( 0)  | ( 0) | ( 0) |
|       | necrosis:focal                     | 0     | 0    | 0    | 0    | 0    | 3     | 0    | 0    |
|       |                                    | ( 0)  | ( 0) | ( 0) | ( 0) | ( 0) | ( 60) | ( 0) | ( 0) |
|       | hepatocellular hypertrophy:central | 5     | 0    | 0    | 0    | 0    | 0     | 0    | 0    |
|       |                                    | (100) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0)  | ( 0) | ( 0) |

[Urinary system]

|        |                   |      |      |      |      |      |      |      |      |
|--------|-------------------|------|------|------|------|------|------|------|------|
| kidney | basophilic change | < 5> |      |      |      | < 5> |      |      |      |
|        |                   | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|        |                   | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) |

|       |  |              |            |            |
|-------|--|--------------|------------|------------|
| Grade | 1 : Slight                                 | 2 : Moderate | 3 : Marked | 4 : Severe |
| < a > | a : Number of animals examined at the site |              |            |            |
| b     | b : Number of animals with lesion          |              |            |            |
| ( c ) | c : b / a * 100                            |              |            |            |

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 5

| Organ                 | Findings                                  | Group Name<br>No. of Animals on Study<br>Grade | Control<br>5 |      |      |      | 1250 ppm<br>5 |      |      |      | 2500 ppm<br>5 |       |      |      | 5000 ppm<br>5 |      |       |       |
|-----------------------|---|--|--------------|------|------|------|---------------|------|------|------|---------------|-------|------|------|---------------|------|-------|-------|
|                       |   |  | 1            | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2     | 3    | 4    | 1             | 2    | 3     | 4     |
|                       |   |  | (%)          | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)   | (%)  | (%)  | (%)           | (%)  | (%)   | (%)   |
| [Urinary system]      |   |  |              |      |      |      |               |      |      |      |               |       |      |      |               |      |       |       |
| kidney                | eosinophilic body                         |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |       |      |      | < 5>          |      |       |       |
|                       |   |  | 4            | 0    | 0    | 0    | 5             | 0    | 0    | 0    | 0             | 5     | 0    | 0    | 0             | 0    | 2     | 3     |
|                       |   |  | ( 80)        | ( 0) | ( 0) | ( 0) | (100)         | ( 0) | ( 0) | ( 0) | ( 0)          | (100) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 40) | ( 60) |
|                       | mineralization:cortico-medullary junction |  | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0     | 0    | 0    | 0             | 0    | 0     | 0     |
|                       |   |  | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0)  | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0)  | ( 0)  |
| [Endocrine system]    |   |  |              |      |      |      |               |      |      |      |               |       |      |      |               |      |       |       |
| pituitary             | Rathke pouch                              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |       |      |      | < 5>          |      |       |       |
|                       |   |  | 2            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0     | 0    | 0    | 0             | 0    | 0     | 0     |
|                       |   |  | ( 40)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0)  | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0)  | ( 0)  |
| [Reproductive system] |   |  |              |      |      |      |               |      |      |      |               |       |      |      |               |      |       |       |
| testis                | germ cell necrosis                        |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |       |      |      | < 5>          |      |       |       |
|                       |   |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0     | 0    | 0    | 0             | 0    | 0     | 0     |
|                       |   |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0)  | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0)  | ( 0)  |
| epididymis            | debris of spermatic elements              |  | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |       |      |      | < 5>          |      |       |       |
|                       |   |  | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0     | 0    | 0    | 0             | 0    | 0     | 0     |
|                       |   |  | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0)  | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0)  | ( 0)  |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b b : Number of animals with lesion  
( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 6

| Organ                 | Findings                                  | Group Name<br>No. of Animals on Study |        |        |       | 10000 ppm |       |       |       | 20000 ppm |       |       |       |
|-----------------------|---|---------------------------------------|--------|--------|-------|-----------|-------|-------|-------|-----------|-------|-------|-------|
|                       |   | Grade                                 |        |        |       | 5         |       |       |       | 5         |       |       |       |
|                       |   | 1                                     | 2      | 3      | 4     | 1         | 2     | 3     | 4     | 1         | 2     | 3     | 4     |
|                       |   | (%)                                   | (%)    | (%)    | (%)   | (%)       | (%)   | (%)   | (%)   | (%)       | (%)   | (%)   | (%)   |
| [Urinary system]      |   |                                       |        |        |       |           |       |       |       |           |       |       |       |
| kidney                | eosinophilic body                         | < 5>                                  |        |        |       | 0         | 2     | 3     | 0     | < 5>      |       |       |       |
|                       |   | ( 0 )                                 | ( 40 ) | ( 60 ) | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) | ( 60 )    | ( 0 ) | ( 0 ) | ( 0 ) |
|                       | mineralization:cortico-medullary junction | < 5>                                  |        |        |       | 0         | 0     | 0     | 0     | < 5>      |       |       |       |
|                       |   | ( 0 )                                 | ( 0 )  | ( 0 )  | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) |
| [Endocrine system]    |   |                                       |        |        |       |           |       |       |       |           |       |       |       |
| pituitary             | Rathke pouch                              | < 5>                                  |        |        |       | 0         | 0     | 0     | 0     | < 5>      |       |       |       |
|                       |   | ( 0 )                                 | ( 0 )  | ( 0 )  | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) |
| [Reproductive system] |   |                                       |        |        |       |           |       |       |       |           |       |       |       |
| testis                | germ cell necrosis                        | < 5>                                  |        |        |       | 0         | 0     | 0     | 0     | < 5>      |       |       |       |
|                       |   | ( 0 )                                 | ( 0 )  | ( 0 )  | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) | ( 40 )    | ( 0 ) | ( 0 ) | ( 0 ) |
| epididymis            | debris of spermatic elements              | < 5>                                  |        |        |       | 0         | 0     | 0     | 0     | < 5>      |       |       |       |
|                       |   | ( 0 )                                 | ( 0 )  | ( 0 )  | ( 0 ) | ( 0 )     | ( 0 ) | ( 0 ) | ( 0 ) | ( 60 )    | ( 0 ) | ( 0 ) | ( 0 ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 7

| Organ | Findings | Control |     |     |     | 1250 ppm |     |     |     | 2500 ppm |     |     |     | 5000 ppm |     |     |     |
|-------|----------|---------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|
|       |          | 5       |     |     |     | 5        |     |     |     | 5        |     |     |     | 5        |     |     |     |
|       |          | 1       | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   |
|       |          | (%)     | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) |

[Special sense organs/appendage]

|                          |  |      |      |      |      |      |      |      |      |      |      |      |      |       |      |      |      |
|--------------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|-------|------|------|------|
| Harder gl                |  | < 5> |      |      |      | < 5> |      |      |      | < 5> |      |      |      | < 5>  |      |      |      |
| degeneration             |  | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 5     | 0    | 0    | 0    |
|                          |  | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | (100) | ( 0) | ( 0) | ( 0) |
| Lymphocytic infiltration |  | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 1     | 0    | 0    | 0    |
|                          |  | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 20) | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

(HPT150)

BAIS3

STUDY NO. : 0360  
ANIMAL : RAT F344/DuCrj  
REPORT TYPE : A1  
SEX : MALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
SACRIFICED ANIMALS ( 2W)

PAGE : 8

| Organ | Findings | Group Name              |  | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|-------------------------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          | No. of Animals on Study |  | 5         |     |     |     | 5         |     |     |     |
|       |          | Grade                   |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |                         |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Special sense organs/appendage]

|           |                          |       |       |      |      |      |       |      |      |
|-----------|--------------------------|-------|-------|------|------|------|-------|------|------|
| Harder gl | degeneration             | < 5>  |       |      |      | < 5> |       |      |      |
|           |                          | 4     | 1     | 0    | 0    | 0    | 5     | 0    | 0    |
|           |                          | ( 80) | ( 20) | ( 0) | ( 0) | ( 0) | (100) | ( 0) | ( 0) |
|           | Lymphocytic infiltration | < 5>  |       |      |      | < 5> |       |      |      |
|           |                          | 1     | 0     | 0    | 0    | 0    | 0     | 0    | 0    |
|           |                          | ( 20) | ( 0)  | ( 0) | ( 0) | ( 0) | ( 0)  | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
< a > a : Number of animals examined at the site  
b : Number of animals with lesion  
( c ) c : b / a \* 100

(HPT150)

BAIS3



## APPENDIX J 5

HISTOLOGICAL FINDINGS : NON-NEOPLASTIC LESIONS : SUMMARY

RAT : FEMALE : SACRIFICED ANIMALS

(2-WEEK STUDY)

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 9

| Organ                  | Findings                           | Control<br>No. of Animals on Study<br>Grade |       |       |       | 1250 ppm<br>5 |       |       |       | 2500 ppm<br>5 |       |       |       | 5000 ppm<br>5 |       |       |       |
|------------------------|------------------------------------|---|-------|-------|-------|---------------|-------|-------|-------|---------------|-------|-------|-------|---------------|-------|-------|-------|
|                        |                                    | 1   | 2     | 3     | 4     | 1             | 2     | 3     | 4     | 1             | 2     | 3     | 4     | 1             | 2     | 3     | 4     |
|                        |                                    | (%)   | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   | (%)           | (%)   | (%)   | (%)   |
| [Respiratory system]   |                                    |   |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| nasal cavity           |                                    | < 5>  |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | respiratory metaplasia:gland       | 0   | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                                    | ( 0 )                                       | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
| [Hematopoietic system] |                                    |   |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| spleen                 |                                    | < 5>  |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | extramedullary hematopoiesis       | 0   | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 1             | 0     | 0     | 0     | 5             | 0     | 0     | 0     |
|                        |                                    | ( 0 )                                       | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 20 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 100 )       | ( 0 ) | ( 0 ) | ( 0 ) |
|                        |                                    | < 5>  |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | engorgement of erythrocyte         | 0   | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 5             | 0     | 0     | 0     | 5             | 0     | 0     | 0     |
|                        |                                    | ( 0 )                                       | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 100 )       | ( 0 ) | ( 0 ) | ( 0 ) | ( 100 )       | ( 0 ) | ( 0 ) | ( 0 ) |
| [Digestive system]     |                                    |   |       |       |       |               |       |       |       |               |       |       |       |               |       |       |       |
| liver                  |                                    | < 5>  |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | herniation                         | 0   | 0     | 0     | 0     | 2             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     |
|                        |                                    | ( 0 )                                       | ( 0 ) | ( 0 ) | ( 0 ) | ( 40 )        | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) |
|                        |                                    | < 5>  |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       | < 5>          |       |       |       |
|                        | hepatocellular hypertrophy:central | 0   | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 0             | 0     | 0     | 0     | 2             | 0     | 0     | 0     |
|                        |                                    | ( 0 )                                       | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 0 )         | ( 0 ) | ( 0 ) | ( 0 ) | ( 40 )        | ( 0 ) | ( 0 ) | ( 0 ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 10

| Organ | Findings | Group Name<br>No. of Animals on Study<br>Grade | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          |  | 5         |     |     |     | 0         |     |     |     |
|       |          |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Respiratory system]

|              |                              |       |        |       |       |       |       |       |       |
|--------------|------------------------------|-------|--------|-------|-------|-------|-------|-------|-------|
| nasal cavity | respiratory metaplasia:gland | < 5>  |        |       |       | < 0>  |       |       |       |
|              |                              | 0     | 1      | 0     | 0     | -     | -     | -     | -     |
|              |                              | ( 0 ) | ( 20 ) | ( 0 ) | ( 0 ) | ( - ) | ( - ) | ( - ) | ( - ) |

[Hematopoietic system]

|        |                              |       |       |       |       |       |       |       |       |
|--------|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| spleen | extramedullary hematopoiesis | < 5>  |       |       |       | < 0>  |       |       |       |
|        |                              | 5     | 0     | 0     | 0     | -     | -     | -     | -     |
|        |                              | (100) | ( 0 ) | ( 0 ) | ( 0 ) | ( - ) | ( - ) | ( - ) | ( - ) |
|        | engorgement of erythrocyte   | < 5>  |       |       |       | < 0>  |       |       |       |
|        |                              | 5     | 0     | 0     | 0     | -     | -     | -     | -     |
|        |                              | (100) | ( 0 ) | ( 0 ) | ( 0 ) | ( - ) | ( - ) | ( - ) | ( - ) |

[Digestive system]

|       |                                    |        |       |       |       |       |       |       |       |
|-------|------------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|
| liver | herniation                         | < 5>   |       |       |       | < 0>  |       |       |       |
|       |                                    | 0      | 0     | 0     | 0     | -     | -     | -     | -     |
|       |                                    | ( 0 )  | ( 0 ) | ( 0 ) | ( 0 ) | ( - ) | ( - ) | ( - ) | ( - ) |
|       | hepatocellular hypertrophy:central | < 5>   |       |       |       | < 0>  |       |       |       |
|       |                                    | 4      | 0     | 0     | 0     | -     | -     | -     | -     |
|       |                                    | ( 80 ) | ( 0 ) | ( 0 ) | ( 0 ) | ( - ) | ( - ) | ( - ) | ( - ) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 11

| Organ              | Findings                                  | Control<br>5 |      |      |      | 1250 ppm<br>5 |      |      |      | 2500 ppm<br>5 |      |      |      | 5000 ppm<br>5 |      |      |      |
|--------------------|---|--------------|------|------|------|---------------|------|------|------|---------------|------|------|------|---------------|------|------|------|
|                    |   | 1            | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2    | 3    | 4    | 1             | 2    | 3    | 4    |
|                    |   | (%)          | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  | (%)           | (%)  | (%)  | (%)  |
| [Urinary system]   |   |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| kidney             |   | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                    | basophilic change                         | 0            | 0    | 0    | 0    | 1             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 1             | 0    | 0    | 0    |
|                    |   | ( 0)         | ( 0) | ( 0) | ( 0) | ( 20)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 20)         | ( 0) | ( 0) | ( 0) |
|                    | mineralization:cortico-medullary junction | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                    |   | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
|                    | mineralization:papilla                    | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 1             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                    |   | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 20)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
|                    | mineralization:cortex                     | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                    |   | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| [Endocrine system] |   |              |      |      |      |               |      |      |      |               |      |      |      |               |      |      |      |
| pituitary          |   | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                    | Rathke pouch                              | 1            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                    |   | ( 20)        | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |
| thyroid            |   | < 5>         |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      | < 5>          |      |      |      |
|                    | ultimibranhial body remanet               | 0            | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    | 0             | 0    | 0    | 0    |
|                    |   | ( 0)         | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) | ( 0)          | ( 0) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 12

| Organ | Findings | Group Name<br>No. of Animals on Study<br>Grade | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|--|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          |  | 5         |     |     |     | 0         |     |     |     |
|       |          |  | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          |  | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Urinary system]

|        |   |  |       |      |      |      |      |      |      |      |
|--------|---|--|-------|------|------|------|------|------|------|------|
| kidney |   |  | < 5>  |      |      |      | < 0> |      |      |      |
|        | basophilic change                         |  | 1     | 0    | 0    | 0    | -    | -    | -    | -    |
|        |   |  | ( 20) | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |
|        |   |  |       |      |      |      |      |      |      |      |
|        | mineralization:cortico-medullary junction |  | 0     | 0    | 0    | 0    | -    | -    | -    | -    |
|        |   |  | ( 0)  | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |
|        | mineralization:papilla                    |  | 0     | 0    | 0    | 0    | -    | -    | -    | -    |
|        |   |  | ( 0)  | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |
|        | mineralization:cortex                     |  | 0     | 0    | 0    | 0    | -    | -    | -    | -    |
|        |   |  | ( 0)  | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |

[Endocrine system]

|           |                              |  |       |      |      |      |      |      |      |      |
|-----------|------------------------------|--|-------|------|------|------|------|------|------|------|
| pituitary |                              |  | < 5>  |      |      |      | < 0> |      |      |      |
|           | Rathke pouch                 |  | 0     | 0    | 0    | 0    | -    | -    | -    | -    |
|           |                              |  | ( 0)  | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |
| thyroid   |                              |  | < 5>  |      |      |      | < 0> |      |      |      |
|           | ultimibranchial body remanet |  | 1     | 0    | 0    | 0    | -    | -    | -    | -    |
|           |                              |  | ( 20) | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 13

| Organ | Findings | Group Name<br>No. of Animals on Study |     |     |     | Control |     |     |     | 1250 ppm |     |     |     | 2500 ppm |     |     |     | 5000 ppm |     |     |     |
|-------|----------|---------------------------------------|-----|-----|-----|---------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----|
|       |          | 5                                     |     |     |     | 5       |     |     |     | 5        |     |     |     | 5        |     |     |     | 5        |     |     |     |
|       |          | 1                                     | 2   | 3   | 4   | 1       | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   | 1        | 2   | 3   | 4   |
|       |          | (%)                                   | (%) | (%) | (%) | (%)     | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) | (%)      | (%) | (%) | (%) |

[Special sense organs/appendage]

|                          |  |      |      |      |      |      |      |      |      |      |      |      |      |       |       |      |      |
|--------------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|------|------|
| Harder gl                |  | < 5> |      |      |      | < 5> |      |      |      | < 5> |      |      |      | < 5>  |       |      |      |
| degeneration             |  | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 1     | 0     | 0    | 0    |
|                          |  | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 20) | ( 0)  | ( 0) | ( 0) |
| Lymphocytic infiltration |  | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 2     | 2     | 0    | 0    |
|                          |  | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 0) | ( 40) | ( 40) | ( 0) | ( 0) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

(HPT150)

BAIS3

STUDY NO. : 0360  
 ANIMAL : RAT F344/DuCrj  
 REPORT TYPE : A1  
 SEX : FEMALE

HISTOLOGICAL FINDINGS :NON-NEOPLASTIC LESIONS (SUMMARY)  
 SACRIFICED ANIMALS ( 2W)

PAGE : 14

| Organ | Findings | 10000 ppm |     |     |     | 20000 ppm |     |     |     |
|-------|----------|-----------|-----|-----|-----|-----------|-----|-----|-----|
|       |          | 5         |     |     |     | 0         |     |     |     |
|       |          | 1         | 2   | 3   | 4   | 1         | 2   | 3   | 4   |
|       |          | (%)       | (%) | (%) | (%) | (%)       | (%) | (%) | (%) |

[Special sense organs/appendage]

|           |                          |       |      |      |      |      |      |      |      |
|-----------|--------------------------|-------|------|------|------|------|------|------|------|
| Harder gl | degeneration             | < 5>  |      |      |      | < 0> |      |      |      |
|           |                          | 2     | 0    | 0    | 0    | -    | -    | -    | -    |
|           |                          | ( 40) | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |
|           | Lymphocytic infiltration | 5     | 0    | 0    | 0    | -    | -    | -    | -    |
|           |                          | (100) | ( 0) | ( 0) | ( 0) | ( -) | ( -) | ( -) | ( -) |

Grade 1 : Slight 2 : Moderate 3 : Marked 4 : Severe  
 < a > a : Number of animals examined at the site  
 b b : Number of animals with lesion  
 ( c ) c : b / a \* 100

(HPT150)

BAIS3

APPENDIX K 1

IDENTITY AND IMPURITY OF p-NITROANISOLE  
IN THE 2-WEEK FEED STUDY



## IDENTITY AND IMPURITY OF p-NITROANISOLE IN THE 2-WEEK FEED STUDY

Test Substance : p-Nitroanisol (Kanto Chemical Co., Inc.)

Lot No. : 704S4061


## 1. Spectral data

Mass Spectrometry


Instrument : Hewlett Packard 5989B Mass Spectrometer

Ionization : EI (Electron Ionization)

Ionization Voltage : 70eV



Mass Spectrum of Test Substance



Mass Spectrum of Literature Data\*


Results: The mass spectrum was consistent with literature spectrum.

(\*Fred W. McLafferty (1994) Wiley Registry of Mass Spectral Data, 6th edition.  
John Wiley and Sons, Inc. (U.S.), Entry Number 38330)


Infrared Spectrometry

Instrument : Shimadzu FTIR-8200PC Infrared Spectrometer

Cell : KBr Liquid Cell

Resolution : 2.0  $\text{cm}^{-1}$ 

Infrared Spectrum of Test Substance



Infrared Spectrum of Literature Data\*

Results: The infrared spectrum was consistent with literature spectrum.

(\*William W. Simons (1978) The Sadtler Handbook of Infrared Spectra.  
Sadtler Research Laboratories, Inc. (U.K.), pp.443)

## 2. Impurity

Instrument : Hewlett Packard 5890A Gas Chromatograph

Column : INNOWAX (0.2 mm  $\phi$   $\times$  50 m)

Column Temperature : 80 °C  $\rightarrow$  (15 °C/min)  $\rightarrow$  280 °C (5 min)

Flow Rate : 1 mL/min

Detector : FID (Flame Ionization Detector)

Injection Volume : 1  $\mu$ L

| Sample Name    | Peak No. | Area (%) | Peak Name            |
|----------------|----------|----------|----------------------|
| Test Substance | 1        | 0.14     | m-Chloronitrobenzene |
|                | 2        | 0.11     | p-Chloronitrobenzene |
|                | 3        | 0.01     | o-Chloronitrobenzene |
|                | 4        | 99.74    | p-Nitroanisole       |

Results: Gas chromatography indicated one major peak (peak No.4) and three impurities. It was identified only by comparing its gas chromatograph with that of m-chloronitrobenzene (peak No.1), p-chloronitrobenzene (peak No.2) and o-chloronitrobenzene (peak No.3) in the p-nitroanisole, the amount in the test substance were 0.14%, 0.11% and 0.01%.

3. Conclusions: The test substance was identified as p-nitroanisole, by the mass spectrum and the infrared spectrum. Gas chromatography indicated one major peak (peak No.4) and three impurities. It was identified only by comparing its gas chromatograph with that of m-chloronitrobenzene, p-chloronitrobenzene and o-chloronitrobenzene, the amount in the test substance were 0.14%, 0.11% and 0.01%.

## APPENDIX K 2

### STABILITY OF p-NITROANISOLE IN FEEDING OF RATS IN THE 2-WEEK FEED STUDY

## STABILITY OF p-NITROANISOLE IN THE 2-WEEK FEED STUDY

Test Substance : p-Nitroanisole (Kanto Chemical Co., Inc.)


Lot No. : 704S4061

1. Sample : This lot was used from 1998.6.26 to 1998.7.10. Test substance was stored in a dark place at room temperature.


## 2. Infrared Spectrometry

Instrument : Shimadzu FTIR-8200PC Infrared Spectrometer

Cell : KBr Liquid Cell

Resolution : 2.0  $\text{cm}^{-1}$ 

Infrared Spectrum of Test Substance (date analyzed : 1998.06.08)



Infrared Spectrum of Test Substance (date analyzed : 1998.07.27)

Results: The results of infrared spectrum did not change before and after the study.

## 3. Gas Chromatography

Instrument : Hewlett Packard 5890A Gas Chromatograph

Column : INNOWAX (0.2 mm  $\phi$   $\times$  50 m)

Column Temperature : 80 °C  $\rightarrow$  (15 °C/min)  $\rightarrow$  280 °C (5 min)

Flow Rate : 1 mL/min

Detector : FID (Flame Ionization Detector)

Injection Volume : 1  $\mu$ L

| Date<br>(date analyzed) | Peak No. | Retention Time<br>(min) | Area<br>(%) |
|-------------------------|----------|-------------------------|-------------|
| 1998.06.08              | 1        | 10.230                  | 0.14        |
|                         | 2        | 10.518                  | 0.11        |
|                         | 3        | 10.983                  | 0.01        |
|                         | 4        | 13.106                  | 99.74       |
| 1998.07.28              | 1        | 10.235                  | 0.15        |
|                         | 2        | 10.521                  | 0.12        |
|                         | 3        | 10.982                  | 0.01        |
|                         | 4        | 13.127                  | 99.72       |

Results: Gas chromatography indicated one major peak (peak No.4) and three impurities (peak No. 1, 2, 3 < 0.3% of total area) analyzed at 1998.6.8 and one major peak (peak No.4) and three impurities (peak No.1, 2, 3 < 0.3% of total area) analyzed at 1998.7.28. No new trace impurity peak in the test substance analyzed at 1998.7.28 was detected.

4. Conclusions: The test substance was stable for about 2 months in a dark place at room temperature.

## APPENDIX K 3

### CONCENTRATION OF p-NITROANISOLE IN FORMULATED DIETS IN THE 2-WEEK FEED STUDY

# CONCENTRATION OF p-NITROANISOLE IN FORMULATED DIETS IN THE 2-WEEK FEED STUDY

| Date Analyzed | Target Concentration    |              |              |              |               |
|---------------|-------------------------|--------------|--------------|--------------|---------------|
|               | 1250 <sup>a</sup>       | 2500         | 5000         | 10000        | 20000         |
| 1998.06.25    | 1270 (102) <sup>b</sup> | 2470 ( 98.8) | 4930 ( 98.6) | 9860 ( 98.6) | 19500 ( 97.5) |

<sup>a</sup> ppm

<sup>b</sup> %

Analytical method : The samples were analyzed by the high performance liquid chromatography.

Instrument : Hewlett Packard 1090 High Performance Liquid Chromatograph

Column : TSK GEL ODS-80TM (4.6 mm  $\phi$   $\times$  15 cm)

Column Temperature : Room Temperature

Flow Rate : 1 mL/min

Mobile Phase : Distilled Water : Acetonitrile = 1 : 1

Detector : UV (295 nm)

Injection Volume : 10  $\mu$ L



## APPENDIX K 4

### STABILITY OF p-NITROANISOLE IN FORMULATED DIETS IN THE 2-WEEK FEED STUDY

# STABILITY OF p-NITROANISOLE IN FORMULATED DIETS IN THE 2-WEEK FEED STUDY

| Date Prepared | Date Analyzed           | Target Concentration    |               |
|---------------|-------------------------|-------------------------|---------------|
|               |                         | 1250 <sup>a</sup>       | 20000         |
| 1998.05.28    | 1998.05.28              | 1250 (100) <sup>b</sup> | 19200 (100)   |
|               | 1998.06.05 <sup>c</sup> | 1040 ( 83.2)            | 17900 ( 93.2) |
|               | 1998.06.05 <sup>d</sup> | 1260 (101)              | 19400 (101)   |

<sup>a</sup> ppm

<sup>b</sup> % (Percentage was based on the concentration on date of preparation.)

<sup>c</sup> Animal room samples

<sup>d</sup> Cold storage samples

Analytical method : The samples were analyzed by the high performance liquid chromatography.

Instrument : Hewlett Packard 1090 High Performance Liquid Chromatograph

Column : TSK GEL ODS-80TM (4.6 mm  $\phi$   $\times$  15 cm)

Column Temperature : Room Temperature

Flow Rate : 1 mL/min

Mobile Phase : Distilled Water : Acetonitrile = 1 : 1

Detector : UV (295 nm)

Injection Volume : 10  $\mu$ L

## APPENDIX L 1

### METHODS FOR HEMATOLOGY, BIOCHEMISTRY IN THE 2-WEEK FEED STUDY OF p-NITROANISOLE

METHODS FOR HEMATOLOGY AND BIOCHEMISTRY IN THE  
2-WEEK FEED STUDY OF p-NITROANISOLE

| Item   | Method   |
|--|--|
| <b>Hematology</b>                                |  |
| Red blood cell (RBC)                             | Light scattering method <sup>1)</sup>                                    |
| Hemoglobin (Hgb)                                 | Cyanmethemoglobin method <sup>1)</sup>                                   |
| Methemoglobin                                    | Multiple-wavelength Spectrophotometric method <sup>5)</sup>              |
| Hematocrit (Hct)                                 | Calculated as $RBC \times MCV / 10$ <sup>1)</sup>                        |
| Mean corpuscular volume (MCV)                    | Light scattering method <sup>1)</sup>                                    |
| Mean corpuscular hemoglobin (MCH)                | Calculated as $Hgb / RBC \times 10$ <sup>1)</sup>                        |
| Mean corpuscular hemoglobin concentration (MCHC) | Calculated as $Hgb / Hct \times 100$ <sup>1)</sup>                       |
| Platelet   | Light scattering method <sup>1)</sup>                                    |
| Reticulocyte                                     | Pattern recognition method <sup>3)</sup><br>(New methyleneblue staining) |
| Prothrombin time                                 | Quick one stage method <sup>2)</sup>                                     |
| Activated partial thromboplastin time (APTT)     | Ellagic acid activaterd method <sup>2)</sup>                             |
| White blood cell (WBC)                           | Light scattering method <sup>1)</sup>                                    |
| Differential WBC                                 | Pattern recognition method <sup>3)</sup><br>(Wright staining)            |
| <b>Biochemistry</b>                              |  |
| Total protein (TP)                               | Biuret method <sup>4)</sup>  |
| Albumin (Alb)                                    | BCG method <sup>4)</sup>   |
| A/G ratio  | Calculated as $Alb / (TP - Alb)$ <sup>4)</sup>                           |
| T-bilirubin                                      | Alkaline azobilirubin method <sup>4)</sup>                               |
| Glucose  | GlcK·G-6-PDH method <sup>4)</sup>  |
| T-cholesterol                                    | CE·COD·POD method <sup>4)</sup>  |
| Phospholipid                                     | PLD·ChOD·POD method <sup>4)</sup>  |
| Glutamic oxaloacetic transaminase (GOT)          | JSCC method <sup>4)</sup>  |
| Glutamic pyruvic transaminase (GPT)              | JSCC method <sup>4)</sup>  |
| Lactate dehydrogenase (LDH)                      | SFBC method <sup>4)</sup>  |
| γ-Glutamyl transpeptidase (γ-GTP)                | L-γ-Glutamyl-p-nitroanilide method <sup>4)</sup>                         |
| Creatine phosphokinase (CPK)                     | JSCC method <sup>4)</sup>  |
| Urea nitrogen                                    | Urease·GLDH method <sup>4)</sup>   |
| Creatinine                                       | Jaffe method <sup>4)</sup>   |
| Sodium   | Ion selective electrode method <sup>4)</sup>                             |
| Potassium  | Ion selective electrode method <sup>4)</sup>                             |
| Chloride   | Ion selective electrode method <sup>4)</sup>                             |
| Calcium  | OCPC method <sup>4)</sup>  |
| Inorganic phosphorus                             | PNP·XOD·POD method <sup>4)</sup>   |

1) Automatic blood cell analyzer (Technicon H·1 : Bayer Corporation)

2) Automatic coagulometer (Sysmex CA-5000 : Sysmex Corporation)

3) Automatic blood cell differential analyzer (MICROX HEG-120NA : OMRON Corporation,)

4) Automatic analyzer (Hitachi 7070 : Hitachi, Ltd.)

5) CO-oximeter (CIBA·CORNING 270 : Bayer Corporation)

## APPENDIX M 1

UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY  
IN THE 2-WEEK FEED STUDY OF p-NITROANISOLE

UNITS AND DECIMAL PLACE FOR HEMATOLOGY AND BIOCHEMISTRY  
IN THE 2-WEEK FEED STUDY OF p-NITROANISOLE

| Item   | Unit                      | Decimal Place |
|--|---------------------------|---------------|
| <b>Hematology</b>                                  |                           |               |
| Red blood cell (RBC)                               | $\times 10^6/\mu\text{L}$ | 2             |
| Hemoglobin   | g/dL                      | 1             |
| Methemoglobin                                      | %                         | 1             |
| Hematocrit   | %                         | 1             |
| Mean corpuscular volume (MCV)                      | fL                        | 1             |
| Mean corpuscular hemoglobin (MCH)                  | pg                        | 1             |
| Mean corpuscular hemoglobin concentration (MCHC)   | g/dL                      | 1             |
| Platelet   | $\times 10^3/\mu\text{L}$ | 0             |
| Reticulocyte                                       | ‰                         | 0             |
| Prothrombin time                                   | sec                       | 1             |
| Activated partial thromboplastin time (APTT)       | sec                       | 1             |
| White blood cell (WBC)                             | $\times 10^3/\mu\text{L}$ | 2             |
| Differential WBC                                   | %                         | 0             |
| <b>Biochemistry</b>                                |                           |               |
| Total protein                                      | g/dL                      | 1             |
| Albumin  | g/dL                      | 1             |
| A/G ratio  | —                         | 1             |
| T-bilirubin  | mg/dL                     | 2             |
| Glucose  | mg/dL                     | 0             |
| T-cholesterol                                      | mg/dL                     | 0             |
| Phospholipid                                       | mg/dL                     | 0             |
| Glutamic oxaloacetic transminase (GOT)             | IU/L                      | 0             |
| Glutamic pyruvic transaminase (GPT)                | IU/L                      | 0             |
| Lactate dehydrogenase (LDH)                        | IU/L                      | 0             |
| $\gamma$ -Glutamyl transpeptidase ( $\gamma$ -GTP) | IU/L                      | 0             |
| Creatine phosphokinase (CPK)                       | IU/L                      | 0             |
| Urea nitrogen                                      | mg/dL                     | 1             |
| Creatinine   | mg/dL                     | 1             |
| Sodium   | mEq/L                     | 0             |
| Potassium  | mEq/L                     | 1             |
| Chloride   | mEq/L                     | 0             |
| Calcium  | mg/dL                     | 1             |
| Inorganic phosphorus                               | mg/dL                     | 1             |